

**Ontario Energy
Board**
P.O. Box 2319
2300 Yonge Street
27th Floor
Toronto ON M4P 1E4
Telephone: (416) 481-1967
Facsimile: (416) 440-7656
Toll Free : 1-888-632-6273

**Commission de l'énergie
de l'Ontario**
C.P. 2319
2300, rue Yonge
27e étage
Toronto ON M4P 1E4
Téléphone: (416) 481-1967
Télécopieur: (416) 440-7656
Numéro sans frais : 1-888-632-6273



BY COURIER

August 4, 2009

Mr. Anthony M. Haines
President
Toronto Hydro-Electric System Limited
14 Carlton St.
Toronto ON M5B 1K5

Dear Mr. Haines,

Re: Smart Metering and Smart Sub-Metering in New Condominiums
Board File No: EB-2009-0308

The Ontario Energy Board (the "Board") has issued a Notice of Intention to Make an Order for Compliance (the "Notice") under section 112.3 of the *Ontario Energy Board Act, 1998* (the "Act"). Please find enclosed and served upon you a copy of the Notice.

Copies of the Act, the *Electricity Act, 1998*, and Ontario Regulation 442/07 are available on e-laws at www.e-laws.gov.on.ca. The Board's Distribution System Code and Rules of Practice and Procedure can be accessed through the Board's website at www.oeb.gov.on.ca.

As set out in the Notice, please note that should you wish to give notice to the Board requiring the Board to hold a hearing, that request must be made within fifteen days of receiving the Notice. The request for a hearing must be filed with the Board. If no notice requiring a hearing is given within the permitted time period, the Board may make an order.

All correspondence with the Board is to be filed with the Board Secretary at the Board's mailing address and by email (Boardsec@oeb.gov.on.ca) by 4:45 p.m. on the specified dates.

The Board may issue further correspondence indicating the next steps to be taken in this matter.

Please direct any questions relating to the Notice to Maureen Helt, Legal Counsel, at 416-440-7672 or Maureen.Helt@oeb.gov.on.ca or Joanna Rosset, Legal Counsel, at 416-440-7669 or Joanna.Rosset@oeb.gov.on.ca.

Yours truly,

Original signed by

Kirsten Walli
Board Secretary

Enclosure