



News & Events

- [Trade Shows](#)
- [PLP Race Sponsorship](#)
- [Corporate News & Headlines](#)
- [Product Press Releases](#)
- [Media Contacts](#)

For Investors

- [Financial Reports](#)
- [SEC Filings](#)

• home • News & Media • Product Press Releases

Product Press Releases

Product Press Releases

(click + to expand, - to collapse)

+ January 21, 2008

PLP Debuts New Line of Polymer Insulators THERMOLIGN® Hardware-Innovative Solutions for High Temperature Transmission Conductors

- November 27, 2007

Cleveland, Ohio – November 26, 2007 – Designed for use with High Temperature Low Sag (HLTS) transmission conductors, THERMOLIGN hardware by Preformed Line Products (PLP) is helping the power utility industry harness more power. THERMOLIGN products were designed to be used with conductors operating at continuous temperatures up to 250 degrees Celsius and are currently available in three designs for various uses:

THERMOLIGN Suspension—for applications utilizing aluminum-based, ACSS, ACCR or ACCC, high temperature, transmission conductors operating up to 250 degrees Celsius.

- Multi-layer design for maximum mechanical performance and heat dissipation.
- Minimal heat transfer to mating hardware and insulators.
- Cushioned insert surrounding conductor protects against wind and ice.
- No detrimental heat transfer to the cushioned insert.

THERMOLIGN Dead-ends—for applications utilizing aluminum-based, ACSS or ACCR, high temperature, transmission conductors operating up to 250 degrees Celsius.

- Multi-layer design for maximum mechanical performance and heat dissipation.
- Minimal heat transfer to mating hardware and insulators.
- No electrical connections.
- Simple to install.
- Protects conductor integrity.

THERMOLIGN Splice—for applications utilizing aluminum-based, ACSS or ACCR, high temperature, transmission conductors operating up to 250 degrees Celsius.

- No compression press and dies required.
- Minimal installation time.
- Simple two layer design.
- No need to separately expose and splice core.

For more information on the THERMOLIGN hardware or other PLP energy solutions, visit www.preformed.com/energy or call 440-461-5200.

Founded in 1947, Preformed Line Products (NASDAQ: PLPC) is an international designer and manufacturer of products and systems employed in the construction and maintenance of overhead and underground networks for energy, communications and broadband network companies. Headquartered in Cleveland, Ohio, the Company operates four domestic manufacturing centers, located in Rogers, Arkansas, Albuquerque, New Mexico, Albemarle, North Carolina and Asheville, North Carolina. PLP serves worldwide markets through international operations in Australia, Brazil, Canada, China, England, Mexico, New Zealand, Poland, South Africa, Spain and Thailand.

###

+ June 11, 2007

New COYOTE® Aerial Drop Closure Offers Feature Packed, Value Priced Splicing Solution

+ September 27, 2005

New VORTX™ Vibration Damper Reduces Power Conductor Vibration Over Wider Range Frequencies

+ September 15, 2005

New COYOTE® In-Line RUNT Closure Offers A Full Line Of Features In A Compact Package

+ September 15, 2005

New COYOTE® Terminal Closure Takes Fiber



[Using Preformed.com](#) [Privacy Policy and Terms of Use](#)

 **PREFORMED** LINE PRODUCTS
The connection you can count on.
© 2005-2007 Preformed Line Products. All rights reserved.

PLP Press Releases

Cleveland, Ohio – November 26, 2007 – Designed for use with High Temperature Low Sag (HLTS)

transmission conductors, THERMOLIGN hardware by Preformed Line ...

www.preformed.com/content/pressreleases.aspx