



500 Consumers Road
North York, Ontario M2J 1P8
PO Box 650
Scarborough ON M1K 5E3

Norm Ryckman
Director Regulatory Affairs
phone: (416) 753-6280
fax: (416) 495-6072
Email: norm.ryckman@enbridge.com

June 25, 2010

VIA RESS, EMAIL and COURIER

Kirsten Walli
Board Secretary
Ontario Energy Board
2300 Yonge Street, Suite 2700
Toronto, ON M4P 1E4

Dear Ms Walli:

**Re: Enbridge Gas Distribution Inc. – 2010 DSM Input Assumptions
Update – Additional Document**

In its letter of June 9th regarding the Enbridge 2010 DSM Assumption Update (EB-2010-0202), the Green Energy Coalition ("GEC") pointed out an oversight relating to the measure life of Steam Traps as agreed in the Enbridge 2008 DSM EAC Audit Summary Report.

Enbridge acknowledges the oversight and hereby submits the attached updated Measure Life Table to be added to the Company's 2010 DSM Input Assumptions Update as Document 3.

Sincerely,

A handwritten signature in blue ink, appearing to read 'Norm Ryckman'.

Norm Ryckman

Attach.

cc: All EB-2010-0202 Interested parties

CUSTOM RESOURCE ACQUISITION TECHNOLOGIES

1. Measure Life Assumptions

	<i>Commercial</i>	<i>Industrial</i>	<i>Multi-residential</i>
Boiler Related			
<i>Boilers – DHW</i>	25 ¹	n/a	25 ¹
<i>Boilers - Industrial Process</i>	n/a	20	n/a
<i>Boilers – Space Heating</i>	25 ¹	25 ¹	25 ¹
<i>Combustion Tune-up</i>	5	5	n/a
<i>Controls</i>	15	15	15
<i>Steam pipe/tank insulation</i>	n/a	15	n/a
<i>Steam trap</i>	6 ³	6 ³	n/a
Building Related			
<i>Building envelope</i>	25	25	25
<i>Windows</i>	25	25	25
<i>Greenhouse curtains</i>	n/a	10	n/a
<i>Double Poly greenhouse</i>	n/a	5	n/a
HVAC Related			
<i>Dessicant cooling</i>	15	n/a	n/a
<i>Heat Recovery</i>	15	15	n/a
<i>Infra-red heaters</i>	10	10	n/a
<i>Make-up Air</i>	15	15	15
<i>Novitherm panels</i>	15	n/a	15
<i>Furnaces (gas-fired)</i>	18 ²	n/a	18 ²
Re-Commissioning	5 ⁴	n/a	5 ⁴
Process Related			
<i>Furnaces (gas-fired)</i>	n/a	18 ²	n/a

/u

Source: EB-2006-0021.

¹Source: ASHRAE

²Source: ASHRAE updated in EB-2006-0021

³Source: Enbridge Gas Distribution 2008 DSM EAC Audit Summary Report.

⁴Source: Measure Life For Retro-Commissioning And Continuous Commissioning Projects, Finn Projects,

Witnesses: A. Mandyam
P. Squires