

**Ontario Energy
Board**
P.O. Box 2319
27th. Floor
2300 Yonge Street
Toronto ON M4P 1E4
Telephone: 416- 481-1967
Facsimile: 416- 440-7656
Toll free: 1-888-632-6273

**Commission de l'Énergie
de l'Ontario**
C.P. 2319
27e étage
2300, rue Yonge
Toronto ON M4P 1E4
Téléphone; 416- 481-1967
Télécopieur: 416- 440-7656
Numéro sans frais: 1-888-632-6273



BY E-MAIL

December 4, 2007

Board Secretary
Ontario Energy Board
2300 Yonge Street, Suite 2701
Toronto ON M4P 1E4

Attention: Ms. Kirsten Walli

Dear Ms. Walli:

**Re: Kitchener-Wilmot Hydro Inc. - 2008 Electricity Distribution Rates
Application - Board File Number EB-2007-0883**

Please see attached Board Staff Interrogatories for the above proceeding. Please forward the attached to Kitchener-Wilmot Hydro Inc.

Yours truly

Original signed by

Alexander Ruest
Case Manager

**2008 Incentive Rate Mechanism Application
Ontario Energy Board Staff Interrogatories for
Kitchener-Wilmot Hydro Inc. — EB-2007-0883**

For each of the interrogatories below, please clarify whether this was an error, confirming what the correct entry should have been, or provide a complete explanation for the discrepancies. The format of the response should repeat the references and the interrogatories.

Ref.: 2008 IRM Model, Sheet 3 (2007 Tariff Sheet)

1. Monthly Rates and Charges for Large Use

A review of your current 2007 Board approved Tariff of Rates and Charges indicates that the Retail Transmission Rate – Network Service Rate on row 190 should include the descriptor “Interval Metered”.

Likewise, a review of your current 2007 Board approved Tariff of Rates and Charges indicates that the Retail Transmission Rate – Line and Transformation Connection Service Rate on row 191 should include the descriptor “Interval Metered”.

2. Monthly Rates and Charges for Unmetered Scattered Load

A review of your current 2007 Board approved Tariff of Rates and Charges indicates that the Service Charge on row 201 should include the descriptor “(per connection)”.

3. Monthly Rates and Charges for Street Lighting

A review of your current 2007 Board approved Tariff of Rates and Charges indicates that the Service Charge on row 217 should include the descriptor “(per connection)”.