


Ontario Energy Board
P.O. Box 2319
27th Floor
2300 Yonge Street
Toronto ON M4P 1E4
Telephone: 416- 481-1967
Facsimile: 416- 440-7656
Toll free: 1-888-632-6273

Commission de l'énergie de l'Ontario
C.P. 2319
27e étage
2300, rue Yonge
Toronto ON M4P 1E4
Téléphone: 416-481-1967
Télécopieur: 416-440-7656
Numéro sans frais: 1-888-632-6273



BY E-MAIL

December 6, 2007

Attention: Ms. Kirsten Walli, Board Secretary

Dear Ms. Walli:

**Re: Kingston Electricity Distribution Limited
2008 Incentive Regulation Mechanism (2008 IRM) Rate Application
Board File Number EB-2007-0869**

Please find attached Board Staff Interrogatories for the above proceeding.

Yours truly,

Original signed by

John Vrantsidis
Policy Advisor, Regulatory Policy Development

Encl.

**2008 Incentive Rate Mechanism Application
Ontario Energy Board Staff Interrogatories for
Kingston Electricity Distribution Limited — EB-2007-0869**

For each of the interrogatories below, please clarify whether this was an error, confirming what the correct entry should have been, or provide a complete explanation for the discrepancies. The format of the response should repeat the references and the interrogatories.

Ref.: 2008 IRM Model, Sheet 1 (Utility Information Sheet)

Ref.: 2008 IRM Model, Sheet 3 (2007 Tariff Sheet)

1. Monthly Rates and Charges for Unmetered Scattered Load

A review of your current 2007 Board approved Tariff of Rates and Charges indicates that the service charge should include the descriptor “(per customer)”, however your 2008 model does not reflect this.

2. Monthly Rates and Charges for Street Lighting

A review of your current 2007 Board approved Tariff of Rates and Charges indicates that the service charge should include the descriptor “(per connection)”, however your 2008 model does not reflect this.

3. Specific Service Charges

A review of your current 2007 Board approved Tariff of Rates and Charges indicates that the four service charges for disconnect/reconnect should include the descriptor “\$”, however your 2008 model does not reflect this.