

**2008 Incentive Rate Mechanism Application  
Ontario Energy Board Staff Interrogatories for  
West Coast Huron Energy Inc. — EB-2007-0892**

For each of the interrogatories below, please clarify whether this was an error, confirming what the correct entry should have been, or provide a complete explanation for the discrepancies. The format of the response should repeat the references and the interrogatories.

**Ref.: 2008 IRM Model, Sheet 1 (Utility Information Sheet)**

1. Contact Phone Number

Board Staff have found that the 519-514-7371 phone number provided for the filing contact is not operative. Please provide an updated phone number for Mr. Larry McCabe.

***Response:***

***The Telephone Number for Mr. Larry McCabe provided was in error. The correct number on Sheet 1 should be 519-524-7371.***

**Ref.: 2008 IRM Model, Sheet 3 (2007 Tariff Sheet)**

2. Monthly Rates and Charges for Unmetered Scattered Load

A review of your current 2007 Board approved Tariff of Rates and Charges indicates that the service charge should include the descriptor “(per customer)”, however your 2008 model does not reflect this.

***Response:***

***The approved Tariff of Rates and Charges on sheet 3, for Unmetered Scattered Load, the service charge omitted the descriptor “(per customer)” in error. The correct entry should be “Service Charge (per customer)”.***

3. Monthly Rates and Charges for Sentinel Lighting

A review of your current 2007 Board approved Tariff of Rates and Charges indicates that the service charge should include the descriptor “(per connection)”, however your 2008 model does not reflect this.

***Response:***

***The approved Tariff of Rates and Charges on sheet 3, for Sentinel lighting, the service charge omitted the descriptor “(per connection)” in error. The correct entry should be “Service Charge(per connection)”.***

#### 4. Monthly Rates and Charges for Street Lighting

A review of your current 2007 Board approved Tariff of Rates and Charges indicates that the service charge should include the descriptor “(per connection)”, however your 2008 model does not reflect this.

***Response:***

***The approved Tariff of Rates and Charges on sheet 3, for Street Lighting, the service charge omitted the descriptor “(per connection)” in error. The correct entry should be “Service Charge (per connection)”.***