Ontario Energy Board P.O. Box 2319 27th. Floor 2300 Yonge Street Toronto ON M4P 1E4

Telephone: 416- 481-1967 Facsimile: 416- 440-7656 Toll free: 1-888-632-6273 Commission de l'énergie de l'Ontario

C.P. 2319 27e étage 2300, rue Yonge Toronto ON M4P 1E4 Téléphone; 416-481-1967 Télécopieur: 416-440-7656

Numéro sans frais: 1-888-632-6273



BY E-MAIL ONLY

November 8, 2011

Patricia Eitel
Manager
Woodstock Hydro Services Inc.
16 Graham Street
P.O. Box 1598
Woodstock ON N4S 0A8

Dear Ms. Eitel:

Re: Woodstock Hydro Services Inc. (Woodstock)
2012 Incentive Regulation Mechanism Rate Application
Board File Number EB-2011-0207
Notice of Intervention of the Energy Probe Research Foundation ("Energy Probe")

The Board confirms Energy Probe as an intervenor in the above noted proceeding, subject to Woodstock's right of reply to your request within 14 calendar days from the filing of your notice of intervention.

The Board has determined that Energy Probe is eligible to apply for an award of costs under its *Practice Direction on Cost Awards* (the "Practice Direction") in relation to Woodstock's proposal for the lost revenue adjustment mechanism ("LRAM"), recovery of the costs of a new transformer station and revenue-to-cost ratio adjustments. The Board expects that cost claims in relation to revenue-to-cost ratio adjustments will be made only for matters that go beyond the implementation of previous Board Decisions.

With respect to the disposition of account 1562, the Board will not consider cost awards at this time as the application as filed appears to have no material inconsistencies with the various decisions made in the course of the Combined PILS proceeding (EB-2008-0381) including the use of the updated models containing the Excel worksheet 'TAXREC 3' as used by Halton Hills Hydro Inc.

The Practice Direction and related forms are available on the Board's website at www.ontarioenergyboard.ca.

Yours truly,

Original signed by

Kirsten Walli Board Secretary

cc: Ross McMillan, Woodstock Hydro Services Inc.