

Exh JT

Union Gas Limited - Cost of Service

Date Filed**EB-2011-0210****TECHNICAL CONFERENCE**

June 1, 2012

Day 2

- | | | |
|-------|---|-------------------|
| JT2.1 | To Provide The Reason For The Difference In Total Supply At Cost | June 11/12 |
| JT2.2 | To Provide An Answer As To Whether The Assumption Of A Full-Year Depreciation Is Wrong | |
| JT2.3 | To Provide Data Actual Winter Set Delivery Pressure | |
| JT2.4 | To Provide Responsibility Of System Gas Portfolio At Parkway | |
| JT2.5 | To Confirm Whether The Contracts Were Delivered To The UNION CDA | |
| JT2.6 | To Provide Total UNION Capacity To Eastern Zone, Winter 2011, 2012 | |
| JT2.7 | To Provide a response to APPrO Technical Conference Question No. 4 REF J.D-16-13-1 | |
| JT2.8 | To Provide Proportion Of The Volumes Leaving Parkway On An Annualized Basis, That Serve In-Franchise Customers. | |
| JT2.9 | To Provide The Monthly Averages For Each Month For The Last 12 Months To The End Of May | |

- JT2.10 To Provide Responses To CME Technical Conference Questions As Pre-Filed By Mr. Thompson, As Well As The One Posed Today On The Record
- JT2.11 To Explain How Much Direct Purchase Gas In Union's Southern Operating Region Carries An Obligation To Deliver To Parkway
- JT2.12 To Identify Empress-To-Eastern Zone Contracts Turned Back As Of November 1, 2010, November 1, 2011 And November 1, 2012
- JT2.13 [As Described]
- JT2.14 To Clarify The Number And Whether It Includes Space Deemed Unavailable And, If So, What Amount
- JT2.15 To Update The Tables To Include The C1 Volumes If They Were Inadvertently Omitted
- JT2.16 To Update The Tables And Show The Winter Peaking Costs That Are Consistent With The Term In A. To Confirm, If It Is 2007/2008, What The Cost Was Associated With The Peaking Service For That Season, As Opposed To The Calendar-Year Cost
- JT2.17 To Explain Why M12X Is Not Included In Volumes Requiring Parkway Compression.
- JT2.18 To Provide Responses To Rate Design Questions In LPMA Technical conference Questions 1 to 6, as FILED.
- JT2.19 To Duplicate Attachment W For Using Rates T1 AND T2.
- JT2.20 To Explain Why Non-Utility Customers Are Not Subject To Empty Space Hysteresis.

- JT2.21 To Provide A Response To APPrO Technical Conference Question No. 5 and Detail On Rate Increases For Rates 20, 25 AND 100
- JT2.22 To Provide A Response To School Energy Coalition Technical Conference Question No. 25
- JT2.23 TO Provide A Table Showing The Revenue-To-Cost Ratios Before And After
- JT2.24 To Provide A Response To The Described CALCULATION
- JT2.25 To Provide A Response To School Energy Coalition Technical Conference Question No. 31, REF: Exhibit J.H-3-15-3
- JT2.26 With Reference To School Energy Coalition Technical Conference Question No. 33, REF: Exhibit J.H-4-4-1, To Add Two Columns For 2014 Proposed To The Table
- JT2.27 To Provide The Costs Allocated To M1, M2, O1, AND O10 FOR 2013 AND 2014; And What Adjustments Were Made To Get From One To The Other