

Enersource's Economic and Reliability Performance

August 2012



Comparison Benchmarking Data


Definitions


- Total Cost is equivalent to "capital additions" plus "OM&A";
- kWh is equivalent to "total kWh purchased";
- kW is equivalent to the "maximum peak";
- Reliability measured in SAIDI, SAIFI and CAIDI


Notes

- All data is taken from the 2008-2010 OEB Yearbooks;
- All graphed data are average values for the period 2008 to 2010;
- Cohorts for comparison purposes:
 - OEB 3rd GIRM Cohort includes all 55 distributors listed in EB-2011-0387;
 - CLD Cohort includes Enersource, Horizon, Hydro Ottawa, PowerStream, Toronto Hydro, and Veridian;
 - Proxy Cohort as described in Enersource's Shareholder Agreement includes Enersource, London Hydro, Horizon, Hydro Ottawa, and PowerStream.











3rd GIRM Cohort: System Average Interruption Duration Index (SAIDI)






CLD Cohort: System Average Interruption Duration Index (SAIDI)











3rd GIRM Cohort Group: System Average Interruption Frequency Index (SAIFI)












Proxy Group: System Average Interruption Frequency Index (SAIFI)



3rd GIRM Cohort Group: Customer Average Interruption Duration Index (CAIDI)



CLD Cohort: Customer Average Interruption Duration Index (CAIDI)



Proxy Group: Customer Average Interruption Duration Index (CAIDI)

