

**Ontario Energy
Board**

P.O. Box 2319
2300 Yonge Street
27th Floor
Toronto ON M4P 1E4
Telephone: 416-481-1967
Facsimile: 416-440-7656
Toll free: 1-888-632-6273

**Commission de l'énergie
de l'Ontario**

C.P. 2319
2300, rue Yonge
27^e étage
Toronto ON M4P 1E4
Téléphone: 416-481-1967
Télécopieur: 416-440-7656
Numéro sans frais: 1-888-632-6273



BY E-MAIL ONLY

June 20, 2014

Steven Lupo
Senior Manager
Trilliant Energy Services Inc.
20 Floral Parkway
Concord ON L4K 4R1

Dear Mr Lupo:

**Re: Smart Sub-Metering Licence Renewal
Trilliant Energy Services Inc. – ES-2009-0110**

Your Smart Sub-Metering licence is due to expire on October 26, 2014.

If Trilliant Energy Services Inc. wishes to continue to participate in the Ontario Electricity market, you are invited to file an application to renew Trilliant Energy Services Inc.'s Smart Sub-Metering Licence. As you are aware, Trilliant Energy Services Inc. is not permitted to carry out activities described in section 57 of the Ontario Energy Board Act, 1998 (the "Act") without a licence.

The standard time required to issue a licence is 90 days from receipt of a complete application. To assist the Board to renew Trilliant Energy Services Inc.'s licence in a timely manner prior to the expiry date, you are required to submit your application to the Board within 30 days of this e-mail. A licence application form is available on our website at the following address:

<http://www.ontarioenergyboard.ca/OEB/Industry/Licences/Apply+for+a+Licence>

On receipt of the application, the Board will proceed to review the application for renewal in accordance with Part V of the Act. If we do not receive the application by the required date, the Board will be prepared to remove the name from the licensee records once the current licence is expired.

If you have any questions regarding this process, you may contact Vince Mazzone, Analyst, at 416 544 5159 or by e-mail at Vince.Mazzone@ontarioenergyboard.ca.

Yours truly,

Original signed by

John Pickernell
Assistant Board Secretary