

From: Shelley Grice [<mailto:shelley.grice@rogers.com>]

Sent: August-24-16 7:32 AM

To: Butany-DeSouza, Indy; 'jsidlofsky@blg.com'; 'regulatoryaffairs@enersource.com'; 'colin.macdonald@powerstream.ca'; 'regulatory@hydroone.com'; 'sreffle@whitbyhydro.on.ca'; 'rabirashed@whitbyhydro.on.ca'; 'garmstrong@veridian.on.ca'; 'szebrowski@veridian.on.ca'; 'jsprackett@pwu.ca'; 'richard.stephenson@paliarerland.com'; 'bkidane@elenchus.ca'; 'kmckenzie@elenchus.ca'; 'jkoller@ecao.org'; 'Lisa@demarcoallan.com'; 'cary@demarcoallan.com'; 'tbrett@foglers.com'; 'Marion.Fraser@rogers.com'; 'mjanigan@piac.ca'; 'markgarner@rogers.com'; 'fcass@airdberlis.com'; 'jgirvan@uniserve.com'; 'rgreey@gmail.com'; 'wmcnally@opsba.org'; 'jay.shepherd@canadianenergylawyers.com'; 'mark.rubenstein@canadianenergylawyers.com'; 'randy.aiken@sympatico.ca'; 'DavidMacIntosh@nextcity.com'; 'pmartin@opuc.on.ca'; 'regulatory.affairs@opuc.on.ca'; 'barry053@sympatico.ca'; 'eschirru@kmlaw.ca'; 'pippa.d.feinstein@gmail.com'; Daniel Kim; BoardSec

Subject: Re: Confirmation of Supporting Document Submission for LDC Co; Case Number: EB-2016-0025

Hi - I have one additional Technical Conference question that relates to TC-AMPCO-6 - Please provide the asset replacement rate as a % for each individual LDC for the years 2010 to 2015 and forecast for 2016 and the forecast asset replacement rate for LDC Co. for the 10 year period and show the calculation.

Thanks

Shelley Grice, P. Eng.
Cell: 647-880-9942

This communication is for use by the intended recipient and contains information that may be privileged, confidential or copyrighted under applicable law. If you are not the intended recipient, you are hereby formally notified that any use, copying or distribution of this e-mail, in whole or in part, is strictly prohibited. Please notify the sender by return e-mail and delete this e-mail from your system. This e-mail does not constitute a consent to the use of sender's contact information for direct marketing purposes or for transfers of data to third parties.