

▷^oU_h▷ Δ^odU·ΔPL ▷<ρ_hΔ^o ·Δ^oCLq·Δ^o
·ΔUσbσ_hΔ^o Δ_{op}·Δ^o

[illegible]

97A 00000000. 64 .0000 0000.

[illegible]

ᐅᑦᐅ ርግ ሆኖ ህጋዊ ስርዓቱን ለማሳካት ለሚችል ሁሉም ሰራተኛዎች ስራ ላይ ማመልከት ይገባል። ለዚህም ምሳሌ ለሚሰጠው የግብርና ሚኒስቴር ሰራተኛዎች ስራ ላይ ማመልከት ይገባል።

[illegible]

▷▷▷ C^o pP▷▷▷dσ-q-Δ L₁ΔΔb^a b₄ ▷PL-Δ^a b<Γ_ab^a Δ^odUq-Δσ ▷▷aPq-Δ^a <U-Δ^a ΔΔL “bPp-σC-bP^a Δ^odUq-Δ<Δop-Δ^a” <qΛΔbσ▷▷ Δ^oU▷▷ Δ^odU:ΔPL-Δ^a LLbCΛd^b.

▷^aU_n▷ ΔⁿdU·ΔρL CσL·ΔΓΔ·▽

[illegible][illegible]

ᑭᓯᓐ ᓯᑭᓐᑕᓐ ᑲᓴ ᐸᓯᓂᓐ ᓯᓂᓯᓗᐃᓐ

Δῆλον ὅτι ἡ ἀντιφύλαξις ἐστὶν ἡ ἀντιφύλαξις τοῦ ἀντιφύλακτος. ὅτι ἡ ἀντιφύλαξις ἐστὶν ἡ ἀντιφύλαξις τοῦ ἀντιφύλακτος.

- [illegible]

97A P9C^a

[illegible]

L·ΔΓΑ·∇·Δ^a 9L b·JΓ<ρΠσbU^b L'αΔb^a b·ΔCΓ^aρqα·σ·Δ^b

[illegible]

ᐃᓴ·ᑲᒥᑲᑳ·ᐅᒋᑭ·ᐃᑦ

[illegible]

ΔΔ·∇ Cσ²σ²·Δ² CΔσ²σ²ΛΔbU <9ΛΔbσ² 78 Δ²UΛΔ Δ²dU·ΔPL ΔΔdσbσ², S.O. 1998 c.15 (Schedule B).



Ontario
Ontario Energy Board Commission de l'énergie
de l'Ontario