

ONTARIO GAS DSM EVALUATION CONTRACTOR

2015 Natural Gas Demand Side Management Custom Savings Verification and Free-ridership Evaluation

Ontario Energy Board

Date: October 12, 2017



Table of contents

GLOSSARY OF TERMS AND KEY CONCEPTS	3
1 Executive summary	6
1.1 Background	6
1.2 Methodology summary	7
1.3 Results	9
1.4 Findings	9
1.5 Recommendations	10
2 Introduction	15
2.1 Background	15
2.2 Methodology summary	16
3 Union Commercial, Industrial, and Multi-Family Programs	21
3.1 Commercial and Industrial Custom Program	21
3.2 Low-income Multi-Family Program (Union)	21
3.3 CPSV results	21
3.4 NTG ratio	30
3.5 Gross and net savings	38
4 Union Large Volume	40
4.1 CPSV results	40
4.2 NTG ratio	47
4.3 Gross and net savings	53
5 Enbridge Commercial, Industrial, and Multi-Residential Programs	55
5.1 Commercial Custom and Industrial Custom Solutions (Enbridge)	55
5.2 Low-income Multi-Residential Affordable Housing (Enbridge)	55
5.3 CPSV results	56
5.4 NTG ratio	62
5.5 Gross and net savings	68
6 Enbridge RunitRight	70
6.1 CPSV results	70
6.2 NTG ratio	70
6.3 Gross and net savings	75
7 Findings and recommendations	76
7.1 Energy savings and program performance	81
7.2 Verification processes	84
7.3 Documentation and support	85
7.4 Data management	87
8 APPENDICES	A-1
APPENDIX A. FINAL SAMPLE ACHIEVEMENT	A-2

APPENDIX B.	SPECIFIC TOPIC METHODS.....	B-1
APPENDIX C.	FREE-RIDERSHIP SURVEY RESPONSES.....	C-1
APPENDIX D.	GROSS RR RESULTS FOR ADDITIONAL DOMAINS	D-1
APPENDIX E.	NTG Results for Additional Domains	E-1
APPENDIX F.	SECONDARY ATTRIBUTION Results.....	F-1
APPENDIX G.	VENDOR ATTRIBUTION	G-3
APPENDIX H.	MAPPING OF REPORTING DOMAINS TO TRACKING CATEGORIES.....	H-7
APPENDIX I.	SAMPLING PROCESS	I-1
APPENDIX J.	LCNS Methodology	J-1
APPENDIX K.	DETERMINING ATTRIBUTION PARAMETERS.....	K-1
APPENDIX L.	Spillover Methodology.....	L-1
APPENDIX M.	SAMPLE EXPANSION AND RATIO ESTIMATION	M-1
APPENDIX N.	DATA COLLECTION INSTRUMENTS.....	N-1
APPENDIX O.	FREE-RIDERSHIP SURVEY DATA QUALITY CONTROL	O-1
APPENDIX P.	CPSV Details	P-1
APPENDIX Q.	CPSV DISCREPANCY DETAILS.....	Q-1

GLOSSARY OF TERMS AND KEY CONCEPTS

Action	A DSM measure that generates savings through optimization, maintenance or repair of existing systems. Actions (vs. equipment) were categorized for the populations of measures based on tracking database information provided by the utilities for sample design.
Adjustment factor	The adjustment factors are ratios of savings that allow evaluation findings from a sample of projects to be applied to and “adjust” the population of program savings. Realization rates, and ratios are other common terms.
Attribution	The portion of a measure that is attributable to the program being evaluated, which is the complement of free ridership (1-FR) for that program.
Baseline, base case	Energy use / equipment in place if the program measure had not been done
Building envelope	Exterior surfaces (e.g., walls, windows, roof, and floor) of a building that separate the conditioned space from the outdoors.
Capacity expansion (CE)	Measure that allows customer to increase production/productivity
CCM	Cumulative Cubic meters (cumulative m ³)
Code	Measure required by regulations for safety, environmental, or other reasons
C&I	Commercial and Industrial
Computer-aided technical interviews (CATI)	Structured surveys administered by a third-party survey firm that require clearly defined skip logic and structured formats, CATI surveys are a lower cost data collection approach suitable for structured gathering of information from large samples of respondents
Custom Program savings verification (CPSV)	Activities related to the collection, analysis, and reporting of data for purposes of measuring gross custom program impacts.
Customer - Enbridge	DNV GL identified unique customers based on the Con_acc_num and the contact information provided by Enbridge. A customer may have multiple site addresses, decision makers, Con_acc_nums, and utilities. Customers could only be identified for records for which we received contact information.
Customer - Union	DNV GL identified unique customers based on the AIMS ID and the contact information provided by Union. A customer may have multiple site addresses, decision makers, AIMS IDs, and utilities. Customers could only be identified for records for which we received contact information.
Customer Incentive	An incentive is a transfer payment from the utility to participants of a DSM program. Incentives can be paid to customers, vendors or other parties as part of a DSM program.
Demand side management (DSM)	Modification of perceived customer demand for a product through various methods such as financial incentives, education, and other programs
Early replacement (ER)	Measure that replaces a piece of equipment that is not past EUL and in good operating condition
Domain	Grouping of like projects. A domain may be defined as projects within a specific sector or a category of measure types, enduses or other.
Dual Baseline	Savings calculation approach which addresses or combines the savings associated with early replacement and the savings after the early replacement period.
Early replacement Period (ER Period)	Years that the existing equipment would have continued to be in use. This is the same as RUL.
Energy Advisors	Energy Advisors are utility and/or program staff who provide information to customers about energy saving opportunities and program participation, this term includes, but is not limited to, Enbridge’s Energy Solutions Consultants and Union’s Account Managers
Estimated useful life (EUL)	Typically, the median number of years that the measure will remain in service
Ex ante	Program claimed or reported inputs, assumptions, savings, etc.

Ex post	Program inputs, assumptions, savings, etc... which are verified after the claimed savings are finalized. Does not include assessment of program influence. Synonym for verified gross savings.
Free riders (FR)	Program participants who would have installed a measure on their own initiative even without the program. The free ridership rate is the percentage of customers who are free riders.
Gross savings	Gross savings are changes in energy consumption and/or demand directly caused by program-related actions by participants regardless of reasons for participation
In situ	Existing measure, conditions, and settings
Incremental cost	The difference in purchase price, at the time of purchase, between the efficient measure and the base case measure. In some early retirements and retrofits, the full cost of the efficient technology is the incremental cost.
In-depth interviews (IDI)	Structured technical interviews administered by evaluation engineers and market researchers either in person or more frequently, over the phone, IDIs offer more flexibility than CATIs and are best leveraged for complex projects and topics.
Industry standard practice (ISP)	Common measure implemented within the industry
Input assumptions	Assumptions such as operating characteristics and associated units of resource savings for a list of DSM technologies and measures
Lifetime cumulative savings	Total natural gas savings (CCM) over the life of a DSM measure. Can be claimed, gross, or net. Sometimes referred to as just "cumulative" or "lifetime."
LIMF	Low Income Multifamily Program
Maintenance (Maint.)	Repair or maintain, restore to prior efficiency
Measure – Enbridge	Measures are identified in the tracking data as a unique combination of project code, project sub code, and ESM project ID. Multiple measures may belong to the same project.
Measure – Union	Measure refers to a project # in the tracking data. When referring to Union programs, measure and project are used interchangeably as there is one level provided in the tracking data.
Measurement and Verification (M&V)	Verification of savings using methods not including attribution assessment.
MF	Multifamily
Net savings	Net savings are changes in energy consumption or demand that are attributable to an energy efficiency program, taking into consideration whether the program influenced a customer's decision to undertake an energy efficiency measure or not.
Net-to-gross ratio (NTG)	Is an adjustment factor that reduces gross savings due to net savings, considering both free riders and spillover, the NTG ratio can be less than or greater than 1.0
New construction (NC)	New buildings or spaces
Non-early replacement period (non-ER period)	Years after the ER period up to the EUL
Normal replacement (NR)	Measure that replaces a piece of equipment that is past EUL and in good operating condition
Persistence	The extent to which a DSM measure remains installed, and performing as originally predicted, in relation to its EUL
Program evaluation	Activities related to the collection, analysis, and reporting of data for purposes of measuring program impacts from past, existing, or potential program impacts

Project - Enbridge	Projects are identified in the tracking data based on the project code. A project may have multiple measures.
Project – Union	Projects are identified in the tracking data based on project # or project ID. When referring to Union programs, measure and project are used interchangeably as there is one level provided in the tracking data.
Remaining useful life (RUL)	The number of years that the existing equipment would have remained in service. This is the same as ER Period.
Realization Rate	A combination of adjustment factors, which represents ratios between two savings values. For example, the final realization rate is the ration between evaluated savings and program claimed savings.
Replace on burnout (ROB)	Measure that replaces a failed or failing piece of equipment
Retrofit add-on (REA)	Measure reduces energy use through modification of an existing piece of equipment
Site	Sites are identified based on unique site addresses provided by Union and Enbridge through the contact information data request. A site may have multiple units of analysis, measures, and projects. Sites are identified only for records for which we received contact information.
Spillover (SO)	Participants’ adoption of energy efficiency measures due to influence by a utility’s program-related information and marketing efforts. Non-participant spillover is not included in this study. Participant Spillover will be provided in a separate volume.
System optimization (OPT)	Improve system or system settings to exceed prior efficiency
TSER	Telephone Supported Engineering Review
Unit of Analysis – Enbridge	The level at which the data are analyzed, which is an aggregation of tracked measures by con_acc_num, year (2015), and measure type (building shell, controls, greenhouse, heat recovery, HVAC, operational improvements, other equipment, process heat, and steam and hot water).
Unit of Analysis - Union	The level at which the data are analyzed, which is an aggregation of tracked measures by AIMS ID, year (2015), and measure type (agriculture and greenhouse, building shell, controls, cogeneration, HVAC, heat recovery, maintenance, new construction, optimization, other equipment, process heat, and steam and hot water).
Vendors	Program trade allies, business partners, contractors and suppliers who work with program participants to implement energy saving measures

1 Executive summary

This report has been prepared for the Ontario Energy Board (OEB) and provides the gross savings verification – custom program savings verification (CPSV) – and net savings – free-ridership (FR) – results for a subset of programs in Enbridge Gas Distribution Inc.’s (Enbridge) and Union Gas Limited’s (Union) natural gas demand-side management (DSM) portfolio delivered in 2015.

The overall objectives of the evaluation are to develop:

- Verified gross savings for 2015 custom commercial, industrial, low income multifamily and large volume projects
- Free-ridership savings for 2015 custom commercial, industrial and large volume projects
- A free-ridership rate for Enbridge’s 2015 RunitRight program

The programs included in this study are provided in Table 1.

Table 1-1. CPSV, FR, and SO by program

Program		CPSV	FR
Union			
Custom	Large Volume	✓	✓
	Commercial & Industrial*	✓	✓
	Low Income Multi-Residential	✓	
Enbridge			
Custom	Commercial*	✓	✓
	Industrial	✓	✓
	Low Income Multi-Family	✓	
RunitRight			✓

*Custom Market-Rate Multi-Residential projects are included as a part of this program.

A spillover study of 2013-2014 programs has also been initiated; however, the results from that effort are not included in this report.


1.1 Background

Enbridge and Union deliver energy efficiency programs under the Demand Side Management Framework for Natural Gas Distributors (2015-2020)¹ developed by the OEB. For the 2015 program year, as directed by the board, both utilities “rolled-over” their 2014 plans into 2015 to allow them the time necessary to redesign their programs before implementing them in 2016.

In April 2016, the OEB hired an Evaluation Contractor (EC) team led by DNV GL to develop an overall evaluation, measurement, and verification (EM&V) plan. The objectives of the plan were to:

- Assess portfolio impacts to determine annual savings results, shareholder incentive and lost revenue amounts, and future year targets.

¹ EB-2014-0134

- 
- Assess the effectiveness of energy efficiency programs on their participants and/or market, including results on various scorecard items.
 - Identify ways in which programs can be changed or refined to improve their performance.

Under the plan, the DNV GL team conducted a verification of gross savings (CPSV) and net-to-gross (NTG) study of the 2015 program year. This report is a result of that study.

An evaluation advisory committee (EAC) was formed to provide input and advice to the OEB on the evaluation and audit of DSM results. The EAC consists of representatives from non-utility stakeholders, independent experts, staff from the Independent Electricity System Operator (IESO), and observers from the Environmental Commissioner of Ontario and the Ministry of Energy. The DNV GL team worked closely with the EAC throughout this study and received comment, advice, and input on methodology and results. We thank them for their involvement.

1.2 Methodology summary

The results presented in this report are based on data collection from the following five primary sources, supplemented with secondary source information:

- Union and Enbridge tracking databases
- Union and Enbridge project documentation
- In-Depth Interviews with a sample of participating customers
- In-Depth Interviews with a sample of participating vendors
- On-site visit to a sample of participating customer sites

The data collection with samples of participating customers and vendors included site visits and telephone interviews supporting a detailed measurement and verification (M&V) analysis, and in-depth interviews supporting assessment of free ridership. Table 2 shows the targeted and completed data collection activities and the timeframe in which they were completed.

Table 1-2. Data collection activities*

Target Group	Activity	Targeted Units of Analysis	Completed Units of Analysis	Timeframe
Enbridge				
Participating Customers	M&V Site Visit (On-site)	41	61	Jan, 2017 - Mar, 2017
	TSER Interview	38	37	Jan, 2017 - Apr, 2017
	In-Depth Interview	149	151	Jan, 2017 - Apr, 2017
Participating Vendors	In-Depth Interview	~30	20	Mar, 2017- Apr, 2017
Union				
Participating Customers	M&V Site Visit (On-site)	59	106	Jan, 2017 - Mar, 2017
	TSER Interview	22	30	Jan, 2017 - Apr, 2017
	In-Depth Interview	122	203	Jan, 2017 - Apr, 2017
Participating Vendors	In-Depth Interview	~30	15	Mar, 2017- Apr, 2017
Overall				
Participating Customers	M&V Site Visit (On-site)	100	167	Jan, 2017 - Mar, 2017
	TSER Interview	60	67	Jan, 2017 - Apr, 2017
	In-Depth Interview	271	354	Jan, 2017 - Apr, 2017
Participating Vendors	In-Depth Interview	≤62	35	Mar, 2017- Apr, 2017

*This table reports the number of units of analysis targeted and completed as units of analysis were used to design the sample before customers and sites had been identified. Units of Analysis are a slight aggregation of utility tracking records as described in APPENDIX I.

At a high level, the gross savings verification (CPSV) and NTG study employed the following methodology:

- **Receive program data and documentation.** The evaluation started with a review of the program tracking data, which formed the basis of the sample, and an initial review of the program documentation. Once the sample was selected, additional documentation was provided by the program to describe the energy efficiency measures and support the tracking savings estimates, also called the ex ante estimates.
- **Design and select the sample.** The tracking data was used to design and select a sample. Full documentation and contact information was requested for all sites within the sample. The CPSV sample was designed as a subset of the NTG sample.
- **Collect data.** Data was collected to verify the ex ante energy savings and estimate NTG ratios.
- **Analyze the results.** The collected data was used to verify the gross savings and estimate NTG ratios at each site.
- **Report the results.** The final step was to report the results.

1.3 Results

The outcome of the exercise produced verified gross savings and net savings for the 2015 programs studied. Table 1-3 provides the results of the evaluation for Union Custom programs and Table 1-4 provides the results of the evaluation for Enbridge Custom programs and RunitRight.

Table 1-3: Union custom programs verified gross and net savings results**

Program	Claimed Savings	Gross Realization Rate	Verified Gross Savings	Net-to-Gross	Net Savings
Commercial and Industrial Custom	1,473,918,718	97.96%	1,443,912,081	40.63%	586,724,222
Custom Large Volume	1,250,879,698	135.00%	1,688,715,391	7.98%	134,835,163
Custom Low Income Multi-Family	5,920,660	89.06%	5,272,940	95.00%*	5,009,293

*Custom Low Income Multi-family NTG was not evaluated as part of this evaluation. 95% is the deemed NTG for the program.

**Ratios in this table have been rounded and are the effective overall ratios, calculated by first applying the ratios by domain and then dividing the total net savings by the total verified savings.

Table 1-4: Enbridge custom programs and RunitRight verified and net savings results**

Program	Claimed Savings	Gross Realization Rate	Verified Gross Savings	Net-to-Gross	Net Savings
Custom C&I and Market Rate Multi-residential	810,605,950	95.21%	771,756,978	27.58%	212,848,819
Custom Low Income Multi-Family	63,801,575	91.48%	58,365,681	100.00%*	58,365,681
RunitRight	2,712,210	N/A	2,712,210	50.06%	1,357,732

*Custom Low Income Multi-family NTG was not evaluated as part of this evaluation. 100% is the deemed NTG for the program. RunitRight Gross savings were not evaluated as part of this evaluation.

**Ratios in this table have been rounded and are the effective overall ratios, calculated by first applying the ratios by domain and then dividing the total net savings by the total verified savings.

1.4 Findings

Key findings from the study include:

- Free ridership for the programs is high
- Correcting for Union's "influence adjustment" (which derated gross savings pre- customer incentive for likely partial free riders) led to the high gross RR for Large Volume
- Both utilities generally produce solid ex ante engineering estimates of savings and much of the variation in gross RRs is driven by changes in operating conditions that are often hard to control for in ex ante savings estimation

- Both utilities could provide better supporting documentation of assumptions and inputs in their savings estimates and each could benefit from investing in a modern program tracking database with document storage capabilities

1.5 Recommendations

Recommendations from the evaluation are summarized in Table 1-5 to Table 1-8. In the tables the primary outcomes of the recommendation are classified into four categories: reduce costs, increase savings, increase (or maintain) customer satisfaction and decrease risk (multiple types of risk are in this category including risk of adjusted savings, risk to budgets or project schedules, and others). For a more thorough explanation of recommendations, see section 7.

Table 1-5: Energy savings and program performance recommendations

#	Energy Savings and Program Performance Recommendation	Applies to			Primary Outcome			
		Union	Enbridge	Evaluation	Reduce Costs	Increase Savings	Increase Customer Satisfaction	Decrease Risk
ES1	The utilities should continue in their commitment to accuracy.	✓	✓				✓	✓
ES2	Evaluate free-ridership for the programs annually and consider coupling the free-ridership evaluation with process evaluation			✓		✓		
ES3	Error ratios from this report inform sample design for future evaluation.			✓	✓			✓
ES4	Align the program design with cumulative net goals	✓	✓			✓		
ES5	Do not pay incentives until after installation is complete.	✓	✓					✓
ES6	Develop policies to collaborate across electric and gas projects to avoid double-counting fuel savings and increases from energy efficiency measures.	✓	✓					✓
ES7	Consider establishing a policy to define rules around energy savings calculation for fuel switching and district heating/cooling measures.	✓	✓	✓				✓

#	Energy Savings and Program Performance Recommendation	Applies to			Primary Outcome			
		Union	Enbridge	Evaluation	Reduce Costs	Increase Savings	Increase Customer Satisfaction	Decrease Risk
ES8	Consider establishing a policy that defines an eligibility floor and cap based on simple payback period for energy efficiency projects.	✓	✓			✓		✓
ES9	Consider establishing an official definition for EUL and implementing a study to define EULs for program measures	✓	✓	✓				✓
ES10	Track metrics for how long it takes from the final installation verification to the posting of incentive payments.	✓	✓				✓	
ES11	Increase transparency of "influence adjustments" and do not include in gross savings	✓				✓	✓	✓
ES12	Conduct a process evaluation to improve Large Volume influence on customer projects	✓				✓	✓	
ES13	Consider approaches to market that leverage third-party vendors.	✓	✓		✓	✓		

Table 1-6: Verification process recommendations

#	Verification Process Recommendation	Applies to			Primary Outcome			
		Union	Enbridge	Evaluation	Reduce Costs	Increase Savings	Increase Customer Satisfaction	Decrease Risk
VP1	Modify contracts to require participants to agree to comply with EM&V as well as utility representatives as part of the requirements for participation in the program.	✓	✓		✓			✓
VP2	The verification and utility staff should agree to a code of conduct for each role during onsite visits.	✓	✓	✓			✓	

Table 1-7: Documentation and Support recommendations

#	Documentation and Support Recommendation	Applies to			Primary Outcome			
		Union	Enbridge	Evaluation	Reduce Costs	Increase Savings	Increase Customer Satisfaction	Decrease Risk
DS1	<p>Take steps to improve documentation:</p> <ul style="list-style-type: none"> • Include explicit sources for all inputs and assumptions in the project documentation. • Store background studies and information sources with the project files and make them available to evaluators. • Provide evaluators full access to customer data. • Provide pre- and post-installation photos, where available. • Document and provide internal M&V documents where available. • Institute a checklist as part of project closeout to ensure all relevant project documentation is assembled as ready for verification 	✓	✓			✓		✓
DS2	Ensure that incremental costs are supported by invoices or other documentation	✓	✓					✓
DS3	Increase the amount of documentation and source material for projects that have greater energy savings.	✓	✓					✓
DS4 A	Digitize and file project documentation for all projects as they are completed and paid during project closeout.	✓	✓		✓			✓
DS4 B	Until the utilities can implement an effective digital document storage process, the evaluation should allow more time for the utilities to assemble and deliver the documentation.			✓	✓			✓

#	Documentation and Support Recommendation	Applies to			Primary Outcome			
		Union	Enbridge	Evaluation	Reduce Costs	Increase Savings	Increase Customer Satisfaction	Decrease Risk
DS5	Consider providing more training or adding quality control steps to ensure the summary workbook front page is completed and stored in a consistent manner.	✓			✓			✓
DS6	Use a consistent summary workbook.		✓		✓			✓


Table 1-8: Data management recommendations

#	Data Management Recommendation	Applies to			Primary Outcome			
		Union	Enbridge	Evaluation	Reduce Costs	Increase Savings	Increase Customer Satisfaction	Decrease Risk
DM1 A	Track contacts associated with projects in the program tracking database.	✓	✓		✓			✓
DM1 B	Strongly consider investing in relational program tracking databases.	✓	✓		✓			✓
DM1 C	Include structure for improved data integrity in the evaluator request for contact information for the 2016 and 2017 savings verification and evaluation.			✓	✓		✓	
DM2 A	Consider offering bonus incentives early in the year to combat the “hockey stick” phenomenon where a large percent of projects get closed in the fourth quarter of the year (which results in rushed QC for data).	✓	✓		✓			✓
DM3	Track and provide to evaluators dates for key milestones in the project.	✓	✓		✓			✓
DM4	Maintain a customer identifier in the database to clearly identify related sites.	✓	✓		✓		✓	

#	Data Management Recommendation	Applies to			Primary Outcome			
		Union	Enbridge	Evaluation	Reduce Costs	Increase Savings	Increase Customer Satisfaction	Decrease Risk
DM5	Include EUL (also remaining useful life for dual baselines), NTG, and each of the key savings types (i.e., annual and cumulative, gross and net) in the program tracking extracts provided to evaluators.	✓	✓			✓		✓

Figure 1-1 shows an approximate cost vs. impact relationship for each of the recommendations on a 4 point scale. The upper left quadrant of the figure shows the recommendations that are relatively low cost that would have a high impact. Those in the upper right are recommendations where both cost and impact are high.

Figure 1-1: Approximate Cost vs. Impact of each recommendation



2 Introduction

This report has been prepared for the Ontario Energy Board (OEB) and provides the gross savings verification – custom program savings verification (CPSV) – and net savings – free-ridership (FR) – results for a subset of programs in Enbridge Gas Distribution Inc.’s (Enbridge) and Union Gas Limited’s (Union) natural gas demand-side management (DSM) portfolio delivered in 2015.

The overall objectives of the evaluation are to develop:

- Verified gross savings for 2015 custom commercial, industrial, low income multifamily and large volume projects
- Free-ridership savings for 2015 custom commercial, industrial and large volume projects
- A free-ridership rate for Enbridge’s 2015 RunitRight program

The programs included in this study are provided in Table 2-1.

Table 2-1. CPSV, FR, and SO by program

Program		CPSV	FR
Union			
Custom	Large Volume	✓	✓
	Commercial & Industrial*	✓	✓
	Low Income Multi-Residential	✓	
Enbridge			
Custom	Commercial*	✓	✓
	Industrial	✓	✓
	Low Income Multi-Family	✓	
RunitRight			✓

*Custom Market-Rate Multi-Residential projects are included as a part of this program.

A spillover study of 2013-2014 programs has also been initiated; however, the results from that effort are not included in this report.


2.1 Background

Enbridge and Union deliver energy efficiency programs under the Demand Side Management Framework for Natural Gas Distributors (2015-2020)² developed by the OEB. For the 2015 program year, as directed by the board, both utilities “rolled-over” their 2014 plans into 2015 to allow them the time necessary to redesign their programs before implementing the updated plans in 2016.

In April 2016, the OEB hired an Evaluation Contractor (EC) team led by DNV GL to develop an overall evaluation, measurement, and verification (EM&V) plan. The objectives of the plan were to:

- Assess portfolio impacts to determine annual savings results, shareholder incentive and lost revenue amounts, and future year targets.

² EB-2014-0134

- 
- Assess the effectiveness of energy efficiency programs on their participants and/or market, including results on various scorecard items.
 - Identify ways in which programs can be changed or refined to improve their performance.

Under the plan, the DNV GL team conducted a CPSV and net-to-gross (NTG) study of the 2015 program year. This report is a result of that study.

An evaluation advisory committee (EAC) was formed to provide input and advice to the OEB on the evaluation and audit of DSM results. The EAC consists of representatives from utility representatives, non-utility stakeholders, independent experts, staff from the Independent Electricity System Operator (IESO), and observers from the Environmental Commissioner of Ontario and the Ministry of Energy. The DNV GL team worked closely with the EAC throughout this study and received comment, advice, and input on methodology and results. We thank them for their involvement.

2.2 Methodology summary

The results presented in this report are based on data collection from the following five primary sources, supplemented with secondary source information:

- Union and Enbridge tracking databases
- Union and Enbridge project documentation
- In-Depth Interviews with a sample of participating customers
- In-Depth Interviews with a sample of participating vendors
- On-site visit to a sample of participating customer sites

The data collection with samples of participating customers and vendors included site visits and telephone interviews supporting a detailed measurement and verification (M&V) analysis, and in-depth interviews supporting assessment of free ridership. Table 2-2 shows the targeted and completed data collection activities and the timeframe in which they were completed.

Table 2-2. Data collection activities*

Target Group	Activity	Targeted	Completed	Timeframe
Enbridge				
Participating Customers	M&V Site Visit (On-site)	41	61	Jan, 2017 - Mar, 2017
	TSER Interview	38	37	Jan, 2017 - Apr, 2017
	In-Depth Interview	149	151	Jan, 2017 - Apr, 2017
Participating Vendors	In-Depth Interview	~30	20	Mar, 2017- Apr, 2017
Union				
Participating Customers	M&V Site Visit (On-site)	59	106	Jan, 2017 - Mar, 2017
	TSER Interview	22	30	Jan, 2017 - Apr, 2017
	In-Depth Interview	122	203	Jan, 2017 - Apr, 2017
Participating Vendors	In-Depth Interview	~30	15	Mar, 2017- Apr, 2017
Overall				
Participating Customers	M&V Site Visit (On-site)	100	167	Jan, 2017 - Mar, 2017
	TSER Interview	60	67	Jan, 2017 - Apr, 2017
	In-Depth Interview	271	354	Jan, 2017 - Apr, 2017
Participating Vendors	In-Depth Interview	≤62	35	Mar, 2017- Apr, 2017

*This table reports the number of units of analysis targeted and completed as units of analysis were used to design the sample before customers and sites had been identified. Units of Analysis are a slight aggregation of utility tracking records as described in APPENDIX I.

At a high level, the CPSV and NTG study employed the following methodology:

- **Receive program data and documentation.** The evaluation started with a review of the program tracking data, which formed the basis of the sample, and an initial review of the program documentation. Once the sample was selected, additional documentation was provided by the program to describe the energy efficiency measures and support the tracking savings estimates, also called the ex ante estimates.
- **Design and select the sample.** The tracking data was used to design and select a sample. Full documentation and contact information was requested for all sites within the sample. The CPSV sample was designed as a subset of the NTG sample.
- **Collect data.** Data was collected to verify the ex ante energy savings and estimate NTG ratios.
- **Analyze the results.** The collected data was used to verify the gross savings and estimate NTG ratios at each site.
- **Report the results.** The final step was to report the results.

Key features of the methodology include:

- The **sample design** employed a stratified random sample that targeted 10% relative precision with 90% confidence at the program level. Details of the sampling methods are presented in APPENDIX I. Final sample achievements are provided in APPENDIX A.
- **Ratio estimation** was used to expand sample results to the population. The evaluation collected data on all projects that a customer contact could speak to rather than only the first selected. This means that the evaluation exceeded the targeted number of sampled units in the measure level sample design. In the expansion, weights were adjusted to eliminate potential bias from this data collection strategy by assigning a weight of one (1) to non-randomly selected units. In our calculation of sampling error (+/-, confidence intervals, relative precision and error ratios), we used two tailed 90-percent confidence limits and clusters defined by customers to appropriately estimate error when multiple units are collected from a single source.³ The approach used is described in APPENDIX M.
- The **gross savings verification** used a combination of on-site data collection and interviews to collect primary data. Calculation of lifetime gross savings used a dual baseline approach to more accurately estimate savings for early replacement measures. More information on the verification approach is provided in APPENDIX B, APPENDIX O, and APPENDIX P. Detailed site reports for each of the sites visited or called are provided in a volume 2 and 3 of this report.
- The **NTG methodology** included data collection from participating customers and vendors. The data collection instrument outlines are provided in APPENDIX N. NTG scoring methods are provided in APPENDIX J and APPENDIX K.

2.2.1 Understanding Statistical Error

Statistical error is reported for all of the ratio results in this report. The studies were designed with sample designs targeting 10% relative precision with 90% confidence (90/10) based on the best available assumptions at the start of the evaluation. Table 2-3 describes each of the statistics provided in this report.

The relative precision of some of the ratios is low because the ratios themselves are small. Relative precision is the absolute precision (+/- quantity) divided by the estimated ratio. For example, if a ratio is 5% with absolute precision of +/-5%, the relative precision is very bad (5%/5% = 100% relative error) but in absolute terms we still are 90% confident the ratio is below 10%, which is useful information. We reported the relative precision in all cases at the 90 percent confidence level. That is, whether the relative precision is large or small, we have the same 90 percent confidence that the range defined by the point estimate +/- the absolute error captures the true unknown value. The "midpoint" estimate is the best (statistically most likely) estimate, while the confidence interval is calculated as an interval around that point. Thus, in all cases, we reported the best point estimate, with a symmetric 90% confidence interval (using the t-score for a 2-tailed 90% confidence interval).

³ Where a single site had two contacts, the site was used as the cluster to ensure conservative (higher) error estimates.


Table 2-3: Relevant statistics.

Term	Definition
Ratio/Adjustment factor	A point estimate of the evaluation findings expressed as a percent.
+/- or Absolute Precision	If the evaluation were repeated several times selecting samples from the same population, 90% ⁴ of the time the ratio would be within this range of the ratio
Confidence interval	The upper bound is defined by the ratio plus the absolute precision. the lower bound is defined by the ratio minus the absolute precision.
Relative Precision	The relative precision is calculated as the absolute precision divided by the ratio itself. By convention, relative precisions are the statistic that are targeted in sampling (i.e., 90/10 is a relative precision metric)
Error Ratio	The error ratio is an approximation of the coefficient of variation (cv) that is used in sample design. It is calculated as a function of relative precision.
Finite population correction (FPC)	FPC is a factor that reduces the measured error of samples drawn from small populations (less than 300). FPC applies when the ratio is applied to the same population from which the sample was drawn. Statistics reported in the body of this report all employ the FPC factor.

Figure 2-1 shows an example:

- the adjustment factor (ratio) as a blue point
- the 90% confidence interval *with finite population correction* (blue)
- the 90% confidence interval *without finite population correction* (green)


Figure 2-1: Ratio diagram example



⁴ 90% is the confidence limit that we are using.

The plus/minus (\pm) error (%) indicated at the 90% confidence interval is the absolute difference between the estimated percentage and the upper or lower confidence bound. For example, in Figure 2-1, the ratio is 94% and the non-FPC 90% confidence interval is ± 5 percentage points (i.e., $94\% \pm 5\%$).⁵ Another way of saying this is that there is a 90% probability that the actual ratio for the next year's program lies between 89 and 99%. Figure 2-2 demonstrates this concept by showing twenty hypothetical confidence intervals calculated from twenty different samples of the same population. Eighteen out of twenty (90%) include the true population ratio (overlap the black line representing the true ratio).

Figure 2-2. Ninety Percent Confidence Interval



Note: Each horizontal line represents a confidence interval, while the black vertical line is the actual population realization rate. Yellow confidence intervals do not include the actual ratio.

The relative precision of the ratio is calculated as $5\%/94\% = 5.3\%$.

For low ratios, relative precisions may be quite high, even when the confidence interval around the ratio is quite narrow. Consider a ratio of 5% with the same 5% absolute precision as in the above example. While the absolute precisions are the same, the latter ratio (5%) has a relative precision of $5\%/5\% = 100\%$. In absolute terms, we still are 90% confident the ratio is below 10%, despite the very high (100%) relative precision.

We reported the relative precision in all cases at the 90 percent confidence level. That is, whether the relative precision is large or small, we have the same 90 percent confidence that the range defined by the point estimate \pm the absolute error captures the true unknown value. The "midpoint" estimate (the ratio) is the best (statistically most likely) estimate, while the confidence interval is calculated as an interval around that point. Thus, in all cases, we reported the best point estimate, with a symmetric 90% confidence interval (using the t-score for a 2-tailed 90% confidence interval).

⁵ The critical value for calculating the confidence interval \pm for each adjustment factor is determined using Student's t-distribution and $n-1$ for the degrees of freedom, where n is the sample size. The critical value for the gross savings adjustment factor is determined using the degrees of freedom based on the minimum sample size for the components of the adjustment factor. The gross savings adjustment factor is a product of the installation rate and the engineering verification factor. For 2-tailed estimates (ratios that could be above or below 100%) the appropriate t-stat used to calculate precision from the standard error is close to 1.645.

3 Union Commercial, Industrial, and Multi-Family Programs

Through its custom program offerings, Union seeks to influence customers to adopt more energy efficient technologies and practices, or do so sooner than they would otherwise have done. The custom programs provide financial incentives, technical expertise, and guidance with respect to energy related decision-making. Union's custom programs differ from the prescriptive and direct install programs as they provide services and varying financial incentives based on overall natural gas savings realized by the customer to address customer-specific needs.

There are three program offerings covered in this section: Union Commercial and Industrial Custom and Low Income Multi-Residential Affordable Housing.

3.1 Commercial and Industrial Custom Program

Union advances customer energy efficiency and productivity by providing a mix of custom incentives, education and awareness to C&I customers across all segments. The objective of the Custom offering is to generate long-term and cost effective energy savings for Union's customers.

The Union Custom program covers opportunities where energy savings are linked to unique building specifications, design concepts, processes and new technologies that are outside the scope of prescriptive and quasi-prescriptive measures. The program and incentives are targeted directly to the end user.

A subset of the projects in these programs is part of the multi-family or multi-residential segment (MR MF).

All projects implemented as part of these programs and claimed in 2015 are included in the CPSV and FR portions of the study.

3.2 Low-income Multi-Family Program (Union)

The Union Low Income Multi-Family (LIMF) program offers multi-family low income housing customers funding for energy audits and both custom and prescriptive incentives to encourage energy efficient upgrades and funding for energy audits. The programs also provide technical services, benchmarking, and education for housing providers, building operators and tenants about their building's energy usage and ways to achieve energy efficiency.

The target markets for both programs are social and assisted housing providers who own and operate Part 3 buildings and private multi-residential building owners that provide housing to low income households.⁶

Custom projects implemented as part of these programs and claimed in 2015 are included in the CPSV portion of the study; 12% of Union's LIMF program savings are from custom projects. An evaluation of this program's net-to-gross (NTG) was not included in this study.

3.3 CPSV results

This section summarizes the gross savings verification (CPSV) results for custom projects in the Union commercial, industrial, multifamily, and low income multi-family programs. For Union, the gross realization rate is made up of two components, the influence correction which removes Union's influence adjustments

⁶ "Part 3" references buildings covered by Part 3 of the Ontario Building Code, defined as those exceeding 600 square meters in area or greater than three storeys in height; for residential energy efficiency programs, these are typically multifamily buildings.

from the tracking gross savings, and the engineering adjustment, which provides the difference (expressed as a ratio) between verified savings determined through the CPSV and tracked gross savings estimated by Union prior to applying the influence adjustment. The gross realization rate is the product of the influence correction and the engineering adjustment.

Section 3.3.1 summarizes the data collection efforts, section 3.3.2 describes and presents the influence correction, section 3.3.3 describes and presents the engineering adjustment, section 3.3.4 summarizes the reasons for the discrepancies between the ex ante and ex post gross savings estimates, and section 3.3.5 presents the gross savings realization rate.

3.3.1 Summary of CPSV data collection

Table 3-1 summarizes the CPSV data collection efforts for the Union Custom C&I, and LIMF programs. The table shows the portion of the program that:

- Completed on-site visits
- Completed telephone supported engineering reviews (TSER)
- Did not respond to an evaluation attempt at contact
- Was not contacted by the evaluation team.⁷

The data collected is represented as the number of sites, the number of projects, the number of units of analysis, and cumulative ex ante natural gas savings (ex ante CCM). The proportion of the program in each category is also represented in Figure 3-1. The full sample design and achievement by strata can be found in 8. By collecting data on all measures at a site rather than only the first selected, the evaluation exceeded the targeted number of units despite collecting data from fewer sites. The study had a customer response rate of 64% and achieved the targeted 90/10 relative precision for the gross realization rate at the program overall level shown in Table 3-4).


Table 3-1: Summary of CPSV data collection for Union Custom C&I, and LIMF programs*

Data Collection Category	Targeted	Completed			
	# Units of Analysis	# Sites	# Measures	# Units of Analysis	Ex Ante CCM
Completed On-Site	38	35	77	62	595,857,289
Completed TSER	22	22	37	30	93,508,182
Attempted Contact, Not Completed		32	66	47	226,355,899
Not Attempted		337	445	389	564,118,008
Total		426	625	528	1,479,839,378

* Please see the glossary for definitions of unit of analysis, site, and project.

⁷ Sites, projects, or units of analysis where contact was not attempted were either not selected for contact in sampling or in the backup sample and were not contacted due to strata quotas being met.

Figure 3-1: Summary of CPSV data collection for Union Custom C&I, MF, and LIMF programs



3.3.2 Influence correction

The Union Custom C&I, MF, and LIMF programs had some corrections and adjustments that differ from other programs: the influence correction and the engineering adjustment.

The Union implementation team applied a proactive “influence factor” to some measures. The factor represents the portion of the energy savings that, in the opinion of the implementation team, was influenced by the program. In effect, it represents an anticipated free-ridership adjustment. Since the evaluation team is measuring and applying a retrospective free-ridership adjustment based on customer self-reports, the Union influence factor would double-count free-ridership for those measures. Therefore, the evaluation team removed the influence factor to produce a “true” gross savings estimate to which the NTG adjustment could be applied. Because the influence factor was not tracked for the population, we worked with Union to identify the influence factors made to the sample of projects selected for CPSV and reversed the process to calculate a true gross tracking savings. This process resulted in the influence corrections provided below.

Table 3-2 shows the influence correction by domain for the Union Custom C&I, MF, and LIMF programs. The table shows the number of units of analysis (n), influence correction ratio, precision at the 90% confidence interval, error ratio, and percent of program savings. The percent of program savings represents the relative contribution that each domain makes to the overall result. Note that Custom Industrial Actions and Custom Commercial & Multi-family received ratios, or influence corrections, of 103% and 101%, respectively. A ratio of 103% indicates that for these measures Union recorded 97% of the gross savings in its database. The positive (greater than 100%) adjustment was made to reported tracked savings to remove the influence factors assigned.

Table 3-2: Influence correction for Union Custom C&I and LIMF programs

Sector	Domain	n		Ratio	90% Confidence Interval			Error Ratio	% Program Savings	
		Measures	Clusters		+ /-	Lower Bound	Upper Bound			Relative Precision
Custom Industrial	Greenhouse Equipment	15	9	100%	0%	100%	100%	0%	0.00	29%
	Action	20	12	103%	4%	99%	106%	3%	0.07	12%
	Hydronic Insulation	9	9	100%	0%	100%	100%	0%	0.00	8%
	Other Equipment	36	25	100%	0%	100%	100%	0%	0.00	33%
Custom Commercial and LIMF		34	24	101%	2%	100%	103%	2%	0.05	19%
Overall		114	74	101%	1%	100%	101%	1%	0.03	100%

The Other category includes building shell equipment, controls, heat recovery, HVAC, operational improvements, steam separator, reverse osmosis, refractory insulation, high-efficiency iron converters, robotic arms, infrared coating, and damper motor replacement. APPENDIX M describes the criteria used for determining the domains used for ratio application and reporting.

Clusters reported in this table are unique customers per stratum: one customer may be in multiple strata, so the count of clusters is greater than the number of customers contacted.

Confidence intervals are mathematically correct, but in practical terms, the influence correction can only be equal to or greater than 100%.

3.3.3 Engineering adjustment

For programs with an influence adjustment, such as the Union Custom C&I, MF, and LIMF programs, the evaluation team defined an “engineering adjustment.” This ratio is the difference between verified savings determined through the CPSV and tracked gross savings estimated by Union prior to applying the influence adjustment. These changes are due to differences in calculation methods, effective useful life (EUL), calculation parameters, or other engineering-related adjustments. The engineering adjustment is equivalent to the gross savings realization rate for programs that do not have an influence adjustment.

Table 3-3 shows the engineering adjustment by domain for the Union Custom C&I, MF, and LIMF programs. The table shows the number of units of analysis (n), engineering adjustment ratio (Ratio), precision at the 90% confidence interval, error ratio, and percent of program savings. The percent of program savings represents the relative contribution that each domain makes to the overall result. Overall, the engineering adjustment was 99%. The measure group with the highest adjustment was Hydronic Insulation, due to different operating conditions (temperatures and hours) reported than were documented in the ex ante calculations at four of nine sites. The measure group with the lowest adjustment was greenhouse equipment, primarily due to measure realization rates of ~80% for 4 of the 15 measures. The discrepancies found at these sites include changes to baseline and efficient conditions.

Table 3-3: Engineering adjustment for Union Custom C&I and LIMF programs

Sector	Domain	n		Ratio	90% Confidence Interval			Error Ratio	% Program Savings	
		Measures	Clusters		+/-	Lower Bound	Upper Bound			Relative Precision
Custom Industrial	Greenhouse Equipment	15	9	92%	4%	88%	95%	4%	0.06	29%
	Action	20	12	105%	13%	92%	118%	13%	0.24	12%
	Hydronic Insulation	9	9	116%	11%	105%	127%	9%	0.15	8%
	Other Equipment	36	25	101%	15%	86%	116%	15%	0.43	33%
Custom Commercial and Multi-family		34	24	88%	18%	70%	106%	21%	0.59	19%
Overall		114	74	98%	6%	92%	105%	6%	0.33	100%


The Other Equipment category includes building shell equipment controls, heat recovery, HVAC, operational improvements, steam separator, reverse osmosis, refractory insulation, high-efficiency iron converters, robotic arms, infrared coating, and damper motor replacement.

APPENDIX M describes the criteria used for determining the domains used for ratio application and reporting.

Clusters reported in this table are unique customers per stratum: one customer may be in multiple strata, so the count of clusters is greater than the number of customers contacted.

Figure 3-2 also shows the engineering adjustment by domain. The figure shows the ratio point estimate as a blue dot on the horizontal axis and the confidence interval as hashmarks connected by a green line. The number of units of analysis, numeric ratio, and percent of program savings represented by each domain are shown to the right of the plot. Industrial greenhouse equipment and hydronic insulation are the only domains that are statistically significantly different from 100%.

Figure 3-2: Engineering adjustment for Union Custom C&I, and LIMF programs




3.3.4 Discrepancy summary

This section presents detailed results for the reasons for and magnitude of the various discrepancies between ex ante and ex-post savings. First we will look at the cumulative savings, then the two key components of cumulative savings: annual savings and the EUL. See APPENDIX Q for additional detail.

Figure 3-3 plots the ex post cumulative savings (with influence corrected) against the ex ante cumulative savings (with influence corrected) for each measure in the sample. The plot on the left shows the full set of measures, while the plot on the right is focused in on the cluster of measures with less than 10 million CCM in both ex ante and ex post. The diagonal line represents a 100% engineering adjustment, or the plotted value if ex post equals ex ante. Points above the line indicate measures where ex post savings were greater than ex ante, while points below the line indicate where ex post were less than ex ante.

Most projects had similar ex post and ex ante savings. The largest two sites had large discrepancies. The largest was a thermal oxidator project that had a realization rate of 127% (upper right) due to operating conditions differences in the ex ante and ex post cases. The second was a new construction project with a 55% realization rate: in this case the code used for the ex ante baseline was outdated at the time that building permits were applied for.

Figure 3-3. Ex post versus ex ante cumulative savings (CCM) with influence corrected - Union C&I and MF, by measure type




3.3.4.1 First-year savings discrepancies

Figure 3-4 plots the ex post annual savings (with influence corrected) against the ex ante annual savings (with influence corrected) for each measure in the sample. The plot on the left shows the full set of measures, while the plot on the right is focused in on the cluster of measures with less than 0.20 million cubic meters (m³) in both ex ante and ex post. The diagonal line represents a 100% engineering adjustment, or the plotted value if ex post equals ex ante. Points above the line indicate measures where ex post savings were greater than ex ante, while points below the line indicate where ex post were less than ex ante.

The plot on the left shows a very similar pattern to that of the cumulative savings because the two largest projects and adjustments were each due to discrepancies in annual savings. The plot on the right shows some differences because annual savings were adjusted for several controls projects. There was no pattern to the discrepancies in this case: one was a difference in baseline between ex ante and ex post, one involved additional data provided to the verifier and one lowered production after the program measure was implemented.

Figure 3-4: Ex post versus ex ante annual savings with influence corrected - Union C&I, by measure type




3.3.4.2 Measure life discrepancies

One of the primary discrepancies is a change in EUL between ex ante and ex post. Figure 3-5 plots the ex post EUL against the ex ante EUL for each measure in the sample. Because EULs tend to be discrete numbers, the size of the bubbles in the plot indicate show the relative amount of ex ante savings for the measures at each plotted point (e.g., the larger the bubble, the more savings at that point). The diagonal line represents the plotted value if ex post equals ex ante. Points above the line indicate measures where ex post EUL were greater than ex ante, while points below the line indicate where ex post were less than ex ante.

The plot shows that most EULs had equal ex post and ex ante EULs. The projects with the greatest differences tended to be small to medium sized and differences in EUL went both ways. Some projects had greater EULs in the ex post than the ex ante and vice versa. The overall weighted average EUL adjustment for the program was 99.8%.

Figure 3-5: Ex post versus ex ante effective useful life - Union C&I and MF, by measure type



3.3.5 Gross realization rate

For the Union programs, the gross realization rate is the product of the influence correction and the engineering adjustment. Table 3-4 shows the engineering adjustment by domain for the Union Custom C&I, MF, and LIMF programs. The table shows the number of units of analysis (n), engineering adjustment ratio (Ratio), precision at the 90% confidence interval, error ratio, and percent of program savings. The percent of program savings represents the relative contribution that each domain makes to the overall result.

Union's C&I and LIMF programs overall had a 100% gross realization rate, which means that the overall ex post savings are equivalent to the overall ex ante savings, within rounding errors. The Action domain has a gross realization rate of 108%, the result of an influence correction of 103% and an engineering adjustment of 105%. Likewise, Custom Commercial, and LIMF result in a ratio of 97%, the result of a 101% influence correction and 95% engineering adjustment.

Table 3-4: Gross realization rate for Union Custom C&I and LIMF programs

Sector	Domain	n		Ratio	90% Confidence Interval			Error Ratio	% Program Savings	
		Measures	Clusters		+/-	Lower Bound	Upper Bound			Relative Precision
Custom Industrial	Greenhouse Equipment	15	9	92%	4%	88%	95%	4%	0.06	29%
	Action	20	12	108%	14%	94%	122%	13%	0.25	12%
	Hydronic Insulation	9	9	116%	11%	105%	127%	9%	0.15	8%
	Other Equipment	36	25	101%	15%	86%	116%	15%	0.43	33%
Custom Commercial and LIMF		34	24	89%	18%	71%	108%	21%	0.59	19%
Overall		114	74	99%	6%	92%	105%	7%	0.34	100%

The Other Equipment category includes building shell equipment controls, heat recovery, HVAC, operational improvements, steam separator, reverse osmosis, refractory insulation, high-efficiency iron converters, robotic arms, infrared coating, and damper motor replacement. APPENDIX M describes the criteria used for determining the domains used for ratio application and reporting.

Clusters reported in this table are unique customers per stratum: one customer may be in multiple strata, so the count of clusters is greater than the number of customers contacted.

*Overall ratio in this table is the sample weighted average and is not used in calculating gross savings for the programs.

Table 3-5 shows the influence correction and engineering adjustments that were multiplied to calculate the gross realization rates.

Table 3-5: Gross realization rate components for Union Custom C&I and LIMF programs

Sector	Domain	Influence correction	Engineering Adjustment	Gross Realization Rate
Custom Industrial	Greenhouse Equipment	100%	92%	92%
	Action	103%	105%	108%
	Hydronic Insulation	100%	116%	116%
	Other Equipment	100%	101%	101%
Custom Commercial and LIMF		101%	88%	89%
Overall		101%	98%	99%

3.4 NTG ratio

This section summarizes the free-ridership results for the Union Custom C&I, MF, and LIMF programs.

Section 3.4.1 summarizes the data collection efforts, section 3.4.2 presents the net savings realization rate, and section 3.4.3 describes the sources of program attribution.

3.4.1 Summary of participant data collected

Table 3-6 summarizes the NTG ratio data collection efforts for the Union Custom C&I, MF, and LIMF programs. The table shows the portion of the program that:

- Completed an in-depth interview through the NTG battery
- Did not respond to an evaluation attempt at contact

- Was not contacted by the evaluation team.⁸

The data collected is represented as the cumulative ex ante natural gas savings, number of projects, units of analysis, and sites. The portion of the program in each category is also represented in Figure 3-6. The full sample design and achievement by strata can be found in 8. The sample design for the NTG study included attempting an NTG interview with all sites in the CPSV sample plus additional sites. Not all sites in the CPSV sample responded to the NTG interview.


By collecting data on all measures at a site rather than only the first selected, the evaluation exceeded the targeted number of units. The number of completed sites exceed the targeted number of units due to single contacts having multiple sites in the sample/backup. Despite collecting NTG data for 67% of savings in the programs with a customer response rate of 73%, the study did not achieve the targeted 90/10 relative precision for the NTG ratio at the program overall level (shown in Table 3-7). The achieved relative precision was 12%. Relative precision is relative to the ratio result, which for sampling purposes was assumed as 50%. The achieved absolute precision (+/-) of 5% would have met the 90/10 relative precision target had the NTG ratio been at or above the assumed ratio.

Table 3-6: Summary of NTG data collection for Union Custom C&I programs

Data Collection Category	Targeted	Completed			
	# Units of Analysis	# Sites	# Measures	# Units of Analysis	Ex Ante CCM
Completed In-Depth Interview	90	92	198	150	980,275,237
Attempted Contact, Not Completed		31	49	43	204,588,592
Not Attempted		266	341	298	289,054,889
Total		389	588	491	1,473,918,718

⁸ Sites, projects, or units of analysis where contact was not attempted were either not selected for contact in sampling or in the backup sample and were not contacted due to strata quotas being met.

Figure 3-6: Summary of NTG data collection for Union Custom C&I, MF, and LIMF programs



3.4.2 Free-ridership

Free-ridership is the sole contributor to the NTG ratio. The evaluation team is also conducting a study of the spillover savings attributable to the program; spillover results will be presented in a later report. Free-ridership is calculated from self-reported responses to survey questions as outlined in APPENDIX C.

Table 3-7 shows the NTG ratio by domain for the Union Custom C&I programs. The table also shows the number of units of analysis (n), precision at the 90% confidence interval, error ratio, and percent of program savings. The percent of program savings represents the relative contribution that each domain makes to the overall result.

Table 3-7: NTG ratio for Union Custom C&I programs

Sector	Domain	n		NTG Ratio	90% Confidence Interval			Error Ratio	% Program Savings	
		Meas	Clusts		+/-	Lower Bound	Upper Bound			Relative Precision
Custom Industrial	Greenhouse	26	17	40%	12%	28%	52%	30%	0.70	29%
	Heat Recovery	29	21	59%	7%	52%	66%	12%	0.32	20%
	Leak Repair and Hydronic Insulation	26	21	40%	9%	30%	49%	24%	0.63	14%
	Operational Improvements	9	7	10%	9%	1%	19%	85%	1.16	4%
	Controls	7	7	18%	4%	14%	22%	21%	0.29	2%
	Steam Trap	6	6	29%	12%	17%	41%	42%	0.52	2%
	Other	33	23	21%	10%	11%	31%	49%	1.37	10%
Custom Commercial	Controls	16	6	78%	5%	74%	83%	6%	0.07	3%
	Other	46	23	38%	12%	26%	50%	32%	0.90	16%
Overall		198	112	39%	5%	34%	44%	12%	0.76	100%

The Industrial Other category includes: building shell, HVAC, steam separator, reverse osmosis, refractory insulation, boiler, high-efficiency iron converters, robotic arms, duct insulation, infrared coating, and damper motor replacement.

The Commercial Other category includes: building shell, heat recovery, HVAC, hydronic insulation, leak repair, operational improvements, steam traps, high-efficiency washer, domestic hot water upgrade, air handling unit maintenance, and geothermal heating.


APPENDIX M describes the criteria used for determining the domains used for ratio application and reporting.

Clusters reported in this table are unique customers per stratum: one customer may be in multiple strata, so the count of clusters is greater than the number of customers contacted.

*Overall ratio in this table is the sample weighted average and is not used in calculating net savings for the programs.

Figure 3-7 also shows the NTG ratio by domain. The figure shows the ratio point estimate as a blue dot on the horizontal axis and the confidence interval as hashmarks connected by a green line. The number of units of analysis, the numeric ratio, and the percent of program savings represented by each domain are shown to the right of the plot. The confidence intervals for all but the two lowest and two highest performing measures overlap the program overall ratio of 39%.

Figure 3-7: NTG ratio for Union Custom C&I and MF programs



3.4.3 Sources of attribution

As described in APPENDIX K, the NTG ratio is a combination of responses regarding the program’s influence on the timing, quantity, and efficiency of the measure installed. This section details the program’s effect on each of those sources of attribution and indicates where the program is creating the greatest transformation.

Table 3-8 represents the possible combinations of timing, efficiency, and quantity attribution. A “yes” in the timing, efficiency, or quantity column indicates partial or full attribution for that source. A “no” indicates no attribution for that source. For example, the row that has Yes for timing, efficiency, and quantity reports the portion of the program that indicated that the program had at least partial influence on the timing, efficiency, and quantity for that measure. For some measures, efficiency or quantity may not be applicable questions; for the purposes of this table, the not applicable measures are included as “no” on the non-applicable dimension.

The table also shows the number of customers, measures, and savings that fall into each combination. The portion of the program that falls into each combination of timing, efficiency, and quantity attribution is represented by the number of responses, and the percent of cumulative savings represented by that category.

The table shows that the majority program participation (58% of savings) at least partially influenced by the program. Of the three ways the program can influence program performance, timing is the most common, affecting approximately 49% of the program savings.

Table 3-8. Overview of the sources of attribution for Union Custom C&I programs

Attribution						
Timing	Efficiency	Quantity	Customers*	Units of Analysis	Projects	Percent Savings
Yes	Yes	Yes	11	20	31	14%
Yes	Yes	No	*	*	*	9%
Yes	No	Yes	16	34	44	14%
Yes	No	No	19	25	34	13%
No	Yes	Yes	*	*	*	<1%
No	Yes	No	5	6	6	6%
No	No	Yes	7	7	13	3%
No	No	No	41	55	66	41%

For confidentiality reasons the numbers of customers, units of analysis and measures less than 5 are not displayed.

A customer may appear multiple times if their responses varied by measures, resulting in a total greater than the number of customers interviewed.

3.4.3.1 Timing

Respondents answered a sequence of questions that addresses the timing of the equipment installation. First, respondents answered the likelihood of installing the same type of equipment at the same time without the program (DAT1a). Respondents who answered “Later” specified the number of months later in the next question (DAT1b).⁹

Timing was the component most strongly affected by the program. The program affected the timing of projects that account for approximately half of the energy savings. Fifty-two customers accounting for 51% of program savings said they would have installed their measure(s) at the same time. Projects accounting for approximately 17% of savings received full attribution by answering that they never would have installed the measure (13% of savings) or would have delayed the project by 48 months or more (4% of savings). The remaining 33% of savings received partial timing attribution (Table 3-9).

⁹ See APPENDIX K for the detailed scoring algorithm.

Table 3-9. Determining the acceleration period, Union Custom C&I programs

DAT1a. Without the utility, how different would the timing have been?						
DAT1b. Approximately how many months later?						
DAT1a	DAT1b	Customers *	Units of Analysis	Projects	Percent Savings	Timing Attribution
Same Time	N/A	52	69	87	50%	0%
Earlier	N/A	0	0	0	0%	0%
Later	Months < 48	24	43	57	25%	ER baseline credit** for months accelerated
	Months >= 48	*	6	10	4%	100%+ ER baseline credit
	Don't Know/Refused	8	12	16	7%	ER baseline credit for avg. of DAT1b
Never	N/A	12	20	28	13%	100%
Don't Know/Refused	N/A	0	0	0	0%	ER baseline credit for avg. of DAT1a

For confidentiality reasons the numbers of customers, units of analysis and measures less than 5 are not displayed.

*A customer may appear multiple times if their responses varied by measures, resulting in a total greater than the number of customers interviewed.

**ER baseline credit reflects credit for a vs. in situ equipment baseline savings during the acceleration period.

3.4.3.2 Efficiency

Respondents answered a sequence of questions that addresses the program’s effects on the efficiency level of the installed equipment. First, respondents answered the likelihood of installing the same level of efficiency without the program (DAT2a). Respondents who answered that they would have installed a less efficient option answered a follow-up question (DAT2b) to specify the level of efficiency they would have installed.

The program had less effect on efficiency than timing, affecting approximately one-third (29%) of the program savings (Table 3-10). Approximately one-third (36%) of program savings received zero attribution because the respondents indicated they would have installed the same level of efficiency without the program. Another third (35%) of savings were from measures for which efficiency levels is not applicable such as operational improvements, leak repairs or steam trap replacements.

Table 3-10. Determining efficiency attribution, Union Custom C&I programs

DAT2a. Without the utility, would you have installed the same, higher, or lower efficiency?						
DAT2b. Without the utility, what efficiency would you have installed?						
DAT2a	DAT2b	Customers *	Units of Analysis	Projects	Percent Savings	Efficiency Attribution
Same	N/A/ Skipped	35	44	63	36%	0%
Lower	Standard Efficiency	9	17	25	10%	100%
	Between Standard and High	*	*	6	11%	50%
	Don't Know/ Refused	*	7	9	8%	Average of DAT2b
Higher	N/A/ Skipped	0	0	0	0%	0%
Don't Know/Refused	N/A Skipped	*	*	*	<1%	Average of DAT2a
Not Applicable	N/A	47	77	94	35%	Not Asked

For confidentiality reasons the numbers of customers, units of analysis and measures less than 5 are not displayed.

A customer may appear multiple times if their responses varied by measures, resulting in a total greater than the number of customers interviewed.

3.4.3.3 Quantity

Respondents answered a sequence of questions that addresses the program’s effects on the amount of equipment installed. First, respondents answered the likelihood of installing the same amount of equipment (or capacity for measures for which number is not relevant, such as chillers) without the program (DAT3a). Respondents who answered that they would have installed a less or more equipment answered a follow-up question (DAT3b) to specify how the program changed the amount that they installed.

The program had about the same level of effect on quantity as efficiency, affecting approximately one-third (29%) of the program savings (Table 3-11). Approximately two-thirds (66%) of program savings received zero attribution because the respondents indicated they would have installed the same amount without the program.

Table 3-11. Determining quantity/size attribution, Union Custom C&I programs

DAT3a. Without the utility, how different would the quantity/size have been?						
DAT3b. By what percentage did you change the amount installed because of utility?						
DAT3a	DAT3b	Customers*	Units of Analysis	Projects	Percent Savings	Quantity Attribution
Same	N/A	58	84	107	66%	0%
Less	Value < 100%	10	14	29	10%	Value < 50%
	Value ≥ 100%	*	*	*	<1%	Value > 50%
	Don't Know/Refused	6	19	22	4%	Average of DAT3a
More	Value < 100%	0	0	0	0%	Value < 100%
	Value ≥ 100%	0	0	0	0%	Value = 100%
	Don't Know/Refused	0	0	0	0%	Average of DAT3a
None	N/A	11	22	29	16%	100%
Don't Know/Refused	N/A	*	*	*	<1%	Average of DAT3
Not Applicable	N/A	7	9	9	4%	Not Asked

For confidentiality reasons the numbers of customers, units of analysis and measures less than 5 are not displayed.

A customer may appear multiple times if their responses varied by measures, resulting in a total greater than the number of customers interviewed.

3.5 Gross and net savings

This section reports the evaluation-verified gross savings in section 3.5.1 and the net savings (including only free-ridership) in section 3.5.2.

3.5.1 Verified gross savings

The program-level gross savings are determined by multiplying tracked savings by the gross realization rate within each primary reporting domain. Table shows the primary domains, tracked savings, gross realization rate (RR), and final verified gross savings. Dividing the overall verified gross savings by the overall tracking savings results in a program-level gross realization rate of 99%.

Table 3-12: Verified gross savings for Union Custom C&I and LIMF programs

Sector	Applied Domain	Cumulative Tracked Savings (m3)	Gross RR	Verified Cumulative Gross Savings (m3)
Custom Industrial	Greenhouse Equipment	428,140,859	91.68%	392,519,540
	Action	177,687,651	107.57%	191,138,606
	Hydronic Insulation	112,443,825	116.13%	130,581,014
	Other Equipment	487,064,029	100.70%	490,473,477
	Total	1,205,336,364	99.95%	1,204,712,637
Custom Commercial and Multi-Family		268,582,354	89.06%	239,199,444
Low Income Multi-Family		5,920,660	89.06%	5,272,940

APPENDIX M describes the criteria used for determining the domains used for ratio application and reporting.

*Custom Commercial, Market Rate Multi-Family, and Low Income Multi-Family use the combined domain of Customer Commercial and LIMF.

3.5.2 Net savings

Program-level net savings are determined by multiplying the verified savings by the NTG ratio within each primary reporting domain. Table 3-13 shows the primary domains, tracking savings, verified savings, NTG ratio, and the final net savings. Dividing the overall net savings by the overall verified savings results in a program-level NTG ratio of 40%. This is slightly higher than that reported in Table 3-7 due to domain level application of ratios.

Table 3-13: Net savings for Union Custom C&I and LIMF programs

Sector	Applied Domain	Verified Cumulative Gross Savings (m3)	NTG	Net Cumulative Savings (m3)
Custom Industrial	Greenhouse	392,519,540	40.40%	158,577,894
	Heat Recovery	303,555,269	59.14%	179,522,586
	Leak Repair and Hydronic Insulation	226,857,406	39.71%	90,085,076
	Operational Improvements	57,328,381	10.15%	5,818,831
	Controls	34,273,847	18.21%	6,241,267
	Steam Trap	34,875,943	28.74%	10,023,346
	Other	155,302,251	20.57%	31,945,673
	Total	1,204,712,637	40.03%	482,214,673
Custom Commercial and Multi-Family	Controls	33,889,383	78.05%	26,450,663
	Other	205,310,062	38.02%	78,058,885
	Total	239,199,444	43.69%	104,509,549
Low Income Multi-Family		5,272,940	95.00%	5,009,293

The Industrial Other category includes: building shell, HVAC, steam separator, reverse osmosis, refractory insulation, boiler, high-efficiency iron converters, robotic arms, duct insulation, infrared coating, and damper motor replacement.

The Commercial Other category includes: building shell, heat recovery, HVAC, hydronic insulation, leak repair, operational improvements, steam traps, high-efficiency washer, domestic hot water upgrade, air handling unit maintenance, and geothermal heating.

APPENDIX M describes the criteria used for determining the domains used for ratio application and reporting.

*In 2015, all of the Market Rate Multi-Family measures have the Custom Commercial other domain applied based on the measure mix.

**The Low Income Multi-Family NTG ratio is deemed.

4 Union Large Volume

Union encourages the adoption of energy efficient equipment, technologies, and actions via its Large Volume program, which applies to customers in Rate 1 (2015 only) and Rate T2/Rate 100.

The 2015 program uses a direct access budget mechanism for the customer incentive budget process for Rate T2/Rate 100 customers. This mechanism grants each customer direct access to the customer incentive budget they pay in rates. Customers must use these funds to identify and implement energy efficiency projects, or lose the funds which will consequently become available for use by other customers in the same rate class. This “use it or lose it” approach ensures each customer has first access to the amount of incentive budget funded by their rates. The incentive approach for Rate T1 customers remains unchanged from the aggregate pool approach offered in 2014.

The Large Volume program is the only “direct access” program offered in Ontario. It is similar in concept, though not in funding mechanism design, to the standard custom programs offered by the two gas utilities.

Custom projects implemented as part of this program and claimed in 2015 are included in the both the CPSV and FR portions of the study. While most of the Large Volume are custom projects that fall within the scope of this evaluation, a small percent of savings (<1%) come from prescriptive projects.¹⁰

4.1 CPSV results

This section summarizes the gross savings verification (CPSV) results for the Union Large Volume program. For Union, the gross realization rate is made up of two components, the influence correction which removes Union’s influence adjustments from the tracking gross savings, and the engineering adjustment, which provides the difference (expressed as a ratio) between verified savings determined through the CPSV and tracked gross savings estimated by Union prior to applying the influence adjustment.

Section 4.1.1 summarizes the data collection efforts, section 4.1.2 describes and presents the influence correction, section 4.1.3 describes and presents the engineering adjustment, section 4.1.4 summarizes the reasons for the discrepancies between the ex ante and ex post gross savings estimates, and section 4.1.5 presents the gross savings realization rate.

4.1.1 Summary of CPSV data collection

Table 4-1 summarizes the CPSV data collection efforts for the Union Large Volume program. The table shows the portion of the program that:

- Completed on-site visits
- Did not respond to an evaluation attempt at contact
- Was not contacted by the evaluation team.¹¹

The data collected is represented as the number of sites, the number of projects, the number of units of analysis, and cumulative ex ante natural gas savings. The proportion of the program in each category is also represented in Figure 8. The full sample design and achievement by strata can be found in 8. By collecting data on all measures at a site rather than only the first selected, the evaluation exceeded the targeted

¹⁰ Union Gas provided the savings from and counts of prescriptive projects that were claimed as part of the Large Volume program via email May 31, 2016.


¹¹ Sites, projects, or units of analysis were not contacted due to strata quotas being met.

number of units despite collecting data from less sites than targeted units. The study did not achieve the targeted 90/10 relative precision for the gross realization rate at the program overall level (shown in Table 4-4). Two primary reasons for the lower than anticipated precision were a large number of influence adjustments that reduced the efficiency of the size based stratification and a lower number of customers in the sample than the data provided for sampling indicated (many customers had multiple AIMS IDs). The customer response rate was 73%.

Table 4-1: Summary of CPSV data collection for Union Large Volume

Data Collection Category	Targeted	Completed			
	# Units of Analysis	# Sites	# Measures	# Units of Analysis	Ex Ante CCM
Completed On-Site	21	19	77	44	856,320,533
Attempted Contact, Not Completed		8	29	17	362,135,793
Not Attempted		10	13	11	32,423,372
Total		37	119	72	1,250,879,698

Figure 4-1: Summary of CPSV data collection for Union Large Volume



4.1.2 Influence correction

The Union Large Volume program has some corrections and adjustments that differ from other programs: the influence correction and the engineering adjustment.

The Union Large Volume implementation team applied a proactive “influence factor” to some measures. The factor represents the portion of the energy savings that, in the opinion of the implementation team, was influenced by the program. In effect, it represents an anticipated free-ridership adjustment. Since the evaluation team is measuring and applying a retrospective free-ridership adjustment based on customer self-reports, the Union influence factor would double-count free-ridership for those measures. Therefore, the evaluation team removed the influence factor to produce a “true” gross savings estimate to which the NTG adjustment could be applied.

Table 4-2 shows the influence correction by domain for the Union Large Volume program. The table shows the number of units of analysis (n), influence correction ratio (Ratio), precision at the 90% confidence interval, error ratio, and percent of program savings. The percent of program savings represents the relative contribution that each domain makes to the overall result. Actions (including steam traps and repairs to steam leaks and heat recovery systems) were more likely to have an influence adjustment than equipment. A ratio of 306% indicates that for these measures Union recorded 32.7% of the gross savings in its database. The positive (greater than 100%) adjustment was made to reported tracked savings to remove the influence factors assigned.

Table 4-2: Influence correction for Union Large Volume

Domain	n		Ratio	90% Confidence Interval			Error Ratio	% Program Savings	
	Measures	Clusters		+/-	Lower Bound	Upper Bound			Relative Precision
Equipment	24	18	108%	3%	106%	111%	2%	0.06	68%
Action	53	18	306%	131%	175%	438%	43%	1.04	32%
Overall*	77	36	174%	43%	131%	217%	25%	0.88	100%

Clusters reported in this table are unique customers per stratum: one customer may be in multiple strata, so the count of clusters is greater than the number of customers contacted.

Confidence intervals are restricted to greater than 100% as all influence corrections were removing reductions in ex ante savings.

*Overall ratio in this table is the sample weighted average and is not used in calculating gross savings for the programs.

4.1.3 Engineering adjustment

For programs with an influence adjustment, such as the Union Large Volume program, the evaluation team defined an “engineering adjustment.” This ratio is the difference between verified savings determined through the CPSV and tracked gross savings estimated by Union prior to applying the influence adjustment. These changes are due to differences in calculation methods, EUL, calculation parameters, or other engineering-related adjustments. The engineering adjustment is equivalent to the gross savings realization rate for programs that do not have an influence adjustment.

Table 4-3 shows the engineering adjustment by domain for the Union Large Volume program. The table shows the number of units of analysis (n), the engineering adjustment ratio, precision at the 90% confidence interval, error ratio, and percent of program savings. The percent of program savings represents the relative contribution that each domain makes to the overall result. The low realization rate for actions (57%) was primarily the result of changes to EUL due to customer reported maintenance schedules, plant shut downs and RUL of existing equipment limiting the life of the implemented measure. The realization rate for the equipment domain was influenced by large adjustments to two projects.¹²

¹² One project had an ex post EUL of 10 where the ex ante was 1 and another project had an inverted calculation in the ex ante documentation which led to an ex post adjustment of 725%.

Table 4-3: Engineering adjustment for Union Large Volume


Domain	n		Ratio	90% Confidence Interval			Error Ratio	% Program Savings
	Measures	Clusters		+/-	Lower Bound	Upper Bound		
Equipment	24	18	107%	21%	87%	128%	19%	68%
Action	53	18	57%	23%	34%	80%	40%	32%
Overall*	77	36	78%	20%	58%	98%	26%	100%

APPENDIX M describes the criteria used for determining the domains used for ratio application and reporting. Clusters reported in this table are unique customers per stratum: one customer may be in multiple strata, so the count of clusters is greater than the number of customers contacted.

*Overall ratio in this table is the sample weighted average and is not used in calculating gross savings for the programs.

Figure 4-2 also shows the engineering adjustment by domain. The figure shows the ratio point estimate as a blue dot on the horizontal axis and the confidence interval as hashmarks connected by a green line. The number of units of analysis, the numeric ratio, and the percent of program savings represented by each domain are shown to the right of the plot. The confidence bounds indicate that we are 90% confident that the realization rate for overall and for the actions domain are less than 100%.

Figure 4-2: Engineering adjustment for Union Large Volume




4.1.4 Discrepancy summary

This section presents detailed results for the reasons for and magnitude of the various discrepancies between ex ante and ex-post savings. First we will look at the cumulative savings, then the two key components of cumulative savings: annual savings and the EUL. See APPENDIX Q for additional detail.

Figure 4-3 plots the ex post cumulative savings (with influence corrected) against the ex ante cumulative savings (with influence corrected) for each measure in the sample. The plot on the left shows the full set of measures, while the plot on the right is focused in on the cluster of measures with less than 10 million CCM in both ex ante and ex post. The diagonal line represents a 100% engineering adjustment, or the plotted value if ex post equals ex ante. Points above the line indicate measures where ex post savings were greater than ex ante, while points below the line indicate where ex post were less than ex ante.

The figure shows that most ex post savings were close to ex ante, but there was a lot of variability. The cyan squares are maintenance projects.¹³ Maintenance projects had more variation in their realization rates than other projects as reflected in the scatter plots. The largest project in the sample (point on the bottom right of the plot) had a downward adjustment to savings due to a data entry error in the program tracking database.

Figure 4-3. Ex post versus ex ante cumulative savings (CCM) with influence corrected- Union Large Volume, by measure type




¹³ Maintenance measures were a major subset of the action domain reported on in section 4.1.3 .

4.1.4.1 First-year savings discrepancies

Figure 4-4 plots the ex post annual savings (with influence corrected) against the ex ante annual savings (with influence corrected) for each measure in the sample. The plot shows the full set of measures. The diagonal line represents a 100% engineering adjustment, or the plotted value if ex post equals ex ante. Points above the line indicate measures where ex post savings were greater than ex ante, while points below the line indicate where ex post were less than ex ante.

Most of the large adjustments to annual savings were for maintenance projects (cyan squares). One optimization project (sky blue triangle) and one heat recovery project (green plus sign) also had significant annual savings adjustments.

Figure 4-4: Ex post versus ex ante annual savings with influence corrected - Union Large Volume, by measure type




4.1.4.2 Measure-life discrepancies

One of the primary discrepancies is a change in EUL between ex ante and ex post. Figure 4-5 plots the ex post EUL against the ex ante EUL for each measure in the sample. Because EULs tend to be discrete

numbers, the size of the bubbles in the plot indicate show the relative amount of ex ante savings for the measures at each plotted point (e.g., the larger the bubble, the more savings at that point). The diagonal line represents the plotted value if ex post equals ex ante. Points above the line indicate measures where ex post EUL were greater than ex ante, while points below the line indicate where ex post were less than ex ante. The figure shows that several significant saving measures had large adjustments to EUL in both directions; overall, the weighted average ratio of ex post to ex ante for Large Volume EULs was 94.8%.

Figure 4-5: Ex post versus ex ante effective useful life - Union Large Volume, by measure type



4.1.5 Gross realization rate

For the Union Large Volume program, the gross realization rate is the product of the influence correction and the engineering adjustment.

Table 4-4 shows the gross realization rate by domain for the Union Large Volume program. The table shows the number of units of analysis (n), the gross realization rate (ratio), precision at the 90% confidence

interval, error ratio, and percent of program savings. The percent of program savings represents the relative contribution that each domain makes to the overall result.

Table 4-4: Gross realization rate for Union Large Volume

Domain	n		Ratio	90% Confidence Interval				Error Ratio	% Program Savings
	Measures	Customers		+/-	Lower Bound	Upper Bound	Relative Precision		
Equipment	24	18	116%	22%	94%	138%	19%	0.47	68%
Action	53	18	175%	102%	72%	277%	59%	1.43	32%
Overall*	77	36	135%	48%	87%	184%	36%	1.27	100%

APPENDIX M describes the criteria used for determining the domains used for ratio application and reporting. Clusters reported in this table are unique customers per stratum: one customer may be in multiple strata, so the count of clusters is greater than the number of customers contacted.

*Overall ratio in this table is the sample weighted average and is not used in calculating gross savings for the programs.

Table 4-5 shows the influence correction and engineering adjustments that were multiplied to calculate the gross realization rates.

Table 4-5: Gross realization rate components for Union Large Volume

Domain	Influence correction	Engineering Adjustment	Gross Realization Rate
Equipment	108%	107%	116%
Action	306%	57%	175%
Overall*	174%	78%	135%

*Overall ratio in this table is the sample weighted average and is not used in calculating gross savings for the programs.

4.2 NTG ratio

This section summarizes the free ridership results for the Union Large Volume program. Section 4.2.1 summarizes the data collection efforts, section 4.2.2 presents the net savings realization rate, and section 4.2.3 describes the sources of program attribution.

4.2.1 Summary of participant data collected

Table 4-6 summarizes the NTG ratio data collection efforts for the Union Large Volume program. The table shows the portion of the program that:

- Completed an in-depth interview through the NTG battery
- Did not respond to an evaluation attempt at contact
- Was not contacted by the evaluation team¹⁴

The data collected is represented as the cumulative ex ante natural gas savings, the number of projects, the units of analysis, and sites. The portion of the program in each category is also represented in Figure 4-6. The full sample design and achievement by strata can be found in APPENDIX A. The sample design for the NTG study included attempting an NTG interview with all sites in the CPSV sample plus additional sites. Not all sites in the CPSV sample responded to the NTG interview.


¹⁴ Sites, projects, or units of analysis where contact was not attempted were either not selected for contact in sampling or in the backup sample and were not contacted due to strata quotas being met.

By collecting data on all measures at a site rather than only the first selected, the evaluation exceeded the targeted number of units despite collecting data from less sites than targeted units. The study had a customer response rate of 66% and did not achieve the targeted 90/10 relative precision for the NTG ratio at the program overall level (shown in Table 4-7). Relative precision is relative to the ratio result, which for sampling purposes was assumed as 50%. The achieved absolute precision (+/-) of 2% was very good and would have met the 90/10 relative precision target had the NTG ratio been at or above the assumed ratio.

Table 4-6: Summary of NTG data collection for Union Large Volume

Data Collection Category	Targeted	Completed			
	# Units of Analysis	# Sites	# Measures	# Units of Analysis	Ex Ante CCM
Completed In-Depth Interview	32	24	85	53	977,256,930
Attempted Contact, Not Completed		12	30	17	271,898,668
Not Attempted		2	4	2	1,724,100
Total		38	119	72	1,250,879,698

Figure 4-6: Summary of NTG data collection for Union Large Volume



4.2.2 Free-ridership

Free-ridership is the sole contributor to the NTG ratio. The evaluation team is also conducting a study of the spillover savings attributable to the program; those results will be presented in a later report. The free-ridership is calculated from self-reported responses to survey questions as outlined in APPENDIX K.

Union's Large Volume program overall had 8% attribution, or 92% free-ridership. Steam traps were the highest performing measure in the program with 21% attribution.

Table 4-7 shows the NTG ratio by domain for the Union Large Volume program. The table shows the number of units of analysis (n), NTG ratio (Ratio), precision at the 90% confidence interval, error ratio, and percent of program savings. The percent of program savings represents the relative contribution that each domain makes to the overall result.

Union's Large Volume program overall had 8% attribution, or 92% free-ridership. Steam traps were the highest performing measure in the program with 21% attribution.

Table 4-7: NTG ratio for Union Large Volume

Domain	n		Ratio	90% Confidence Interval				Error Ratio	% Program Savings
	Measures	Clusters		+/-	Lower Bound	Upper Bound	Relative Precision		
Hydronic Insulation	10	7	6%	3%	3%	9%	51%	0.70	44%
Operational Improvements	20	12	13%	5%	7%	18%	41%	0.79	19%
Heat Recovery	13	10	7%	5%	2%	11%	70%	1.20	8%
Steam Trap	17	11	21%	7%	13%	28%	35%	0.65	4%
Other Equipment	6	6	0%	0%	0%	0%	146%	1.77	13%
Leak Repair and Other Actions	17	11	9%	5%	4%	14%	56%	1.02	12%
Overall*	83	41	8%	2%	6%	10%	27%	1.02	100%

The Other Equipment category includes building shell, steam turbine blades, burner management system, replace flue gas analyzers, infrared polyethylene, and cogeneration transformers.


APPENDIX M describes the criteria used for determining the domains used for ratio application and reporting.

Clusters reported in this table are unique customers per stratum: one customer may be in multiple strata, so the count of clusters is greater than the number of customers contacted.

*Overall ratio in this table is the sample weighted average and is not used in calculating net savings for the programs.

Figure 4-7 also shows the NTG ratio by domain. The figure shows the ratio point estimate as a blue dot on the horizontal axis and the confidence interval as hashmarks connected by a green line. The number of units of analysis, the numeric ratio, and the percent of program savings represented by each domain are shown to the right of the plot.

Figure 4-7: NTG ratio for Union Large Volume



4.2.3 Sources of attribution

As outlined in APPENDIX K, the NTG ratio is a combination of responses regarding the program’s influence on the timing, quantity, and efficiency of the measure installed. This section details the program’s effect on each of those sources of attribution and indicates where the program is creating the greatest transformation.

Table 4-8 represents the possible combinations of timing, efficiency, and quantity attribution. A “yes” in the timing, efficiency, or quantity column indicates partial or full attribution for that source. A “no” indicates no attribution for that source. For example, the row that has “yes” for timing, efficiency, and quantity reports the portion of the program that indicated that the program had at least partial influence on the timing, efficiency, and quantity for that measure. For some measures, efficiency or quantity may not be applicable questions; for the purposes of this table, the not applicable measures are included as “no” on the non-applicable dimension.

The table also shows the number of customers, measures, and savings that fall into each combination. The portion of the program that falls into each combination of timing, efficiency, and quantity attribution is represented by the number of responses, the cumulative savings in CCM, and the percent of cumulative savings represented by that category.

The table shows that a quarter of program participation (~24% of savings) was at least partially influenced by the program. Of the three ways the program can influence, timing is the most common, affecting approximately 23% of the program savings (sum of the first four rows). Quantity/size affects approximately 14% of the program savings (sum of the rows with quantity equals "yes"), and the program influenced the efficiency levels of less than 1% of the savings in the Large Volume program.

Table 4-8. Overview of the sources of attribution for Union Large Volume

Attribution						
Timing	Efficiency	Quantity	Customers *	Units of Analysis	Projects	Percent Savings
Yes	Yes	Yes	*	*	*	<1%
Yes	Yes	No	0	0	0	0%
Yes	No	Yes	*	6	15	13%
Yes	No	No	7	10	13	11%
No	Yes	Yes	0	0	0	0%
No	Yes	No	0	0	0	0%
No	No	Yes	*	*	*	1%
No	No	No	19	34	54	75%

For confidentiality reasons the numbers of customers, units of analysis and measures less than 5 are not displayed.

A customer may appear multiple times if their responses varied by measures, resulting in a total greater than the number of customers interviewed.

4.2.3.1 Timing component

Respondents answered a sequence of questions that addresses the timing of the equipment installation. First, respondents answered the likelihood of installing the same type of equipment at the same time without the program (DAT1a). Respondents who answered "Later" specified the number of months later in the next question (DAT1b).¹⁵

Timing was the component most strongly affected by the program. The program affected the timing of projects that account for approximately one-fourth of program savings. Twenty out of 33 surveyed customers accounting for 76% of program savings said they would have installed their measure(s) at the same time. The rest indicated some amount of program acceleration, mostly between 1 and 48 months (Table 4-9).

¹⁵ See APPENDIX K for the detailed scoring algorithm.

Table 4-9. Determining the Acceleration period, Union Large Volume

DAT1a. Without the utility, how different would the timing have been?						
DAT1b. Approximately how many months later?						
DAT1a	DAT1b	Customers*	Units of Analysis	Projects	Percent Savings	Timing Attribution
Same Time	N/A	20	35	55	76%	0%
Earlier	N/A	0	0	0	0%	0%
Later	Months < 48	10	15	27	19%	ER baseline credit** for months accelerated
	Months ≥ 48	*	*	*	<1%	100%+ ER baseline credit
	Don't Know/Refused	*	*	*	5%	ER baseline credit for avg. of DAT1b
Never	N/A	*	*	*	<1%	100%
Don't Know/Refused	N/A	0	0	0	0%	ER baseline credit for avg. of DAT1a

For confidentiality reasons the numbers of customers, units of analysis and measures less than 5 are not displayed.

*A customer may appear multiple times if their responses varied by measures, resulting in a total greater than the number of customers interviewed.

**ER baseline credit reflects credit for a vs. in situ equipment baseline savings during the acceleration period.

4.2.3.2 Efficiency Component

Respondents answered a sequence of questions that addresses the program’s effects on the efficiency level of the installed equipment. First, respondents answered the likelihood of installing the same level of efficiency without the program (DAT2a). Respondents who answered that they would have installed a less efficient option answered a follow-up question (DAT2b) to specify the level of efficiency they would have installed.

Respondents reported that program had very little effect on efficiency level (Table 4-10) of the measures implemented. In part, this is because most (58%) of program savings were from measures for which efficiency levels is not applicable such as operational improvements, leak repairs or steam trap replacements. Almost all remaining survey respondents said the program had no effect on the efficiency level of the equipment installed.

Table 4-10. Determining Efficiency Attribution, Union Large Volume

DAT2a. Without the utility, would you have installed the same, higher, or lower efficiency?						
DAT2b. Without the utility, what efficiency would you have installed?						
DAT2a	DAT2b	Customers*	Units of Analysis	Projects	Percent Savings	Efficiency Attribution
Same	N/A/Skipped	15	19	24	42%	0%
Lower	Standard Efficiency	*	*	*	<1%	100%
	Between Standard and High	0	0	0	0%	50%
	Don't Know/Refused	0	0	0	0%	Average of DAT2b
Higher	N/A/Skipped	0	0	0	0%	0%
Don't Know/Refused	N/A/Skipped	0	0	0	0%	Average of DAT2a
Not Applicable	N/A	17	32	59	58%	Not Asked

For confidentiality reasons the numbers of customers, units of analysis and measures less than 5 are not displayed.

A customer may appear multiple times if their responses varied by measures, resulting in a total greater than the number of customers interviewed.

4.2.3.3 Quantity Component

Respondents answered a sequence of questions that addresses the program’s effects on the amount of equipment installed. First, respondents answered the likelihood of installing the same amount of equipment (or capacity for measures for which number is not relevant, such as chillers) without the program (DAT3a). Respondents who answered that they would have installed a less or more equipment answered a follow-up question (DAT3b) to specify how the program changed the amount that they installed.

The program had little effect on the quantity of measures installed. Twenty-one customers accounting for 84% of the program savings said they would have purchased the same amount of equipment without the program (Table 4-11).

Table 4-11. Determining quantity/size attribution, Union Large Volume

DAT3a. Without the utility, how different would the quantity/size have been?						
DAT3b. By what percentage did you change the amount installed because of utility?						
DAT3a	DAT3b	Customers*	Units of Analysis	Projects	Percent Savings	Quantity Attribution
Same	N/A	21	43	66	84%	0%
Less	Value < 100%	*	6	15	9%	Value < 50%
	Value ≥ 100%	0	0	0	0%	Value > 50%
	Don't Know/Refused	*	*	*	5%	Average of DAT3a
More	Value < 100%	0	0	0	0%	Value < 100%
	Value ≥ 100%	0	0	0	0%	Value = 100%
	Don't Know/Refused	0	0	0	0%	Average of DAT3a
None	N/A	*	*	*	<1%	100%
Don't Know/Refused	N/A	0	0	0	0%	Average of DAT3
Not Applicable	N/A	*	*	*	1%	Not Asked

For confidentiality reasons the numbers of customers, units of analysis and measures less than 5 are not displayed.

A customer may appear multiple times if their responses varied by measures, resulting in a total greater than the number of customers interviewed.

4.3 Gross and net savings

This section reports the evaluation-verified gross savings in section 4.3.1 and the net savings (including only free-ridership) in section 4.3.2.

4.3.1 Verified gross savings

The program-level gross savings are determined by multiplying the tracking savings by the gross realization rate within each primary reporting domain. Table 4-12 shows the primary domains, the tracking savings for that domain, the gross realization rate, and the final verified gross savings for that domain. Dividing the overall verified gross savings by the overall tracking savings results in a program-level gross realization rate of 135%.

Table 4-12: Verified gross savings for Union Large Volume

Domain	Cumulative Tracked Savings (m ³)	Gross RR	Verified Cumulative Gross Savings (m ³)
Equipment	846,481,549	116.08%	982,595,782
Action	404,398,149	174.61%	706,119,609
Overall	1,250,879,698	135.00%	1,688,715,391

4.3.2 Net savings

The program-level net savings are determined by multiplying the verified savings by the NTG ratio within each primary reporting domain. Table 4-13 shows the primary domains, the tracking savings for that domain, the verified savings, the NTG ratio, and the final net savings for that domain. Dividing the overall net savings by the overall verified savings results in a program-level NTG ratio of 8%.

Table 4-13: Net savings for Union Large Volume

Domain	Verified Cumulative Gross Savings (m ³)	NTG	Net Cumulative Savings (m ³)
Hydronic Insulation	635,631,096	5.67%	36,040,283
Heat Recovery	134,997,398	6.59%	8,896,329
Operational Improvements	375,172,128	12.55%	47,084,102
Steam Trap	89,234,963	20.65%	18,427,020
Other Equipment	260,286,951	9.31%	24,232,715
Leak Repair and Other Actions	193,392,855	0.08%	154,714
Overall	1,688,715,391	7.98%	134,835,163

The Other Equipment category includes building shell, steam turbine blades, burner management system, replace flue gas analyzers, infrared polyethylene, and cogeneration transformers

APPENDIX M describes the criteria used for determining the domains used for ratio application and reporting.

5 Enbridge Commercial, Industrial, and Multi-Residential Programs

Enbridge's custom program offerings encourage commercial and industrial customers to reduce their energy consumption by providing financial incentives, technical expertise, and guidance for energy related decision-making. They differ from the prescriptive and direct install programs as they provide services and varying financial incentives based on overall natural gas savings realized by the customer to address customer-specific needs.

There are three programs covered in this section: Enbridge Commercial Custom, Enbridge Industrial Custom Solutions, and Low Income Multi-Residential Affordable Housing.

5.1 Commercial Custom and Industrial Custom Solutions (Enbridge)

The goal of the Enbridge Commercial Custom offer is to reduce natural gas use through the capture of energy efficiency opportunities in commercial buildings, including retrofits of building components and upgrades at the time of replacement.

The Enbridge Industrial Custom Solutions offer is designed to capture energy savings within the industrial sector by supporting customers through a continuous improvement approach. Industrial Energy Solutions Consultants (ESCs) assist customers with the adoption of energy efficient technologies by overcoming financial, knowledge or technical barriers.

A subset of the measures¹⁶ in the commercial program is part of the multi-family or multi-residential segment.

All measures implemented as part of these programs and claimed in 2015 are included in the CPSV and FR results in the next sections.

5.2 Low-income Multi-Residential Affordable Housing (Enbridge)

This program offers multi-family low-income housing customers incentives to encourage energy efficient upgrades and funding for energy audits. The program also provides technical services, benchmarking, and education for housing providers, building operators, and tenants about their building's energy usage and ways to achieve energy efficiency. Eligible measures include boilers, ventilation systems, building envelope, window upgrades, in-suite water conservation measures (faucet aerators and showerheads), and heat reflector panels.

The target markets for this program are social and assisted housing providers who own and operate Part 3 buildings and private multi-residential building owners that provide housing to low-income households.¹⁷ In addition, Enbridge targets shelters and supportive housing.

¹⁶ Throughout the report we will refer to unique combinations of Enbridge project codes and project sub-codes and measures.

¹⁷ "Part 3" references buildings covered by Part 3 of the Ontario Building Code, defined as those exceeding 600 square meters in area or greater than three storeys in height; for residential energy efficiency programs, these are typically multifamily buildings.

Custom measures implemented as part of these programs and claimed in 2015 are included in the CPSV results; 4% of the Enbridge low income multi-family (LI MF) program savings are from custom measures. We did not include measures implemented as part of this program in the NTG evaluation.

5.3 CPSV results

This section summarizes the gross savings verification (CPSV) energy savings verification results for the Enbridge C&I, MR MF and LIMF Programs. Section 5.3.1 summarizes the data collection efforts, section 5.3.2 presents the gross savings realization rate, and section 5.3.3 summarizes the reasons for the discrepancies between the ex ante and ex post gross savings estimates, and.

5.3.1 Summary of CPSV data collection

Table 5-1 summarizes the CPSV data collection efforts for the Enbridge C&I and LIMF Programs. This includes the number of targeted sites and measures that:

- Had completed on-site visits
- Had completed telephone supported engineering reviews (TSER)
- Did not respond to an evaluation attempt at contact
- Were not contacted by the evaluation team¹⁸

The data collected is represented as the number of sites, the number of measures, the number of units of analysis, and cumulative ex ante natural gas savings. The proportion of the program in each category is also represented in Figure 5-1. The full sample design and achievement by strata can be found in 8. By collecting data on all measures at a site rather than only the first selected, the evaluation exceeded the targeted number of units despite collecting data from fewer sites and TSER units than targeted. The study had a 57% customer response rate and achieved the targeted 90/10 relative precision for the gross realization rate at the overall program level (shown in Table 5-2).


Table 5-1: Summary of CPSV data collection for Enbridge Custom C&I, MF, and LIMF programs*

Data Collection Category	Targeted	Completed			
	# Units of Analysis	# Sites	# Measures	# Units of Analysis	Ex Ante CCM
Completed On-Site	40	37	88	61	250,801,165
Completed TSER	38	31	39	37	81,376,035
Attempted Contact, Not Completed		54	66	65	140,499,585
Not Attempted		584	734	670	401,730,740
Total		706	927	833	874,407,525

* Please see the glossary for definitions of unit of analysis, site, and measure.

¹⁸ Sites, projects, or units of analysis where contact was not attempted were either not selected for contact in sampling or in the backup sample and were not contacted due to strata quotas being met.

Figure 5-1: Summary of CPSV data collection for Enbridge Custom C&I and LIMF programs



5.3.2 Gross savings realization rate

The gross savings realization rate represents the differences in ex post and ex ante savings due to differences in calculation methods, EUL, calculation parameters, or other engineering-related adjustments. Table 5-2 shows the gross savings realization rate by domain for the Enbridge Custom C&I, MF, and LIMF offerings. The table shows the number of units of analysis (n), gross savings realization rate (Ratio), precision at the 90% confidence interval, error ratio, and percent of program savings. The percent of program savings represents the relative contribution that each domain makes to the overall result.

Enbridge’s C&I and LIMF programs overall had a sample weighted 92% gross realization rate. These domains were found to have variation in engineering adjustment ratios ranging from 87% to 125%, resulting in an overall engineering correction ratio of 91%. The largest domain for these programs is the combined Custom Commercial and Multi-residential programs, which include all commercial measures as well as all MRMF and LIMF measures. The 88% realization rate is driven by 11 measures with RRs less than 75%. The discrepancies in these measures were mostly due to documentation that did not match what the verifier found onsite, a lack of pre-/post-usage data, differences in billing and simulation results, and EUL changes. The high realization rate for steam traps is primarily due to a change in EUL from 5 years to 6. Relative precision for the programs overall was 10% at 90% confidence.

Table 5-2: Gross savings realization rate for Enbridge Custom C&I, and LIMF offerings

Sector	Domain	n		Ratio	90% Confidence Interval			Error Ratio	% Program Savings	
		Meas	Custs		+/-	Lower Bound	Upper Bound			Relative Precision
Custom Industrial	Heat Recovery	13	10	98%	5%	93%	103%	5%	0.09	9%
	Steam Trap	8	8	128%	3%	125%	131%	2%	0.04	2%
	Other	32	25	99%	4%	95%	103%	4%	0.11	28%
Custom Commercial and LIMF		74	41	91%	14%	78%	105%	15%	0.57	61%
Overall*		127	82	95%	9%	86%	103%	9%	0.51	100%

Other industrial: controls, Etools boiler, Etools boiler add-on, Etools insulation, Etools ventilation, other (low temperature spray washer chemical, increase mechanical dewatering, furnace burner tune-up, infrared heater and programmable thermostat, low temp catalytic oxidizer, air curtain, and industrial roll-up doors, water heater)


APPENDIX M describes the criteria used for determining the domains used for ratio application and reporting.

Clusters reported in this table are unique customers per stratum: one customer may be in multiple strata, so the count of clusters is greater than the number of customers contacted.

*Overall ratio in this table is the sample weighted average and is not used in calculating gross savings for the programs.

Figure 5-2 also shows the gross savings realization rate by domain. The figure shows the ratio point estimate as a blue dot on the horizontal axis and the confidence interval as hashmarks connected by a green line. The number of units of analysis, the numeric ratio, and the percent of program savings represented by each domain are shown to the right of the plot.

Figure 5-2: Engineering adjustment for Enbridge Custom C&I, MF, and LIMF programs




5.3.3 Discrepancy summary

This section presents detailed results for the reasons for and magnitude of the various discrepancies between ex ante and ex-post savings. First we will look at the cumulative savings, then the two key components of cumulative savings: annual savings and the EUL. See APPENDIX Q for additional detail.

Figure 5-3 plots the ex post cumulative savings against the ex ante cumulative savings for each measure in the sample. The plot on the left shows the full set of measures, while the plot on the right is focused in on the cluster of measures with less than 10 million CCM in both ex ante and ex post. The diagonal line represents a 100% engineering adjustment, or the plotted value if ex post equals ex ante. Points above the line indicate measures where ex post savings were greater than ex ante, while points below the line indicate where ex post were less than ex ante.

Most measures had similar ex post and ex ante savings. Heat recovery measures tended to have the largest adjustments. Two heat recovery measures resulted in large negative discrepancies, the largest of which was due to the site contact providing updated measured gas use. Two other large heat recovery measures had positive adjustments (each due to different operating conditions for found in the ex post verification).

Figure 5-3: Ex post versus ex ante cumulative savings (CCM) - Enbridge C&I and MF, by measure type




5.3.3.1 First-year savings discrepancies

Figure 5-4 plots the ex post annual savings against the ex ante annual savings for each measure in the sample. The plot on the left shows the full set of measures, while the plot on the right is focused in on the cluster of measures with less than 0.20 million m³ in both ex ante and ex post. The diagonal line represents a 100% engineering adjustment, or the plotted value if ex post equals ex ante. Points above the line

indicate measures where ex post savings were greater than ex ante, while points below the line indicate where ex post were less than ex ante.

Like the cumulative savings, most measures had similar ex post and ex ante savings. At the high level the pattern is consistent in terms of types of measures with large adjustment.

Figure 5-4. Ex post versus ex ante annual savings - Enbridge C&I and MF, by measure type





5.3.3.2 Measure life discrepancies

One of the primary discrepancies is a change in EUL between ex ante and ex post. Figure 5-5 plots the ex post EUL against the ex ante EUL for each measure in the sample. Because EULs tend to be discrete numbers, the size of the bubbles in the plot indicate show the relative amount of ex ante savings for the measures at each plotted point (e.g., the larger the bubble, the more savings at that point). The diagonal line represents the plotted value if ex post equals ex ante. Points above the line indicate measures where ex post EUL were greater than ex ante, while points below the line indicate where ex post were less than ex ante.

The plot shows that most savings had equal ex post and ex ante EULs. The greatest differences represented relatively small savings.

Figure 5-5: Ex post versus ex ante effective useful life - Enbridge C&I and MF



5.4 NTG ratio

This section summarizes the free-ridership results for the Enbridge Custom C&I program. Section 5.4.1 summarizes the data collection efforts, section 5.4.2 presents the net savings realization rate, and section 5.4.3 describes the sources of program attribution.

5.4.1 Summary of participant data collected

Table 5-3 summarizes the NTG ratio data collection efforts for the Enbridge Custom C&I program. The table shows the portion of the program that:

- Completed an in-depth interview through the NTG battery
- Did not respond to an evaluation attempt at contact
- Was not contacted by the evaluation team¹⁹

The data collected is represented as the cumulative ex ante natural gas savings, the number of measures, the units of analysis, and sites. The portion of the program in each category is also represented in Figure 5-6. The full sample design and achievement by strata can be found in 8. The sample design for the NTG study included attempting an NTG interview with all sites in the CPSV sample plus additional sites. Not all sites in the CPSV sample responded to the NTG interview.


By collecting data on all measures at a site rather than only the first selected, the evaluation fell one short of the targeted number of units despite collecting data from 50% fewer sites than targeted. The study had a 52% customer response rate and achieved a NTG ratio with absolute precision of +/-5% and relative precision of 16% at 90% confidence (shown in Table 5-4). Relative precision is relative to the ratio result, which for sampling purposes was assumed as 50%. The achieved absolute precision (+/-) of 5% would have met the 90/10 relative precision target had the NTG ratio been at or above the assumed ratio.

Table 5-3: Summary of NTG data collection for Enbridge Custom C&I and LIMF programs

Data Collection Category	Targeted	Completed			
	# Units of Analysis	# Sites	# Measures	# Units of Analysis	Ex Ante CCM
Completed In-Depth Interview	151	100	162	135	408,890,043
Attempted Contact, Not Completed		84	114	107	178,062,737
Not Attempted		431	527	481	223,653,170
Total		615	803	723	810,605,950

¹⁹ Sites, projects, or units of analysis where contact was not attempted were either not selected for contact in sampling or in the backup sample and were not contacted due to strata quotas being met.

Figure 5-6: Summary of NTG data collection for Enbridge Custom C&I programs



5.4.2 Free-ridership

Free-ridership is the sole contributor to the NTG ratio. The evaluation team is also conducting a study of the spillover savings attributable to the program; those results will be presented in a later report. The free-ridership is calculated from self-reported responses to survey questions as outlined in APPENDIX J.

Table 5-4 shows the NTG ratio by domain for the Enbridge Custom C&I programs. The table shows the number of units of analysis (n), NTG ratio (Ratio), precision at the 90% confidence interval, error ratio, and percent of program savings. The percent of program savings represents the relative contribution that each domain makes to the overall result.

Enbridge’s C&I programs overall had 29% attribution, or 71% free-ridership. Ventilation measures showed the lowest attribution (4-19% in each sector) while multi-residential other (non-boiler, non-ventilation) showed the highest attribution at 97%. Industrial Heat Recovery measures were the only other domain over 50% attribution at 56%.

Table 5-4: NTG ratio for Enbridge Custom C&I programs

Sector	Domain	n		NTG Ratio	90% Confidence Interval			Error Ratio	% Program Savings	
		Meas.	Custs.		+/-	Lower Bound	Upper Bound			Relative Precision
Custom Industrial	Etools Ventilation	8	7	15%	10%	5%	25%	70%	0.95	10%
	Heat Recovery	13	10	55%	9%	46%	64%	16%	0.27	10%
	Other	39	34	31%	7%	24%	38%	24%	0.81	22%
Custom Commercial	Etools Boiler and Boiler Add-on	25	20	24%	11%	13%	35%	47%	1.22	12%
	Etools Ventilation	15	15	5%	4%	1%	8%	72%	1.58	8%
	Steam Trap	14	6	27%	5%	22%	33%	19%	0.23	2%
	Other	12	8	18%	14%	4%	32%	76%	1.14	16%
Custom Multi-Residential	Etools Boiler	11	8	26%	14%	12%	40%	54%	0.80	13%
	Etools Ventilation	7	7	20%	14%	6%	34%	71%	0.97	3%
	Other	17	7	97%	3%	94%	100%	3%	0.05	3%
Overall*		161	112	29%	4%	25%	34%	15%	0.97	100%

Other Industrial: Controls, Etools boiler, Etools boiler add-on, Etools insulation, steam trap, other (increase mechanical dewatering, VFD, infrared heater and programmable thermostat, low temp catalytic oxidizer, air curtain, industrial roll-up doors, evaporator system, water heater, reduce powder paint curing oven exhaust, dock seal, aquathermat heating system, insulated panels, greenhouse double polyethylene walls)

Other Commercial: Etools insulation, controls, other (dock seal, building shell, steam chiller, high speed door, boiler – hydronic high-efficiency)

Other Multi-res: Etools boiler add-on, Etools insulation, heat reflector panels


APPENDIX M describes the criteria used for determining the domains used for ratio application and reporting.

Clusters reported in this table are unique customers per stratum: one customer may be in multiple strata, so the count of clusters is greater than the number of customers contacted.

*Overall ratio in this table is the sample weighted average and is not used in calculating net savings for the programs.

Figure 5-7 also shows the NTG ratio by domain. The figure shows the ratio point estimate as a blue dot on the horizontal axis and the confidence interval as hashmarks connected by a green line. The number of units of analysis, the numeric ratio, and the percent of program savings represented by each domain are shown to the right of the plot.

Figure 5-7: NTG ratio for Enbridge Custom C&I programs



5.4.3 Sources of attribution

As outlined in APPENDIX K, the NTG ratio is an estimate of a program’s influence on the timing, quantity, and efficiency of the measure installed. This section details the program’s effect on each of those sources of attribution and indicates where the program is creating the greatest transformation.

Table 5-5 represents the possible combinations of timing, efficiency, and quantity attribution. A “yes” in the timing, efficiency, or quantity column indicates partial or full attribution for that source. A “no” indicates no attribution for that source. For example, the row that has Yes for timing, efficiency, and quantity reports the portion of the program that indicated that the program had at least partial influence on the timing, efficiency, and quantity for that measure. For some measures, efficiency or quantity may not be applicable questions; for the purposes of this table, the not applicable measures are included as “no” on the non-applicable dimension.

The table also shows the portion of the program that falls into each combination of timing, efficiency, and quantity attribution represented by the number of responses and the percent of cumulative savings represented by that category.

The table shows that approximately two-thirds (63%) of program savings were at least partially influenced by the program. Of the three aspects relating to savings that the program can influence, timing is the most common, affecting approximately 57% of the program savings. Quantity affects approximately 20% of the

program savings, and the program influenced efficiency levels of equipment accounting for approximately 13% of program savings.

Table 5-5. Overview of the sources of attribution for Enbridge Custom C&I programs

Attribution						
Timing	Efficiency	Quantity	Customers *	Units of Analysis	Measures	Percent Savings
Yes	Yes	Yes	0	0	0	0%
Yes	Yes	No	7	8	8	8%
Yes	No	Yes	18	27	33	20%
Yes	No	No	28	34	49	30%
No	Yes	Yes	*	*	*	<1%
No	Yes	No	*	5	5	6%
No	No	Yes	5	5	5	<1%
No	No	No	42	54	60	36%

For confidentiality reasons the numbers of customers, units of analysis and measures less than 5 are not displayed.

A customer may appear multiple times if their responses varied by measures, resulting in a total greater than the number of customers interviewed.

5.4.3.1 Timing component

Respondents answered a sequence of questions that addresses the timing of the equipment installation. First, respondents answered the likelihood of installing the same type of equipment at the same time without the program (DAT1a). Respondents who answered "Later" specified the number of months later in the next question (DAT1b).²⁰

Timing was the component most strongly affected by the program. The program affected the timing of measures that account for more than half of program savings. Forty-eight out of 100 surveyed customers accounting for 43% of program savings said they would have installed their measure(s) at the same time. The rest indicated some amount of program acceleration, mostly between 1 and 48 months (Table 5-6).

Table 5-6. Determining the Acceleration period, Enbridge Custom C&I programs

DAT1a. Without the utility, how different would the timing have been?						
DAT1b. Approximately how many months later?						
DAT1a	DAT1b	Customers *	Units of Analysis	Measures	Percent Savings	Timing Attribution
Same Time	N/A	48	66	72	43%	0%
Earlier	N/A	0	0	0	0%	0%
Later	Months < 48	33	44	59	35%	ER baseline credit** for months accelerated
	Months ≥ 48	*	*	*	1%	100%+ ER baseline credit
	Don't Know/Refused	5	5	5	2%	ER baseline credit for avg. of DAT1b
Never	N/A	9	15	21	14%	100%
Don't Know/Refused	N/A	*	*	*	0%	ER baseline credit for avg. of DAT1a

²⁰ See APPENDIX K for the detailed scoring algorithm.

For confidentiality reasons the numbers of customers, units of analysis and measures less than 5 are not displayed.

*A customer may appear multiple times if their responses varied by measures, resulting in a total greater than the number of customers interviewed.

**ER baseline credit reflects credit for a vs. in situ equipment baseline savings during the acceleration period.

5.4.3.2 Efficiency Component

Respondents answered a sequence of questions that addresses the program’s effects on the efficiency level of the installed equipment. First, respondents indicated the likelihood of installing the same level of efficiency without the program (DAT2a). Respondents who answered that they would have installed a less efficient option answered a follow-up question (DAT2b) to specify the level of efficiency they would have installed.

The program had limited effect on efficiency (Table 5-7). Most (54%) of program savings were from measures for which efficiency levels is not applicable such as operational improvements, leak repairs or steam trap replacements. Most of the remaining survey respondents said the program had no effect on the efficiency level of the equipment installed. Respondents who indicated the program increased the efficiency level of their measures accounted for approximately 13% of program savings. Most of these indicated that the program moved them from an efficiency level already above standard efficiency to an even higher level of efficiency. The relatively low program influence on efficiency can be an indicator that measures included in the program, though above current code requirements, are standard on the market.

Table 5-7. Determining Efficiency Attribution, Enbridge Custom C&I programs

DAT2a. Without the utility, would you have installed the same, higher, or lower efficiency?						
DAT2b. Without the utility, what efficiency would you have installed?						
DAT2a	DAT2b	Customers *	Units of Analysis	Measure s	Percent Savings	Efficiency Attribution
Same	N/A/Skipped	31	37	41	33%	0%
Lower	Standard Efficiency	*	*	*	<1%	100%
	Between Standard and High	6	6	6	10%	50%
	Don't Know/Refused	5	6	6	3%	Average of DAT2b
Higher	N/A/Skipped	0	0	0	0%	0%
Don't Know/Refused	N/A Skipped	*	*	*	<1%	Average of DAT2a
Not Applicable	N/A	57	83	106	54%	Not Asked

For confidentiality reasons the numbers of customers, units of analysis and measures less than 5 are not displayed.

A customer may appear multiple times if their responses varied by measures, resulting in a total greater than the number of customers interviewed.

5.4.3.3 Quantity Component

Respondents answered a sequence of questions that addresses the program’s effects on the amount of equipment installed. First, respondents indicated the likelihood of installing the same amount of equipment (or capacity for measures for which number is not relevant, such as heat exchangers) without the program (DAT3a). Respondents who answered that they would have installed less or more equipment answered a follow-up question (DAT3b) to specify how the program changed the amount that they installed.

The program had limited effect on the quantity of measures installed. Sixty-five of the 96 customers, who accounted for 82% of program savings, said they would have purchased the same amount of equipment

without the program (Table 5-8). Most of the remaining customers (12% of savings) received full attribution because they indicated they would not have installed any measures without the program.

Table 5-8. Determining quantity/size attribution, Enbridge Custom C&I programs

DAT3a. Without the utility, how different would the quantity/size have been?						
DAT3b. By what percentage did you change the amount installed because of utility?						
DAT3a	DAT3b	Customers*	Units of Analysis	Measures	Percent Savings	Quantity Attribution
Same	N/A	65	94	117	82%	0%
Less	Value < 100%	9	11	11	4%	Value < 50%
	Value ≥ 100%	*	*	*	<1%	Value > 50%
	Don't Know/Refused	*	*	*	<1%	Average of DAT3a
More	Value < 100%	0	0	0	0%	Value < 100%
	Value ≥ 100%	0	0	0	0%	Value = 100%
	Don't Know/Refused	0	0	0	0%	Average of DAT3a
None	N/A	10	16	19	11%	100%
Don't Know/Refused	N/A	*	*	*	<1%	Average of DAT3
Not Applicable	N/A	7	9	10	2%	Not Asked

For confidentiality reasons the numbers of customers, units of analysis and measures less than 5 are not displayed.

A customer may appear multiple times if their responses varied by measures, resulting in a total greater than the number of customers interviewed.

5.5 Gross and net savings

This section reports the evaluation-verified gross savings in section 5.5.1 and the net savings (including only free-ridership) in section 5.5.2.

5.5.1 Verified gross savings

Program-level gross savings are determined by multiplying the tracking savings by the gross realization rate within each primary reporting domain. Table 5-9 shows the primary domains, the tracking savings for that domain, the gross realization rate, and the final verified gross savings for that domain. Dividing the overall verified gross savings by the overall tracking savings results in a program-level gross realization rate of 92%.

Table 5-9: Verified gross savings for Enbridge Custom C&I and LIMF programs

Sector	Applied Domain	Cumulative Tracked Savings (m3)	Gross RR	Verified Cumulative Gross Savings (m3)
Custom Industrial	Heat Recovery	82,143,555	97.86%	80,385,683
	Steam Trap	20,222,930	127.62%	25,808,503
	Other	241,990,817	98.78%	239,038,529
	Total	344,357,302	100.25%	345,232,715
Custom Commercial and Multi-Residential		466,248,648	91.48%	426,524,263
Low Income Multi-Residential		63,801,575	91.48%	58,365,681

5.5.2 Net savings

Program-level net savings are determined by multiplying the verified gross savings by the NTG ratio within each primary reporting domain. Table 5-10 shows the primary domains, tracking savings, verified savings, NTG ratio, and the final net savings for that domain.

Table 5-10: Net savings for Enbridge Custom C&I programs

Sector	Applied Domain	Verified Cumulative Gross Savings (m3)	NTG	Net Cumulative Savings (m3)
Custom Industrial	Etool Ventilation	83,670,201	14.90%	12,466,860
	Heat Recovery	80,385,683	55.25%	44,413,090
	Other	181,176,831	31.04%	56,237,288
	Total	345,232,715	32.77%	113,117,238
Custom Commercial	Etool Boiler and Boiler Add-on	90,295,668	24.09%	21,752,226
	Etool Ventilation	61,235,559	4.93%	3,018,913
	Steam Trap	13,597,779	27.42%	3,728,511
	Other	121,290,363	18.22%	22,099,104
	Total	286,419,369	17.67%	50,598,755
Market Rate Multi-Residential	Etool Boiler	98,725,211	26.18%	25,846,260
	Etool Ventilation	21,825,719	19.70%	4,299,667
	Other	19,553,964	97.10%	18,986,899
	Total	140,104,894	35.07%	49,132,826
Low Income Multi-Residential*		58,365,681	100.00%	58,365,681

The Other Industrial category includes: Controls, Etools boiler, Etools boiler add-on, Etools insulation, steam trap, other (increase mechanical dewatering, VFD, infrared heater and programmable thermostat, low temp catalytic oxidizer, air curtain, industrial roll-up doors, evaporator system, water heater, reduce powder paint curing oven exhaust, dock seal, aquathermal heating system, insulated panels, and greenhouse double polyethylene walls)

The Other Commercial category includes: Etools insulation, controls, other (dock seal, building shell, steam chiller, high speed door, boiler – hydronic high-efficiency)

The Other Multi-residential category includes: Etools boiler add-on, Etools insulation, and heat reflector panels.

*The Enbridge Low Income Multi-Residential NTG ratio is deemed at 100%.

6 Enbridge RunitRight

Through its program RunitRight, Enbridge provides customers with an energy assessment, technical and implementation assistance and performance monitoring. RiR participation starts with EGD working with the customer utilizing investigation agents to identify low cost/no cost re-commissioning measures that could be implemented to achieve a minimum of 5% gas savings followed with energy monitoring to monitor impact of operational improvement and facilitate improved energy management. The FR portion will evaluate measures implemented in 2014 and claimed in 2015. Run it Right is not part of the CPSV scope for the verification of 2015 measures and is the only program with non-custom measures included in the scope of the evaluation.

6.1 CPSV results

The gross savings for the RunitRight program were not verified as part of this study.

6.2 NTG ratio

This section summarizes the free ridership results for the Enbridge RunitRight program. Section 6.2.1 summarizes the data collection efforts, section 6.2.2 presents the net savings realization rate, and section 6.2.3 describes the sources of program attribution.

6.2.1 Summary of participant data collected

Table 6-1 summarizes the net-to-gross ratio data collection efforts for the Enbridge RunitRight program. The table shows the portion of the program that:

- Completed an in-depth interview through the NTG battery
- Did not respond to an evaluation attempt at contact
- Was not contacted by the evaluation team.²¹

The data collected is represented as the cumulative ex ante natural gas savings, the number of measures, the units of analysis, and number of sites. The portion of the program in each category is also represented in Figure 6-1. See section 6.3.1 for more detail. The full sample design and achievement by strata can be found in APPENDIX A.


The study had a 58% customer response rate, reached the sample targets in two of three strata, and achieved a NTG ratio with absolute precision of +/-14% and relative precision of 27% at 90% confidence (shown in Table 6-2).

²¹ Sites, measures, or units of analysis where contact was not attempted were either not selected for contact in sampling or in the backup sample and were not contacted due to strata quotas being met.

Table 6-1: Summary of NTG data collection for Enbridge RunitRight

Data Collection Category	Targeted	Completed			
	# Units of Analysis	# Sites	# Measures	# Units of Analysis	Ex Ante CCM
Completed In-Depth Interview	16	16	16	16	2,508,665
Attempted Contact, Not Completed		5	5	5	627,615
Not Attempted		7	7	7	569,850
Total		28	28	28	3,706,130

Figure 6-1: Summary of NTG data collection for Enbridge RunitRight



6.2.2 Free-ridership

Free-ridership is the sole contributor to the NTG ratio. The evaluation team is also conducting a study of the spillover savings attributable to the program; those results will be presented in a later report. The free-ridership is calculated from self-reported responses to survey questions as outlined in APPENDIX K.

Table 6-2 shows the NTG ratio by domain for the Enbridge RunitRight program. The table shows the number of units of analysis (n), NTG ratio, precision at the 90% confidence interval, error ratio, and percent of program savings. The percent of program savings represents the relative contribution that each domain makes to the overall result.

Enbridge’s RunitRight program overall had 50% attribution, or 50% free-ridership.

Table 6-2: NTG ratio for Enbridge RunitRight


Domain	n		Ratio	90% Confidence Interval			Error Ratio	% Program Savings	
	Measures	Customers		+/-	Lower Bound	Upper Bound			Relative Precision
RunitRight	16	10	50%	14%	36%	64%	27%	0.47	100%

APPENDIX M describes the criteria used for determining the domains used for ratio application and reporting.

Clusters reported in this table are unique customers per stratum: one customer may be in multiple strata, so the count of clusters is greater than the number of customers contacted.

Figure 6-2 also shows the NTG ratio for this program. The figure shows the ratio point estimate as a blue dot on the horizontal axis and the confidence interval as hashmarks connected by a green line. The number of units of analysis, numeric ratio, and percent of program savings represented by each domain are shown to the right of the plot. Attribution for the RunitRight program is higher than most of Enbridge’s custom offerings, with the exceptions of Heat Recovery and Multi-Residential Other.

Figure 6-2: NTG ratio for Enbridge RunitRight



6.2.3 Sources of attribution

As outlined in APPENDIX K, the NTG ratio is a combination of responses regarding the program’s influence on the timing, quantity, and efficiency of the measure implemented. Since most measures in the RunitRight program are a result of low cost/no cost operational improvements and re-commissioning which does not have its own inherent efficiency, the efficiency question was not asked for the participants of this program.

This section details the program’s effect on each of those sources of attribution and indicates where the program is creating the greatest transformation.

Table 6-3 represents the possible combinations of timing and quantity attribution. A “yes” in the timing or quantity column indicates partial or full attribution for that source. A “no” indicates no attribution for that source. For example, the row that has Yes for timing and quantity reports the portion of the program that indicated that the program had at least partial influence on the timing and quantity for that measure.

The table also shows the number of customers, measures, and savings that fall into each combination. The portion of the program that falls into each combination of timing and quantity attribution is represented by the number of responses and the percent of cumulative savings represented by that category.

The table shows that all program participation was at least partially influenced by the program. The program affected the timing of all measures. It had a limited effect on quantity, influencing measures that accounted for approximately 7% of program savings.

Table 6-3. Overview of the sources of attribution for Enbridge RunitRight

Attribution					
Timing	Quantity	Customers *	Units of Analysis	Measures	Percent Savings
Yes	Yes	*	*	*	7%
Yes	No	6	15	15	93%
No	Yes	0	0	0	0%
No	No	0	0	0	0%

A * refers to a category with fewer than 5 participants. These are not shown for customer privacy reasons.

A customer may appear multiple times if their responses varied by measures, resulting in a total greater than the number of customers interviewed.

6.2.3.1 Timing component

Respondents answered a sequence of questions that addresses the timing of the energy saving activities. First, respondents answered the likelihood of performing the energy saving activities at the same time without the program (DAT1a). Respondents who answered “Later” specified the number of months later in the next question (DAT1b).²²

Timing was the component most strongly affected by the program. No customers indicated they would have completed the energy saving activities at the same time. Customers indicated that measures accounting for over a quarter of savings would not have been completed for four or more years and measures accounting for nearly an additional 59% of savings would have been completed within four years. The rest indicated that they didn’t know when the measure would have been completed or refused to answer the question (Table 6-4).

Table 6-4. Determining the Acceleration period, Enbridge RunitRight

DAT1a. Without the utility, how different would the timing have been?						
DAT1b. Approximately how many months later?						
DAT1a	DAT1b	Customers*	Units of Analysis	Measures	Percent Savings	Timing Attribution
Same Time	N/A	0	0	0	0%	0%
Earlier	N/A	0	0	0	0%	0%
Later	Months < 48	*	7	7	59%	ER baseline** credit for months accelerated
	Months ≥ 48	*	6	6	26%	100%+ ER baseline credit
	Don't Know/ Refused	*	*	*	7%	ER baseline credit for avg. of DAT1b
Never	N/A	0	0	0	0%	100%
Don't Know/ Refused	N/A	*	*	*	9%	ER baseline credit for avg. of DAT1a

For confidentiality reasons the numbers of customers, units of analysis and measures less than 5 are not displayed.

*A customer may appear multiple times if their responses varied by measures, resulting in a total greater than the number of customers interviewed.

**ER baseline credit reflects credit for a vs. in situ equipment baseline savings during the acceleration period.

6.2.3.2 Quantity Component

Respondents answered a sequence of questions that addresses the program’s effects on the extent of energy savings activities taken. First, respondents answered the likelihood of performing the same amount of energy saving activities without the program (DAT3a). Respondents who answered that they would have done more answered a follow-up question (DAT3b) to specify how the program changed the amount of activity that they performed.

The program had a small effect on quantity. Respondents indicated that they would have performed the same amount of activity in measures that accounted for almost all (93%) of the program savings. For confidentiality reasons this table is not provided.

²² See APPENDIX K for the detailed scoring algorithm.

6.3 Gross and net savings

The RunitRight program was not included in the CPSV portion of the study. This section reports the net savings (including only free-ridership) in section 6.3.1.

6.3.1 Net savings

The program-level net savings are determined by multiplying the verified savings by the NTG ratio within each primary reporting domain. Table 6-5 shows the tracking savings, NTG ratio, and final net savings. Dividing the overall net savings by the overall verified savings results in a program-level NTG ratio of 50%.

Table 6-5: Net savings for Enbridge RunitRight

Domain	Cumulative Tracking Savings (m ³)	NTG	Net Cumulative Savings (m ³)
RunitRight	2,712,210	50.06%	1,357,732

7 Findings and recommendations

In the tables the primary outcomes of the recommendation are classified into four categories: reduce costs, increase savings, increase (or maintain) customer satisfaction and decrease risk (multiple types of risk are in this category including risk of adjusted savings, risk to budgets or project schedules, and others). Details of the findings, recommendations and outcomes follow the tables.

Table 7-1: Energy savings and program performance recommendations

#	Energy Savings and Program Performance Recommendation	Applies to			Primary Outcome			
		Union	Enbridge	Evaluation	Reduce Costs	Increase Savings	Increase Customer Satisfaction	Decrease Risk
ES1	The utilities should continue in their commitment to accuracy.	✓	✓				✓	✓
ES2	Evaluate free-ridership for the programs annually and couple the free-ridership evaluation with process evaluation			✓		✓		
ES3	Error ratios from this report inform sample design for future evaluation.			✓	✓			✓
ES4	Align the program design with cumulative net goals	✓	✓			✓		
ES5	Do not pay incentives until after installation is complete.	✓	✓					✓
ES6	Develop policies to collaborate across electric and gas projects to avoid double-counting fuel savings and increases from energy efficiency measures.	✓	✓					✓
ES7	Consider establishing a policy to define rules around energy savings calculation for fuel switching and district heating/cooling measures.	✓	✓	✓				✓
ES8	Consider establishing a policy that defines an eligibility floor and cap based on simple payback period for energy efficiency projects.	✓	✓			✓		✓
ES9	Consider establishing an official definition for EUL and implementing a study to define EULs for program measures	✓	✓	✓				✓

#	Energy Savings and Program Performance Recommendation	Applies to			Primary Outcome			
		Union	Enbridge	Evaluation	Reduce Costs	Increase Savings	Increase Customer Satisfaction	Decrease Risk
ES10	Track metrics for how long it takes from the final installation verification to the posting of incentive payments.	✓	✓				✓	
ES11	Increase transparency of "influence adjustments" and do not include in gross savings	✓				✓	✓	✓
ES12	Conduct a process evaluation to improve Large Volume influence on customer projects	✓				✓	✓	
ES13	Consider approaches to market that leverage third-party vendors.	✓	✓		✓	✓		

Table 7-2: Verification process recommendations

#	Verification Process Recommendation	Applies to			Primary Outcome			
		Union	Enbridge	Evaluation	Reduce Costs	Increase Savings	Increase Customer Satisfaction	Decrease Risk
VP1	Modify contracts to require participants to agree to comply with EM&V as well as utility representatives as part of the requirements for participation in the program.	✓	✓		✓			✓
VP2	The verification and utility staff should agree to a code of conduct for each role during onsite visits.	✓	✓	✓			✓	

Table 7-3: Documentation and Support recommendations

#	Documentation and Support Recommendation	Applies to			Primary Outcome			
		Union	Enbridge	Evaluation	Reduce Costs	Increase Savings	Increase Customer Satisfaction	Decrease Risk
DS1	<p>Take steps to improve documentation:</p> <ul style="list-style-type: none"> • Include explicit sources for all inputs and assumptions in the project documentation. • Store background studies and information sources with the project files and make them available to evaluators. • Provide evaluators full access to customer data. • Provide pre- and post-installation photos, where available. • Document and provide internal M&V documents where available. • Institute a checklist as part of project closeout to ensure all relevant project documentation is assembled as ready for verification 	✓	✓			✓		✓
DS2	Ensure that incremental costs are supported by invoices or other documentation	✓	✓					✓
DS3	Increase the amount of documentation and source material for projects that have greater energy savings.	✓	✓					✓
DS4 A	Digitize and file project documentation for all projects as they are completed and paid during project closeout.	✓	✓		✓			✓
DS4 B	Until the utilities can implement an effective digital document storage process, the evaluation should allow more time for the utilities to assemble and deliver the documentation.			✓	✓			✓

#	Documentation and Support Recommendation	Applies to			Primary Outcome			
		Union	Enbridge	Evaluation	Reduce Costs	Increase Savings	Increase Customer Satisfaction	Decrease Risk
DS5	Consider providing more training or adding quality control steps to ensure the summary workbook front page is completed and stored in a consistent manner.	✓			✓			✓
DS6	Use a consistent summary workbook.		✓		✓			✓


Table 7-4: Data management recommendations

#	Data Management Recommendation	Applies to			Primary Outcome			
		Union	Enbridge	Evaluation	Reduce Costs	Increase Savings	Increase Customer Satisfaction	Decrease Risk
DM1 A	Track contacts associated with projects in the program tracking database.	✓	✓		✓			✓
DM1 B	Strongly consider investing in relational program tracking databases.	✓	✓		✓			✓
DM1 C	Include structure for improved data integrity in the evaluator request for contact information for the 2016 and 2017 savings verification and evaluation.			✓	✓		✓	
DM2 A	Consider offering bonus incentives early in the year to combat the “hockey stick” phenomenon where a large percent of projects get closed in the fourth quarter of the year (which results in rushed QC for data).	✓	✓		✓			✓
DM3	Track and provide to evaluators dates for key milestones in the project.	✓	✓		✓			✓
DM4	Maintain a customer identifier in the database to clearly identify related sites.	✓	✓		✓		✓	

#	Data Management Recommendation	Applies to			Primary Outcome			
		Union	Enbridge	Evaluation	Reduce Costs	Increase Savings	Increase Customer Satisfaction	Decrease Risk
DM5	Include EUL (also remaining useful life for dual baselines), NTG, and each of the key savings types (i.e., annual and cumulative, gross and net) in the program tracking extracts provided to evaluators.	✓	✓			✓		✓

Figure 1-1 shows an approximate cost vs. impact relationship for each of the recommendations on a 4-point scale. The upper left quadrant of the figure shows the recommendations that are relatively low cost that would have a high impact. Those in the upper right are recommendations where both cost and impact are high.

Figure 7-1: Approximate Cost vs. Impact of each recommendation



7.1 Energy savings and program performance

ES1. Finding: Both utilities exhibit a strong commitment to accurate energy savings estimates. Both utilities have made significant investments in developing calculation tools which model savings accurately. For example, Union's dock door seal calculator is well considered and designed, and Enbridge's Etools calculator is very thorough in attempting to model savings for key measures.

Both utilities chose to retain engineers with strong understandings of their customers' building and process systems. We had numerous opportunities to interact with these engineers on phone calls and site visits, and have grown to respect their knowledge and engagement with the types of systems that matter to their customers.

Both utilities showed a commitment to finding accurate savings. On several occasions, both on the phone and in writing, the evaluation team suggested a value that would have increased savings in a way that the program engineer did not think was valid. When this happened, neither utility was shy in suggesting that we may want to make a more conservative choice.

Recommendation: The utilities should continue in their commitment to accuracy.

Outcome: Accurate energy savings.

ES2. Finding: Free-ridership in the utilities' programs is high

Recommendation: With high free-ridership and rapidly changing programs, consistent evaluation of free-ridership annually and free-ridership evaluation coupled with process evaluation will help identify specific ways for each program to manage and reduce free-ridership.

Outcome: Effective free-ridership management will allow the programs to increase their net savings significantly in future years.

ES3. Finding: Relative precision targets were exceeded for some programs and not met for others.

Recommendation: Error ratios from the results provided in this report should be used to inform sample design for future evaluation years.

Outcome: Better defined error ratios for the measures in the programs will allow more efficient sample design for future evaluations, improving precisions and reducing costs.

ES4. Finding: Attribution for the programs came primarily through acceleration rather than changes in efficiency or quantity/size. This is partly due to the measures that dominate the programs: controls, maintenance, and optimisation. These measures do not have varying efficiencies, so the programs are either affecting the number of units implemented or accelerating the measure. Acceleration is less valuable to programs that are seeking to meet cumulative net goals. Acceleration periods tend to be considerably shorter than the estimated useful life (EUL) of a measure and thus the partial attribution that results is low relative to cumulative gross savings.

Recommendation: To align the programs with cumulative net goals, the utilities should seek to:

- continue promoting long life measures and consider discontinuing promotion of short lived measures
- proactively upsell equipment purchases from standard to efficient products
- target hard to reach customers who have not participated in the past
- promote EE measures with low market penetration (such as heat reflector panels)

- motivate customers to increase the scope of their projects, some options include multi-measure bonuses or escalating incentive structures that pay more for doing more

Outcome 1: Focusing on proactive sales rather than reactive will help the net-to-gross (NTG) ratio.

Outcome 2: Effective free-ridership management will allow the program to increase net savings significantly in future years.

ES5. Finding: A handful (<5) of respondents indicated that all or part of their incentivized project had not yet been installed over a year after the incentive was paid.

Recommendation: Do not pay incentives until after installation is complete.

Outcome: Cost-effectiveness of the program will increase as it avoids paying for savings that do not materialize.

ES6. Finding: Some customers receive incentives from their electric provider and natural gas utility to complete the same EE measure. Both providers may claim the same changes in energy use, resulting in overlap when aggregated across fuels at the provincial level.

Recommendation: Develop policies to collaborate across electric and gas projects to avoid double-counting fuel savings and increases from energy efficiency measures.

Outcome: More accurate energy and carbon savings estimates across the province.

ES7. Finding: Some measures (e.g., geothermal heat pumps, combined heat and power, and those that save district heating energy) have difficult-to-define baseline technologies.

Recommendation: Consider establishing a policy to define rules around energy savings calculation for fuel switching and district heating/cooling measures.

Outcome: Less evaluation risk and a better alignment between province energy efficiency goals and program implementation.

ES8. Finding: Projects with very long and very short simple payback periods often have low NTG ratios. However, from a customer service standpoint, it may be difficult for utilities to deny incentives to customers unless they have pre-established rules to point to.

Recommendation: Consider establishing a policy that defines an eligibility floor and cap based on simple payback period for energy efficiency projects.

Outcome: The rule will give utilities a guideline to restrict the program to projects that are more likely to result in net savings. It will also allow the utilities to reject potentially poor projects without a large effect on customer satisfaction.

ES9. Finding: Members of the EAC and evaluation team have different understandings of the definition of some evaluation inputs.

Recommendation: Consider establishing an official definition for EUL and implementing a study to define EUL for all measures, especially steam traps, pipe leaks, steam leaks, condensate leaks, and pipe insulation.

Outcome: The study will improve the accuracy of lifetime savings estimates.

ES10. Finding: A handful (<5) of sites reported unhappiness with delays in receiving their incentive payment (5 months).

Recommendation: Track metrics for how long it takes from the final installation verification to the posting of incentive payments. Consider holding program managers accountable to these metrics by considering them during performance reviews, building in performance bonuses if all payments are posted within one month, and/or implementing a penalty if it takes greater than three months to post any payments.

Outcome: Improved customer satisfaction.

ES11. Finding: Influence adjustments were made to projects that adjusted the gross savings for “net” or program influence reasons. Accounting of which projects had these adjustments was not maintained by the program and the adjustments were included in different places in project calculation workbooks, making their identification challenging. In addition, the program NTG was also applied to these projects, effectively double discounting savings in scorecards.

Recommendation: If the utility chooses to continue making influence adjustments to the savings upon which it calculates savings, these adjustments should be made more transparent and not included in the reported gross savings for the program in scorecards. Instead the specific project influence adjustment should be included in the scorecard in place of the general program or domain level NTG factor.

Outcome: Reduced risk of double adjustments.

ES12. Finding: Union’s Large Volume program has a very high amount of free-ridership.

Recommendation: This evaluation did not include a process evaluation. Union should consider conducting a process evaluation focused on how to reduce the rate of free-ridership. Three options that the Union might consider are:

- Eliminate measure types with high free-ridership (Union indicated that most maintenance type measures were eliminated in 2016).
- Use an application process that includes a committee review that can reject free riders. This option is hard for utilities to manage as it can affect customer satisfaction negatively
- Clear payback criteria such as initial payback must be longer than X years and the incentive paid must reduce payback below Y years. This has the advantage of being a rule that account representatives can explain when talking to customers.
- Non-energy benefits of projects that large industrial customers gravitate to are often large compared to energy saving benefits, so simple payback criteria will not eliminate all free rider projects. Awareness of this issue should be promoted among the implementation team.

Outcome: Effective free-ridership management may allow the program to increase its net savings significantly in future years.

ES13. Finding: Vendor attribution did not increase overall program attribution significantly. Of the vendors that customers cited as influences, few indicated that either program had much effect on the projects.

Recommendation: The utilities should consider approaches to market that leverage third-party vendors. A process evaluation that includes vendor interviews might uncover opportunities.

Outcome: Effective leveraging of vendors could both increase NTG ratios and increase program uptake.

7.2 Verification processes

VP1. Finding: DNV GL was unable to obtain access to all the equipment at all the sites selected for verification. Both Enbridge and Union have several large projects with industrial companies, including food processing, refineries, and other industries. In many cases, the customer refused to provide SCADA data or similar trend data to allow a reasonable verification of the project. This means we were unable to do more than a reasonableness check on the savings.

A review of the Enbridge contract shows that the customer is not required to provide the information that is necessary for EM&V. The most relevant sections are:

- Item 6 states: Payment of the Incentive Payment is subject to the completion of a satisfactory site inspection of the improvements, including the installed equipment by an authorized representative of Enbridge.
- Item 9 states: Upon request within eighteen months of the commissioning date of the Project, and with reasonable notice, the Customer agrees to provide authorized representatives of Enbridge with access to the Project, and with required information or data relating to the project for the purposes of the Application and these General Terms and Conditions.

Neither of these are sufficient for EM&V.

Recommendation: Modify contracts to require participants to agree to comply with EM&V as well as utility representatives as part of the requirements for participation in the program.

Outcome: Reduced evaluation costs and risks. Participant non-compliance requires evaluators to request documentation for a large backup sample, and to survey and/or visit additional sites to obtain sufficient data for the evaluation. The process of contacting a site and getting a refusal costs time and money, as does the substitution of an additional site to make up for the unobtained data. In some cases, there might not be additional sites to sample, in which case the evaluation estimates will have lower precision than they would with full compliance.

VP2. Finding: Verification engineers and verification forms caused confusion with site contacts and the length of visits also led to a handful of customer complaints. Utility staff at a handful of sites responded to questions in place of participating customers and in one case interfered with data collection.

Recommendation: The verification and utility staff should agree to a code of conduct for each role. The teams should receive clear direction as to the dos and don'ts of all parties involved in site visits, including both verification engineers and utility staff should they attend the visit. Open lines of communication between the site team and utility staff should be maintained to reduce misunderstandings and ensure that the teams are on the same page as to each other's role.

In general, the following should be part of standard verification practices:

- Ensure site engineer reviews final site report for accuracy post-audit.
- Align data collection forms with site report structure to reduce communication and transcription errors.
- Ensure data appropriate to determining EUL is collected while on-site (i.e., make EUL determination a primary, rather than secondary focus).
- Request specific documentation or data from systems prior to site visit (allowing for adequate time for site contact to obtain).

Outcome: Improved data collection and customer satisfaction.

7.3 Documentation and support

DS1. Finding: Project documentation for some projects lacked sufficient details to allow evaluators to reproduce the calculations made by program staff or third-party vendors. Specific issues included:

- Project data or details missing
- Insufficient measure-level details to fully describe what was installed
- Descriptions that were difficult to understand
- Use of black box tools
- Hardcoded information in calculation spreadsheets
- Energy intensity changes presented without providing the data to justify it
- Undocumented assumptions
- Sources referenced but not included or available, such as feasibility studies and historical analysis of energy use that was left out of the project documentation
- Scanned documents that were unreadable
- Input adjustments that approximate other effects, but are not explained
- Insufficient access to customer data (by customers) for confidentiality reasons.
- Modelling files that could not be opened
- Adjustments to savings estimates for safety or influence that were not clearly marked, sourced, or carried out in a consistent fashion
- Etools files not provided for many industrial boiler & boiler add-on projects

Recommendation: Several steps could be taken to improve data quality:

- Include explicit sources for all inputs and assumptions in the project documentation.
- Store background studies and information sources with the project files and make them available to evaluators.
- Provide evaluators full access to customer data.
- Provide pre- and post-installation photos, where available.
- Document and provide internal M&V documents where available.
- Institute a checklist as part of project closeout to ensure all relevant project documentation is assembled as ready for verification

Outcome: Properly explaining and sourcing the savings calculation method and assumptions allows the evaluating engineer to more easily identify what needs to be verified. It also makes it easier to determine whether the methods and assumptions are reasonable and use ex ante assumptions rather than seek documented values elsewhere.

DS2. Finding: Invoices were not always included with documentation, and we saw a handful (<5) of cases where utility program staff were overclaiming incremental costs. This did not appear to be systemic, but higher incremental costs enable payment of a larger incentive.

Recommendation: Ensure that incremental costs are supported by invoices or other documentation, especially for add-on and optimization measures where the total cost and incremental cost are likely to be the same. Equipment replacement measures may require an additional standard efficiency quote to produce incremental cost.

Outcome: Incremental cost is an important component of simple payback, which is often used to judge the economic benefit of energy efficiency projects. It is also an input to some benefit-cost tests.

DS3. Finding: Larger projects appeared to fall under the same documentation standards as smaller projects.

Recommendation: Increase the amount of documentation and source material for projects that have greater energy savings.

Outcome: Projects that are better documented tend to have more accurate savings estimates and receive fewer evaluation adjustments than those that are less documented. Large projects have a greater effect on overall savings adjustment factors. Therefore, large projects with better documentation are more likely to result in adjustment factors closer to 100%.

DS4. Finding: Enbridge did not maintain complete digital project files prior to the evaluation request. Union appeared to have digital documentation that was not completely assembled prior to evaluation.

Recommendation A: Digitize and file project documentation for all projects as they are completed and paid during project closeout. PDF and Excel files associated with a project should be stored in a way that allows them to be easily found and associated with a specific project and/or customer. The best practice is to include a document repository as part of the program tracking system with a separate folder for each project.

Recommendation B: Until the utilities can implement an effective digital document storage process, the evaluation should allow more time for the utilities to assemble and deliver the documentation.

Outcome: In our experience, DSM programs that store complete and well-organized digital records experience less evaluation risk. In other words, their gross savings adjustments are closer to 100%. This happens for three reasons:

- Digitization facilitates internal review of project documentation, providing additional opportunities to identify missing information and errors
- Assembly during project closeout improves the comprehensiveness of the documentation because less time has elapsed than if it was assembled for evaluation, so less information is lost or forgotten

Easy retrieval makes it more likely that the complete file is sent to the evaluation team, reducing the information gap between implementation and evaluation.

DS5. Finding: Union custom projects utilized a project application summary workbook that summarizes the key project inputs, calculations, and most details. In general, this is a good approach that facilitates internal review and evaluation. One challenge was that different projects used the workbook in different ways:

- The notes section was sometimes used to identify and highlight specific unique approaches and features in projects, but not always.
- Calculations internal to the summary page were consistent for most projects, but not all (additional factors were sometimes added).
- Sub-methods critical to the calculation were contained in hidden sheets.
- Safety and influence adjustments were inserted in different locations and not always explained.

Recommendation: Consider providing more training or adding quality control steps to ensure the summary workbook front page is completed and stored in a consistent manner. Identify a common approach for common measures and, if necessary, document deviations and the reasons for the deviations in a clearly labelled field on the summary sheet.

Outcome: A consistent summary workbook aids both internal and external quality assurance, quality control, and measurement and verification.

DS6. Finding: The Enbridge Etools is used as both a calculation tool and as a communication tool with customers. While it appears to serve the needs of the program, this form of communication is difficult for the evaluation efforts.

- Etools does not easily allow for assumptions to be sourced within the record.
- Some Etools selections may be site-specific and some may be defaults; the calculator does not distinguish.
- Energy savings that are calculated outside of Etools are hard-entered in Etools but not always sourced.

Recommendation: Use a consistent summary workbook.

Outcome: A consistent summary workbook aids both internal and external quality assurance, quality control, and measurement and verification.

7.4 Data management

DM1. Finding: Neither Union nor Enbridge currently track participating customer or participating vendor contact information in their program tracking database. Providing the information to the evaluation put significant burden on utility staff. When contact information was provided, there were significant data integrity issues including contacts listed in the wrong places, partial addresses, and incorrect or missing phone numbers and email addresses.

Recommendation A: Track contacts associated with projects in the program tracking database. At a minimum, the program tracking database should include:

- Project site address
- Customer mailing address
- Primary customer contact name
- Primary customer contact phone
- Primary customer contact email
- Primary customer contact mailing address
- Addresses are best tracked as multiple fields including:
 - Street address line 1
 - Street address line 2
 - City
 - Province
 - Postal code

Phone number fields should include data validation to enforce a consistent format and avoid missing or extra digit errors. Phone extensions should be tracked in a field separate from the ten-digit phone number and be restricted to numeric data only.

The best practice is to maintain contacts in a table separate from specific project or customer data. This allows for a single contact to be connected to multiple accounts and/or projects as necessary without creating duplication. This structure also makes it easier to associate multiple contacts with a single project.

Vendor contact information should also be tracked in the database, in the same table as the participating customer contact information. With a relational database, the contact ID from the table can be added to a project record in the role consistent with the contact's participation (such as vendor, decision maker, or technical expert) with a separate table that allows a single vendor contact to be associated with multiple projects.

Outcome A: Reduced burden on utility staff to seek contact information for projects, whether for internal or evaluation use. Reduced evaluation costs and improved sample design expectations.

Recommendation B: The utilities should strongly consider investing in relational program tracking databases. Relational program tracking databases and customer relationship management (CRM) systems allow for multiple contacts to be associated with a single account and/or project. This allows programs to easily clarify aspects of projects during implementation and to provide accurate, timely, and usable contact information to evaluators and verifiers. The incremental cost of implementation is low if it is part of the initial database design, populated as projects are started, and updated once they are complete.

Outcome B: Reduced burden on utility staff and reduced evaluation costs. A relational database would streamline aggregation of program data for scorecards and make providing data simpler for annual savings evaluation and verification.

Recommendation C: For 2016 (and perhaps 2017), we do not anticipate that contact information will have been entered into the program tracking databases. When the evaluation requests contact information for the 2016 and 2017 savings verification and evaluation, the contact request spreadsheet will be updated to provide additional fields to enforce data integrity (e.g., specific fields for a parsed address and company name for the technical and decision-making contacts).

Outcome C: Reduced evaluation costs due to less data cleaning and research to fill missing information. Improved data collection with less returned advance letters and more accurate connection between projects and contacts.

DM2. Finding: Both utilities have indicated that inputting and/or extracting data necessary for annual reporting and evaluation requires significant effort.

Recommendation A: Consider offering bonus incentives early in the year to combat the "hockey stick" phenomenon where a large percent of projects get closed in the fourth quarter of the year.

Outcome: Reduced burden on program staff, more consistency in meeting annual filing deadlines.

Recommendation B: See recommendation DM1B. The utilities should consider investing in a new database.

Outcome: Reduced burden on utility staff and reduced evaluation costs.

DM3. Finding: The extracts from the utility program tracking database do not include dates for key project milestones. Enbridge's data did not include any dates and Union's included only the "installation date."

Recommendation: Track and provide to evaluators dates for key milestones in the project. Dates for project start, installation, and those that define the program year provide useful context for interviewers that is not always easy to find in project documentation

Outcome: Improved data collection through more informed interviewers and reduced evaluation costs through less need to search for dates in documentation.

DM4. Finding: Customers with multiple sites are not tracked in the program tracking database. A few property management groups had many sites selected in the sample, but it was not clear from project tracking or the provided contact information that the sites were related. Property management firms were the most significant but not the only customer type where this was true.

Recommendation: Maintain a customer identifier in the database to clearly identify related sites. This is easiest to deploy in a relational database see recommendation DM1B.

Outcome: Reduced evaluation costs and reduced customer burden. In some cases, a failure to identify related sites can result in multiple calls to the same customer, which a customer identifier would avoid. In addition, tracking related sites could improve program implementation by increasing awareness of connected opportunities.

DM5. Finding: EUL and cumulative gross savings were not provided in the standard program tracking database extracts. The evaluation team backed out the missing information from the fields provided.

Recommendation: Include EUL (also remaining useful life for dual baselines), NTG, and each of the key savings types (i.e., annual and cumulative, gross and net) in the program tracking database.

Outcome: Improved data integrity results in less evaluation risk and more accurate savings totals. Providing each of the key savings types and their components allows evaluation to confirm that the savings provided are internally consistent.



8 APPENDICES

APPENDIX A. FINAL SAMPLE ACHIEVEMENT

The tables below (Table 8-1 to Table 8-7) show the achieved sample for each stratum in the sample designs. The tables are specific to a program group and show the categorical stratification (grouping) and size strata (larger numbers are bigger projects). Sampling was done at the unit of analysis level which was a slight aggregation of the measures in the data base. The target column shows the number of units we attempted to complete. "Normal completes" were randomly selected and received a full sample weight, while "extra completes" were non-random measures that we collected data on while collecting data for a selected unit. "Extra completes" were unit weighted (given a weight of 1) so that they only represent themselves in the sample expansion. The strata status indicates whether additional units were not attempted in a strata (open) or we attempted to contact all units (closed). Percent of frame cumulative savings is the percent of total savings in the sample frame (population studied) in each category.

Table 8-1: CPSV Sample Achievement for Union Custom C&I and LIMF programs

Grouping			Max CCM Savings	Units of Analysis				Percent of Frame CCM Savings					Strata Status	
				Target	Complete			Frame Total	Strata %	% Complete				
					Total	Normal	Extra			Total	Normal	Extra		
Commercial	Action	On-site	19,910,861	3	3	3	0	7	3%	<1%	<1%	0%	Closed	
			31,595,400	1	1	1	0	1	2%	2%	2%	0%	Closed	
		TSER	6,237,000	3	4	4	0	13	1%	<1%	<1%	0%	Open	
	Equipment	On-site		2,419,140	3	7	4	3	104	1%	<1%	<1%	<1%	Open
				20,369,040	3	3	3	0	4	3%	2%	2%	0%	Closed
				76,886,900	1	1	1	0	1	5%	5%	5%	0%	Closed
		TSER	2,453,080	3	5	4	1	42	1%	<1%	<1%	<1%	Open	
	Multi-family	On-site		1,008,360	1	0	0	0	5	<1%	0%	0%	0%	Open
				5,093,140	1	1	1	0	1	<1%	<1%	<1%	0%	Closed
TSER			44,260	1	0	0	0	1	<1%	0%	0%	0%	Closed	
Industrial	Action	On-site	14,670,829	6	8	8	0	21	5%	2%	2%	0%	Open	
		TSER	20,817,671	3	5	4	1	44	7%	1%	1%	<1%	Open	
	Equipment	On-site		6,027,660	6	21	6	15	104	12%	3%	<1%	3%	Open
				20,887,330	5	9	6	3	22	16%	6%	4%	2%	Open
				67,233,620	5	5	4	1	9	23%	12%	9%	3%	Open
		TSER		88,336,980	1	1	1	0	1	6%	6%	6%	0%	Closed
				2,082,190	4	7	2	5	91	3%	<1%	<1%	<1%	Open
				11,662,800	4	5	4	1	19	5%	2%	1%	<1%	Open
				41,029,840	1	1	1	0	1	3%	3%	3%	0%	Closed
Low Income	Multi-family	On-site	20,865	1	1	1	0	1	<1%	<1%	<1%	0%	Closed	
			1,433,430	1	1	1	0	1	<1%	<1%	<1%	0%	Closed	
		TSER	621,180	3	3	3	0	35	<1%	<1%	<1%	0%	Open	

Table 8-2: CPSV Sample Achievement for Union Large Volume

Grouping			Max CCM Savings	Units of Analysis				Percent of Frame CCM Savings				Strata Status	
				Target	Complete			Frame Total	Strata %	% Complete			
					Total	Normal	Extra			Total	Normal		Extra
Large Volume	Action	On-site	13,696,893	4	17	17	0	28	10%	7%	7%	0%	Closed
			60,858,260	3	6	6	0	6	17%	17%	17%	0%	Closed
			63,059,180	1	1	1	0	1	5%	5%	5%	0%	Closed
	Equipment	On-site	19,498,030	4	13	10	3	25	9%	6%	4%	2%	Open
			36,699,320	3	3	3	0	5	11%	7%	7%	0%	Closed
			63,342,400	3	2	2	0	4	16%	9%	9%	0%	Closed
			179,561,960	3	2	2	0	3	31%	17%	17%	0%	Closed

Table 8-3: CPSV Sample Achievement for Enbridge Custom C&I and LIMF programs

Grouping			Max CCM Savings	Units of Analysis					Percent of Frame CCM Savings				Strata Status	
				Target	Complete			Frame Total	Strata %	% Complete				
					Total	Normal	Extra			Total	Normal	Extra		
Commercial	Action	On-site	568,750	2	2	2	0	2	<1%	<1%	<1%	0%	Closed	
			10,213,885	1	1	1	0	1	1%	1%	1%	0%	Closed	
		TSER	531,630	4	2	2	0	24	<1%	<1%	<1%	0%	Open	
	Equipment	On-site		2,231,300	4	8	4	4	50	2%	<1%	<1%	<1%	Open
				7,735,530	4	7	7	0	8	4%	3%	3%	0%	Closed
				9,501,060	1	0	0	0	1	1%	0%	0%	0%	Closed
		TSER		1,594,225	5	3	3	0	265	10%	<1%	<1%	0%	Open
				11,081,850	5	3	3	0	28	17%	3%	3%	0%	Open
	Multi-Residential	On-site	2,702,600	5	7	4	3	53	3%	<1%	<1%	<1%	Open	
TSER			1,032,930	4	5	2	3	139	6%	<1%	<1%	<1%	Open	
			4,357,525	4	7	5	2	36	9%	2%	1%	<1%	Open	
Industrial	Action	On-site	424,835	3	3	3	0	8	<1%	<1%	<1%	0%	Open	
			1,059,870	3	3	3	0	4	<1%	<1%	<1%	0%	Closed	
			12,988,135	1	1	1	0	1	1%	1%	1%	0%	Closed	
		TSER		799,210	3	3	3	0	7	<1%	<1%	<1%	0%	Open
				2,935,575	1	1	1	0	1	<1%	<1%	<1%	0%	Closed
	Equipment	On-site		2,716,060	4	12	4	8	47	5%	1%	<1%	1%	Open
				6,197,900	4	7	6	1	13	6%	3%	3%	<1%	Open
				19,604,220	4	6	6	0	7	9%	8%	8%	0%	Closed
		TSER		49,314,000	3	2	2	0	3	12%	8%	8%	0%	Closed
				3,332,925	5	5	4	1	24	3%	<1%	<1%	<1%	Open
	20,592,275	1	1	1	0	1	2%	2%	2%	0%	Closed			
Low Income	Multi-Residential	On-site	1,922,580	2	2	2	0	6	<1%	<1%	<1%	0%	Open	
		TSER	3,548,480	6	7	5	2	104	7%	<1%	<1%	<1%	Open	

Table 8-4: NTG Sample Achievement for Union Custom C&I programs

Grouping			Max CCM Savings	Units of Analysis					Percent of Frame CCM Savings				Strata Status
				Target	Complete			Frame Total	Strata %	% Complete			
					Total	Normal	Extra			Total	Normal	Extra	
Commercial	Action	On-site	19,910,861	4	6	6	0	7	3%	3%	3%	0%	Closed
			31,595,400	1	1	1	0	1	2%	2%	2%	0%	Closed
		TSER	6,237,000	6	4	4	0	13	1%	<1%	<1%	0%	Open
	Equipment	On-site	2,419,140	9	20	14	6	104	1%	<1%	<1%	<1%	Open
			20,369,040	4	4	4	0	4	3%	3%	3%	0%	Closed
		76,886,900	1	1	1	0	1	5%	5%	5%	0%	Closed	
		TSER	2,453,080	5	7	6	1	42	1%	<1%	<1%	<1%	Open
	Multi-family	On-site	1,008,360	2	1	1	0	5	<1%	<1%	<1%	0%	Open
			5,093,140	1	1	1	0	1	<1%	<1%	<1%	0%	Closed
TSER		44,260	1	0	0	0	1	<1%	0%	0%	0%	Closed	
Industrial	Action	On-site	14,670,829	7	12	12	0	21	5%	4%	4%	0%	Open
			20,817,671	4	6	5	1	44	7%	1%	1%	<1%	Open
	Equipment	On-site	6,027,660	13	45	20	25	104	12%	6%	3%	3%	Open
			20,887,330	12	17	17	0	22	16%	14%	14%	0%	Closed
			67,233,620	9	7	7	0	9	24%	16%	16%	0%	Closed
		88,336,980	1	1	1	0	1	6%	6%	6%	0%	Closed	
		2,082,190	5	10	4	6	91	3%	<1%	<1%	<1%	Open	
		TSER	11,662,800	4	6	5	1	19	5%	2%	1%	<1%	Open
	41,029,840	1	1	1	0	1	3%	3%	3%	0%	Closed		

Table 8-5: NTG Sample Achievement for Union Large Volume

Grouping			Max CCM Savings	Units of Analysis					Percent of Frame CCM Savings				Strata Status
				Target	Complete			Frame Total	Strata %	% Complete			
					Total	Normal	Extra			Total	Normal	Extra	
Large Volume	Action	On-site	13,696,893	5	22	22	0	28	10%	9%	9%	0%	Closed
			60,858,260	4	5	5	0	6	17%	16%	16%	0%	Closed
			63,059,180	1	1	1	0	1	5%	5%	5%	0%	Closed
	Equipment	On-site	19,498,030	10	15	14	1	25	9%	6%	6%	<1%	Open
			36,699,320	5	4	4	0	5	11%	9%	9%	0%	Closed
			63,342,400	4	4	4	0	4	16%	16%	16%	0%	Closed
			179,561,960	3	2	2	0	3	31%	17%	17%	0%	Closed

Table 8-6: NTG Sample Achievement for Enbridge Custom C&I programs

Grouping			Max CCM Savings	Units of Analysis					Percent of Frame CCM Savings				Strata Status
				Target	Complete			Frame Total	Strata %	% Complete			
					Total	Normal	Extra			Total	Normal	Extra	
Commercial	Action	On-site	568,750	2	2	2	0	2	<1%	<1%	<1%	0%	Closed
			10,213,885	1	1	1	0	1	1%	1%	1%	0%	Closed
		TSER	531,630	4	3	2	1	24	<1%	<1%	<1%	<1%	Open
	Equipment	On-site	2,231,300	13	18	17	1	50	2%	1%	1%	<1%	Open
			7,735,530	8	8	8	0	8	4%	4%	4%	0%	Closed
			9,501,060	1	1	1	0	1	1%	1%	1%	0%	Closed
		TSER	1,594,225	17	14	11	3	265	11%	<1%	<1%	<1%	Open
		11,081,850	17	9	9	0	28	18%	5%	5%	0%	Open	
	Multi-Residential	On-site	2,702,600	8	13	9	4	53	3%	<1%	<1%	<1%	Open
		TSER	1,032,930	10	7	6	1	139	7%	<1%	<1%	<1%	Open
			4,357,525	9	7	6	1	36	9%	2%	2%	<1%	Open
Industrial	Action	On-site	424,835	4	3	3	0	8	<1%	<1%	<1%	0%	Closed
			1,059,870	3	1	1	0	4	<1%	<1%	<1%	0%	Closed
			12,988,135	1	1	1	0	1	2%	2%	2%	0%	Closed
		TSER	799,210	3	4	4	0	7	<1%	<1%	<1%	0%	Open
		2,935,575	1	1	1	0	1	<1%	<1%	<1%	0%	Closed	
	Equipment	On-site	2,716,060	7	15	9	6	47	6%	2%	1%	1%	Open
			6,197,900	7	9	9	0	13	6%	4%	4%	0%	Closed
			19,604,220	7	6	6	0	7	9%	8%	8%	0%	Closed
			49,314,000	3	3	3	0	3	13%	13%	13%	0%	Closed
		TSER	3,332,925	5	8	6	2	24	3%	1%	<1%	<1%	Open
			20,592,275	1	1	1	0	1	3%	3%	3%	0%	Closed

Table 8-7: NTG Sample Achievement for Enbridge RunitRight

Grouping			Max CCM Savings	Units of Analysis					Percent of Frame CCM Savings				Strata Status
				Target	Complete			Frame Total	Strata %	% Complete			
					Total	Normal	Extra			Total	Normal	Extra	
Run-it-right	Action	IDI	170,060	8	9	9	0	19	14%	20%	20%	0%	Open
			208,725	5	3	3	0	5	34%	21%	21%	0%	Closed
			700,715	4	4	4	0	4	52%	52%	52%	0%	Closed



APPENDIX B. SPECIFIC TOPIC METHODS

General topics

Multiple topics came up during the evaluation that required methodological decisions. These included:

- Codifying and clarifying standard or best practices for:
- Baselines
- EULs
- Determination of industry standard practice for measures and sectors that lack a known, researched standard and code requirements for key equipment (e.g.: greenhouses)
- Whether to use a dual baseline for early replacement measures.

This appendix memorializes some of the more noteworthy topics that arose during the evaluation as part of Evaluation Advisory Committee (EAC) review of CPSV site reports.

Measure categories and baseline selection

Table 8-8 shows the CPSV team's definitions of which baseline is appropriate for various situations. These are guidelines that apply to almost all projects. Some situations may require an exception, in which case the reasoning was described in the site report.

Table 8-8 General Baseline Appropriateness Guidelines

Measure Type	Gross Savings, based on remaining useful life from facility contact and documentation		Examples	Net Savings, based on acceleration period identified in the NTG surveys.	
	Early Replacement Baseline	Normal Replacement Baseline		Net: Acceleration Period Baseline	Net: Post Acceleration-Period Baseline
Replace on Burnout (ROB) and Existing Equipment More Efficient than Code	NA	In-Situ (must use the original specified rating as brand new non-degraded equipment, or a comparable brand with new theoretical baseline)	Unique measures where no code/Industry Standard Practice (ISP) exists; Drum Dryers	NA	In-Situ (must use the original specified rating as brand new non-degraded equipment, or a comparable brand with new theoretical baseline)
Replace on Burnout (ROB) and Existing Equipment Less Efficient than Code	NA	Code/Standard Market Efficiency	Replacing a 40-year-old boiler; Replacing anything beyond its EUL	NA	Code/Standard Market Efficiency
New Construction/Load (NC)/ Capacity Expansion (CE)	NA	Code/Standard Market Efficiency	New boiler for new space or system (80 commercial or 82% Industrial/Agricultural; specify the minimum). Any new construction or natural gas load adding/increasing.	NA	Code/Standard Market Efficiency
Retrofit Add On (REA)	In-Situ	In-Situ (unless the retrofit triggers code ²³)	Boiler controls; HVAC controls; Flue gas controls; VFDs; Heat recovery; Addition of boiler economizer (such new HX, not replaced HX); Insulation (where truly no prior insulation existed, or the insulation is added on new pipes/tanks/equipment less than 1 year old; for the latter, ISP/code for NC would be valid measure type and not REA.	In-Situ (unless the retrofit triggers code)	In-Situ (unless the retrofit triggers code)
Normal Replacement (NR) and Existing Equipment More Efficient than Code	In-Situ	In-Situ (must use the original specified rating as brand new non-degraded equipment, or a comparable brand with new theoretical baseline)	Similar examples as ROB, except the equipment was past EUL but in good operating condition; Greenhouse components –Example: A site originally had double-layer polyethylene walls (that degraded) and installs triple layer but uses single layer poly walls as the baseline (this is a regressive baseline) to estimate savings. Must use double layer (new not degraded) as the baseline	In-Situ	In-Situ (must use the original specified rating as brand new non-degraded equipment, or a comparable brand with new theoretical baseline)
Normal Replacement (NR) and Existing Equipment Less Efficient than Code	In-Situ	Code/Standard Market Eff.	Similar to ROB, except the equipment was past EUL but in good operating condition; Regenerative Thermal Oxidizer (RTO) – required to meet local air quality emissions requirements, that a recuperative or direct-fired oxidizer cannot achieve. Greenhouse components such as single layer heat curtains, which might be ISP, but ex ante is using no heat curtain as the baseline.	In-Situ	Code/Standard Market Eff.

²³ Larger retrofits often require related systems or spaces to be brought up to code as part of the project

Measure Type	Gross Savings, based on remaining useful life from facility contact and documentation		Examples	Net Savings, based on acceleration period identified in the NTG surveys.	
	Early Replacement Baseline	Normal Replacement Baseline		Net: Acceleration Period Baseline	Net: Post Acceleration-Period Baseline
Maintenance (Including Repair or Maintain to Code or Restoration to Prior Efficiency Level)	In-Situ	In-Situ	Maintenance allowed in the 2015 program: pipe insulation of existing pipes. Re-tube boilers to rated efficiency levels; Repair heat exchanger; Replace heat exchanger oil; Rewind motors; Repair or Replace faulty/leaking valves, pipes, ductwork, etc.; Descale or clean boiler tubes; Clean gas burners; Re-pipe condensate return lines. Typically allowed maintenance: steam trap repairs, boiler tune-ups.	In-Situ	In-Situ
System Optimization (OPT)	In-Situ	In-Situ	VALID SYSTEM OPTIMIZATION: Revamp Process Control Strategy; De-bottlenecking to increase production and m ³ /widget; Modifying the sequence of processes.	In-Situ	In-Situ

Estimated useful life

The EUL of the new measure applied to the following categories of measures:

- Replace on Burnout
- New Construction (NC)/Capacity Expansion (CE)
- Normal Replacement (NR)
- Early Replacement (ER)


We based EULs on those found in the OEB Measure Life Guide,²⁴ when present and reasonable. When EULs were not present in the OEB Measure Life Guide, we EULs on those used in other North American jurisdictions. In rare cases, manufacturer information may have been used to determine the applicable EUL for measures that were not found in a survey of EUL guides and TRMs.

The RUL of the existing equipment limited the EUL of the implemented measure for the following categories of measures:

- Retrofit Add-on (REA)
- System Optimization (OPT)
- Maintenance

RUL was determined based on the best available evidence. In some cases, the preponderance of evidence suggested that a REA measure was likely to be re-used with new equipment when the existing equipment was replaced. Evidence to support using an EUL rather than RUL for REA measures required that the re-use was both feasible (REA measure must be compatible with a wide range of substitute equipment) and likely (ISP was re-use for the application and/or site contact indicates that re-use was planned).

²⁴ Union Gas Limited, Enbridge Gas Distribution Inc. (2016, December 21). EB-2016-0246 Joint Summary Table of Measures Assumptions. Toronto.



There are situations where the RUL of the existing measure is more than likely longer than the EUL of the REA measure. Pipe insulation is an example: in almost all cases we would expect existing pipes to outlast the insulation installed on them.

Site engineers and interviewers used a list of questions to help determine the RUL of existing equipment. Due to time constraints, project specifics and the site contact's willingness/ability to respond, not all questions were asked of all sites.

The list of questions included:

1. What was the age of the pre-existing equipment? (In years)
2. Was the pre-existing equipment fully functional, fully functioning but with significant problems, or non-functional?
At the time the pre-existing equipment was replaced,
3. How often was maintenance required and of what type? How often was major non-scheduled maintenance required and of what type?
4. Can you provide recent/historical maintenance records?
5. How often did the old equipment fail (downtime for the past year), and how was this (downtime) compared to previous years?
6. How satisfactory was the performance of the old equipment?
7. How long would the old equipment have met the technical and performance needs of the facility?
8. How many years do you think the old equipment would have lasted (without major repairs which may have led to replacement)?


In a limited number of cases RUL of existing equipment could not be determined based on site contact provided information or project documentation. In these cases, a default RUL was required. The default RUL for existing equipment was one-third the EUL for new equipment of the same type (consistent with the CA DEER approach). The default applied if:

- the existing equipment was older than the EUL of new equipment of the same type as existing, AND
- existing equipment was fully functional AND
- the information provided by the site contact was insufficient to make a reasonable RUL determination

Greenhouse baselines

For this round of CPSV, the evaluation team accepted most of the baseline assumptions used by the utilities, as applicable codes for commercial greenhouses do not provide specific guidance toward defining minimum efficiency levels for any of the equipment included in the utility programs. Further, Industry Standard Practice (ISP) for Ontario has not been studied. The baseline assumptions used by the utilities are generally closer to a "minimum available on the market" baseline rather than ISP.

In accepting the program baseline for gross savings, the CPSV adjustment was likely to be small. However, a larger number of participants would likely say that they would have installed something significantly more



efficient than the program baseline in the absence of the program, resulting in a NTG adjustment farther from 100%. If the evaluation team had used our experience of ISP in other jurisdictions as the baseline for gross savings, the CPSV adjustment was likely to be larger. However, more participants would be likely to say that they would have installed something that was the same as the ISP baseline, resulting in a NTG adjustment closer to 100%. Either way, the net savings would be similar.

Due to the number and size of these projects and the anticipated continued growth in greenhouse construction, we recommend scoping and undertaking a greenhouse baseline study in the future.

Union topics

Union specific topics that required significant decisions during the verification included evaluation approach to “influence factors,” and steam traps.

Influence factors

Previous CPSV efforts identified that Union was risking high free ridership on some project types including steam traps and steam leak repairs. The auditor recommended that Union discount savings to only claim the portion that they believe the program had influence on. Union implemented this recommendation by applying influence factors (the evaluation teams term) to projects that reduced ex ante savings to account for anticipated partial free ridership. This reduced the incentives paid to customers as well. Union’s approach was conservative in that by reducing gross savings for these projects, a separate program-level NTG factor was also applied further reducing the claimed net savings.

The approach taken by Union demonstrated the utilities concern with free ridership and represented a proactive way of addressing it.


Inclusion of the influence factors created a dilemma for the evaluation team. Gross savings are not discounted for program influence and are meant to represent the savings that are happening at customer sites relative to those sites not installing efficient measures or taking efficient actions. Inclusion of an influence factor in gross savings muddies this interpretation. Further the inclusion of the influence factor in gross savings complicates the analysis of evaluated net savings and the NTG ratio. When asking customers about their projects, customers will not be thinking of the portion the program claimed, they will instead be considering the project as a whole. To correctly estimate net savings for the project the evaluation needed to adjust gross savings to remove the influence factors.

Steam traps

The CPSV team used a six (6) year EUL for these measures. In previous project documentation, Union typically used seven (7) year EULs and Enbridge usually used six (6) year EULs. The CPSV team used a single EUL for both utilities, adopting a six (6) year EUL. The six-year value was based on a 2015 Massachusetts study and is also consistent with the California DEER database, Massachusetts evaluations and the Wisconsin Focus on Energy TRM. The Michigan MEMD (Michigan Efficient Measure Database) uses a five (5) year EUL.

Project documentation provided by Union to support a longer EUL for Union projects consisted of three reports from customers documenting their practices and survey results. Each of the three sites provided was a petrochemical plant.

The reports showed failure rates that could be consistent with 7, 11 and 13 years respectively.



Methodologically, 1/“failure rate” is a way to estimate the EUL, but it assumes that all traps fail randomly. Many factors affect the life to the steam trap: temperature, pressure, flowrate, operating hours, quality of the installation of the steam trap, location of the steam trap in the system (e.g., near elbows and constrictions, or in a straight line of pipe, or somewhere where near forklift traffic), presence of low concentrations of chemicals in the steam and more. The steam traps replaced as part of a program are going to be more likely to be those with a higher rate of failure than those of the facility as a whole.

DNV GL also reviewed the project files sent for the 2015 CSPV sample. While most of the project files do not report the number of traps surveyed, the evaluation team found two others in the 2015 project files that did (the two largest, one petrochemical and one other manufacturing). The failure rates in those sites were consistent with 4.3 and 8.1 years, but it was not clear how often they conduct surveys, so these could have been multi-year failures (longer implied EUL with a 1/“failure rate” method).

Five large customers are not necessarily representative of the program population, and the steam traps replaced by the program are likely to fail at a rate greater than those not replaced. The evaluation team does not have enough evidence to support a longer steam trap EUL for Union and used 6 years as the EUL, consistent with the current best available research (the Massachusetts study).²⁵


Union uses three general approaches to calculating savings from steam traps. Most of the projects fall into approaches 1 and 2, with only a few projects using approach 3.

1. Standard: A calculation tool takes inputs provided by vendors and applies them to a simplified version of the Spirax Sarco equation, then applying a derating factor. Similar to the approach used by many vendors.
2. Chemical and Refinery: A calculation tool which uses four different equations depending on pressure and steam trap type, including choked and non-choked versions of both the Napier equation and ANSI standard equation. Generally applied to large chemical and refinery plants with thermodynamic traps.
3. Ad-Hoc: This approach represents a variety of methods which take different outputs which are likely to have been based on different assumptions from simple vendor calculations without specifically stating assumptions and converts steam loss to natural gas savings.

For this round of evaluation, we accepted Union’s methodology for Approaches 1 and 2, retaining their savings estimates unless we learned something from the site contact about the pressure, leak rate, or other condition that differed from the ex ante assumption/documentation. Where site information differed from the documentation, the methodology used to estimate ex post savings was determined on a case-by-case basis. For Approach 3, we planned to recalculate savings using a formula from the Illinois TRM, which generally produces savings estimates similar to the results from the Enbridge and Union Approach 1 methods. Approach 3 was in the end not used.

In the future, we propose that Union document and provide the orifice sizes used to check the vendor calculations. We also propose that Union provide all documentation, including charts, tables, and vendor documentation where needed, to evaluate Approach 2 sites. Union should also provide Excel calculators with live formulas rather than hardcoded values when the values were determined based on a formula or table as

²⁵ Massachusetts 2013 Prescriptive Gas impact Evaluation. Prepared by DNVGL for Massachusetts Gas Program Administrators and Massachusetts Energy Advisory Council, June 2015.



opposed to a chart or curve. If the chart or curve was the source, Union should provide a copy of the source material.

Some options for to increasing the evaluation rigour for steam traps, might entail one or more of the following options:

- attempting to independently gather orifice sizes and maximum flow capacity charts by reaching out to vendors ourselves to develop a database which would allow us to independently verify calculations,
- purchasing a license for steam trap auditing software allowing for independent verification, or
- developing an assessment of measure life using DNV GL's ultrasonic leak detector to assess failure rate at participating sites.

Enbridge topics

Enbridge specific topics that required significant decisions during the verification included evaluation approach to boilers and steam traps.


Boilers

For the 2015 evaluation of the Enbridge programs, the DNV GL team accepted the Etools calculation method along with the inputs used by Enbridge, except in cases where we were able to verify with site contacts a different condition than what was shown in the documentation.

For the future evaluations, the evaluation team will:

- look for more existing evidence from Enbridge (including emails from the customers, photographs, inspection reports, cut sheets, invoices, and conversation notes) to explain why site-specific inputs were used.
- request that Enbridge explicitly state for DHW boiler replacements in buildings with storage tanks whether the existing tank was replaced as part of the boiler replacement, and whether the existing tank was insulated.
- recommend that the DHW tank insulation be included as a separate measure from boiler replacement.
- consider additional research and reporting that includes:
 - pursuing a detailed review of the ASRAE 155P research,
 - pursuing a review of the Etools calculator which digs into the underlying assumptions and formulas, and
 - writing a detailed memo which summarizes the results of these reviews.

One benefit would be greater clarity around the remaining calculation uncertainties and a better understanding of their effect. Another would be the identification of areas where the calculation rigor can be cost-effectively increased through further research.



During the evaluation, we noted that Enbridge’s approach to boiler implementation appeared to take more of the boiler system into account than prescriptive and custom programs implemented elsewhere. This may be motivated by the savings estimation approach that Etools takes and provides justification for on average higher savings estimates from Etools than prescriptive boiler savings estimates elsewhere.

Due to the unique approach to market and calculation that Enbridge takes, future CPSV efforts should consider using an empirical measurement approach to directly estimate usage and/or savings for boilers. Empirical measurement could take the form of billing analysis or an on-site metering study which either measures natural gas directly or measures proxy values (such as flue gas temperature, water flow, or combustion fan electrical usage). On-site metering studies are becoming more cost effective as end-use natural gas metering expertise and the accuracy of meters to measure proxy variables continue to increase. An empirical sample-based study would not prevent Enbridge from using a custom calculation approach, but would help to calibrate the custom calculation and may provide value to the ASHRAE committee attempting to quantify seasonal efficiency. A billing analysis approach to estimate savings for multifamily and/or commercial boiler replacements may yield reasonable statistical significance due to the large numbers of boilers installed by Enbridge and the fact that boiler usage represents the large majority of gas usage in most buildings.

Steam traps

For this round of evaluation, the evaluation team accepted Enbridge’s approach and savings estimates for steam trap evaluations unless we learned something from the site contact about the pressure, leak rate, or other condition that differed from the ex ante assumption/documentation. Where site contacts provided different information to the verifier than that included in the ex ante documentation, the approach used to estimate ex post savings was determined on a case by case basis (depending on what was different).

For their steam trap savings estimates, Enbridge uses an internal database of vendor-provided orifice sizes to check the calculations done by vendors. Based on a review of the formulas used by each vendor, calculations with a sample of pressures and leak rates used by each vendor, and a comparison to Spirax Sarco (whose calculation approach is generally recognized as superior by independent industry experts), Enbridge determines an vendor-specific average derating factor which is applied to the steam losses reported by each vendor. These derating factors are used to convert vendor savings estimates to ex ante program estimates.

The estimates that each contractor’s approach produces can vary widely depending on orifice size, leak rate, pressure, and whether condensate is returned or not, so we deviated from Enbridge’s method where applicable based on site-specific information.

The Enbridge estimates appear accurate for a group of projects averaged together. The evaluation checked these estimates using an alternative calculation method (based on the Illinois TRM approach) and achieved a similar total savings, though site specific estimates varied widely.

In the future, we will consider requesting that Enbridge document the orifice sizes they used to check the calculations done by vendor for the evaluated site and independently confirm the calculated savings. We will also consider increasing the rigour for steam traps which could entail one or more of the following options: attempting to independently gather orifice sizes by reaching out to vendors ourselves to develop a database, purchasing a license for steam trap auditing software, or assessing the measure life using DNV GL’s ultrasonic leak detector to assess failure rate at participating sites.





APPENDIX C. FREE-RIDERSHIP SURVEY RESPONSES

Union Commercial, Industrial and Multi-Family Programs

This section presents the Union Commercial and Industrial self-reported responses from the timing, efficiency, and quantity attribution battery where customers were asked “Why do you say that?”. Table 8-9, Table 8-10, and Table 8-11.

A “yes” in the timing, efficiency, or quantity column indicates partial or full attribution for that source based on the scored questions (not the responses here). A “no” indicates no attribution for that source. For example, in the first table a “yes” in the timing column indicates that the respondent answered the question DAT1a and DAT1b with responses that credited the program with accelerating the project. A “no” in the timing column indicates that the respondent did not credit the program with accelerating the project. A “no” for timing does not preclude the same respondent indicating the program affected the efficiency or quantity/size of the same project.

Additionally, following the specific timing, efficiency and quantity questions, customers were asked to summarize the program’s effect on the timing, efficiency and amount of the project installed (Dat4). These responses are presented in Table 8-12 with the scored level of attribution: full, partial, or none.

None of the responses provided below were used in the direct scoring of surveys. For respondent confidentiality these responses are isolated from other responses from the interview and do not reflect the full story the respondent conveyed. The responses are provided here to provide insight into how customers describe their decision making on the project relative to the program. See APPENDIX J and APPENDIX K for details on how attribution was scored.

Table 8-9: Timing Verbatim Responses Union Custom C&I programs

Timing	Dat1a_O. Why do you say that?
Yes	***** would've happened more piecemeal but would've happened; ***** had to be done immediately
Yes	2 more years.
Yes	At some point in time we would have learned the value of this and done it.
Yes	Because without the incentive other projects would have become a higher priority.
Yes	Didn't know about the associated energy savings, but once the Union Gas rep showed us savings calculations we did it right away. Hope we would have done this anyways down the road.
Yes	Everything boils down to economics, what it costs us to do, what the paybacks are.
Yes	Funding.
Yes	Funding was tight.
Yes	He never thought of this before.
Yes	He wouldn't have known about it. They would have kept going through the plant a piece at the time.
Yes	Highly likely that there was a 0% chance that we would have done anything.
Yes	If we didn't have incentives, we would only do this work every 2 years (instead of every year).
Yes	Incentive helps us make the decisions faster and invest in new tech sooner with more confidence.
Yes	Incentives allowed for us to complete the project sooner than if we had to wait for the budget.
Yes	It depends on how energy costs go. It was 3 years pushing it.
Yes	It depends on what portion of the production process run as to whether it would have been viable to do.
Yes	It's one of those things that you put on a list and OK, we'll do it sometime, but it might be 5 years or 3 years. Hard to say.
Yes	May have done it the next year without incentives. Hard to say if upper management would have approved.
Yes	Once you commit to this infrastructure, you're committed. So it's a conversation about rate of return for shareholder purposes; if we said we wanted to do this and didn't incorporate a potential grant then the IRR isn't there.
Yes	The payback was too long.
Yes	The program did affect it a little bit, and made me do it a little sooner.
Yes	Realized inefficiency due to existing seals, but utilities encouraged us to do the work right away.
Yes	Some sections would have been done later due to cost.
Yes	They do things that save money.
Yes	They weren't going to be making the ROI at that point in time. Would have had a harder time selling to the board.
Yes	Utilities encouraged us to do the work, otherwise would not have identified the opportunity.
Yes	We were not aware of the steam traps.
Yes	We would have gone ahead with the less efficient design we already had in place.
Yes	Without the program we would have likely only fixed large leaks. Small leaks would have been fixed later.
Yes	Would have done some at the same time, but would have taken longer to complete the remainder.
Yes	It all depends on the payback.
Yes	Their assistance enabled us to get the calculations and get that info to the production department and would've been much harder to get numbers to justify the project.
Yes	We would have broken it up into smaller projects without the program. On as-needed basis.
Yes	Finances would've been harder to come by.
Yes	If payback was more than 2 years they wouldn't have done it.
Yes	It went with the same project as *****, but might have been even longer maybe a couple of years.
Yes	It would take us forever; we will always be *****, would never get them all done.
Yes	Payback wouldn't have worked out.
Yes	Probably would never have done it; if so, maybe a couple of years.
Yes	The program prompted us to think about things that we wouldn't have thought about otherwise.
Yes	It would have taken longer to get approval.
Yes	The program educated them about the opportunity for savings; so they did this sooner than they would've otherwise.
Yes	The rebates help the ROI and increases the chances the ***** will approve; they would've done this eventually.
Yes	They will wait to replace something until they really have to unless it's a health and safety issue.
Yes	They would've had to do these eventually.
Yes	Tough question - It's possible that we just would have done nothing at all. Maybe fewer if we did.

Timing	Dat1a_O. Why do you say that?
Yes	Without the incentive same time, without the program never because they told us to do it.
Yes	Without the incentive the payback would've been longer, so it would've take a longer time.
Yes	We would have done it anyway, but taken thru 2020; some of it was insulated with insulation ***** years old.
Yes	We would have gone with standard *****.
Yes	We would have had to replace anyway.
Yes	We would have taken 2 years instead of 1, so it would double the time.
Yes	We wouldn't have even done it; been working 5 years with issues and still had no plans to replace it. Reviews of steam losses with Union gas helped us push it forward.
Yes	No comment.
No	***** were overdue for replacement - needed to be done regardless.
No	All of the overlap from the rest of construction.
No	As a company, they're looking at energy efficiency. They seek these opportunities. The incentive was not high enough to drive this.
No	At the beginning, it was more important as we got more of an incentive, but now it's as important because people already understand the value of this type of project. By 2015 we were already set, so it didn't affect time frame; in 2008-11 it was important.
No	Because of the window of opportunity (seasonal availability and had to do it then).
No	Because the project was going ahead. We needed the building built. It might have impacted what equipment was being installed in the building.
No	Cheaper, easier decision, still easy to pursue in absence of incentive and program support.
No	Company felt this was a necessary project, so incentive had little influence.
No	Decision driven by equipment failure. Also I'm an energy guy, so we were motivated irrespective of Union Gas program. Incentive helps a bit to convince CFO but would have happened anyway.
No	Dictated by size of project.
No	Did this work before we knew it qualified for incentives.
No	Driven by the need *****.
No	He needed the boiler.
No	High ROI (under 1 year).
No	High maintenance and I had to change the unit.
No	I don't run my business based on a rebate program that is peanuts to my business.
No	I don't think it would have made a difference.
No	If we would have known about the program, we probably would have done it earlier.
No	Incentives were mostly an afterthought and icing on the cake financially.
No	It neither sped up nor hindered the progress. That's a positive comment. Some programs do hold us up like when you need pre-approval and it drags on. That impedes the speed of the project.
No	It was needed.
No	It's just the way things fell into place, step by step, when we were installing.
No	Large energy waste if we didn't recover the heat from new larger ***** unit.
No	No significant factor on timing.
No	Only because there was the ability to get that ***** down. We knew there was big savings in gas for us.
No	Projects were already on the radar and needed done.
No	Safety hazard that needed to be resolved.
No	That's what was happening with our construction schedule.
No	We needed to do those changes anyways. But, it was good that we had incentives on the side. But, when you've got to do it, you've got to do it.
No	We planned to do this work regardless (need for expansion).
No	We planned to do this work regardless (need for insulation).
No	We were moving forward before learning of the rebate.
No	We would have still installed it, but most likely gone with a somewhat cheaper option that would have saved less energy. For example, we decided to go with the ***** versus the *****.
No	The incentive wasn't a game changer, it had to be done.
No	It was the right time of the year to do this and the business needed it, they've been growing a bit.
No	The project was small enough that rebate didn't impact timing.
No	Replacing failed equipment so it needed to be done quickly.
No	The earlier *measure* was broken.
No	The owner wanted it done quickly.

Timing	Dat1a_O. Why do you say that?
No	The project had its own merits, so if it was to move forward it probably wouldn't affect timing.
No	We can only shutdown the plant during 2 specific times a year.
No	We had to address the leaks immediately; ***** so they're just wasting money if they left it leaking.
No	We needed to do this during the summer, a very short window.
No	We were at a point between ***** and the manpower was available to do these projects; already had the budget approved to address the equipment failure because they had been thinking of doing this for some time.
No	This was an installation that helped the plant, ***** , so it would've happened regardless.
No	Very attractive on own merits.
No	Very likely, the time frame the same; would have done the project anyway; it wasn't - we get a rebate if we upgrade, but we need to upgrade, and hey- we can get a rebate.
No	Very likely; same timing.
No	You need the program to prompt us to think about EE; we have an enormous utility bill.
No	No comment.

Table 8-10: Efficiency Verbatim Responses for Union Custom C&I programs

Efficiency	Dat2a_O. Why do you say that?
Yes	***** would have dropped out. ***** may have been harder to justify.
Yes	Cost reasons.
Yes	I would have put up the same amount of *measure*, but would have chosen a less efficient product.
Yes	If there were not incentives, than we likely would have not been able to afford the more efficient options.
Yes	We had a less efficient design in place.
Yes	Standard efficiency for the industry that would still support our overall budget.
Yes	The program recommended the highest R-value insulation available and rebates are tied to energy savings so greater efficiency leads to a higher rebate.
Yes	We didn't know of the insulation opportunity and savings.
Yes	We wouldn't have had the knowledge about available higher efficiency options.
Yes	It could have easily affected the technology. We were ***** , so may have gone for *****.
Yes	We just would have went with a cheaper, less efficient version, like we did years ago.
Yes	Possibly less but just as likely that we would have done nothing at all.
Yes	The program incentives allowed us to install more measures, greater efficiency.
Yes	The rebates allow us to purchase better equipment.
Yes	We would do ***** just to code.
Yes	Would have been a less efficient *measure*; the old *measure* was 40 years old.
No	Because I don't think we could have gone any higher with the efficiency. It's pretty efficient.
No	After analyzing different options, it seemed like the best option for our operation.
No	We would not have been able to do ***** , but we checked them every couple of years.
No	Considered going with more efficient option, but savings did not appear to be worth the extra money.
No	Decision driven by equipment failure. Also I'm an energy guy, so we were motivated irrespective of Union Gas program. Incentive helps a bit to convince CFO but would have happened anyway.
No	I would have kept fixing the leaks for the next 18 months then would have to replace it.
No	High ROI (under 1 year).
No	I'm looking at the long term on my bill.
No	If we are doing the work, we try to replace with best technology available because we've found it often saves us money in the long run and is better ***** (i.e. ***** is clearer and provides *****).
No	Incentives were mostly an afterthought and icing on the cake.
No	It all comes back to I need to do what I think I need to do to give me the best ROI. If I rely on some government program then we are all in trouble.
No	It is the highest. If I decided to go with doing the insulation of the pipe it would have been the same efficiency.
No	It was either install it or not. We wouldn't have considered different efficiencies.
No	It's a guess. It's possible.
No	The program did not affect our planning or decisions whatsoever. They were driven by ***** requirements.
No	There's not that many choices.
No	We decided that's what we wanted to do, and they ok'ed it.
No	We liked what we did, because we saw it at other *****.
No	We had a set ***** in mind.
No	We try to get the most energy efficient options available anyways - if incentive is only 1% of project cost we are going with the same equipment regardless.
No	We were going for ***** anyways. The incentive just helped us along.
No	We would have gotten the same boiler.
No	You don't know what you don't know.
No	The efficiency of ***** was part of the engineering design so they wouldn't have changed it.
No	It's based on the programming, so nothing different.
No	The payback would've worked out without rebates.
No	Same efficiency - we have standards that we have to follow.
No	Same efficiency as it was the best available at that time.
No	We needed the efficiency that we installed.
No	We prioritize energy savings.
No	We would've gone with the same ***** from the same manufacturer - they've been buying from the same manufacturer for years.

Efficiency	Dat2a_O. Why do you say that?
No	The vendor ***** recommends an insulation value, after a certain amount adding more insulation doesn't get more savings.
No	We would have still picked the most efficient option.

Table 8-11: Quantity Verbatim Responses for Union Custom C&I programs

Quantity	Dat3a_O. Why do you say that?
Yes	Because without the incentive other projects would have become a higher priority.
Yes	We didn't know of the opportunity and savings.
Yes	We had another plan in place.
Yes	If a steam trap was on the border of needing to be replaced, we may have not completed it without the incentive.
Yes	It was such a minor project.
Yes	It would have been none.
Yes	We may have done less of the dock seals without the incentives.
Yes	We may have not replaced all the steam traps at the same time.
Yes	We only had a few large leaks and lots of small leaks. We would have only fixed large leaks without incentives.
Yes	We were not aware of the steam traps.
Yes	We may not have done as much testing as we did. But, it would have been close.
Yes	We needed to do it with utility incentive support or not at all.
Yes	We wouldn't have *****. With the additional savings. It led to the next project *****.
Yes	It would have been spread over numerous years.
Yes	We would not have identified the opportunity without help from Union Gas.
Yes	Because the project is not scalable.
Yes	It comes down to spending (the incentives).
Yes	We definitely would not have done everything we did without the rebates.
Yes	If it was a proactive replacement, maybe half.
Yes	The original design was no insulation.
Yes	Out of the ***** , we would have done half.
Yes	Possibly less, but just as likely that we would have done nothing at all.
Yes	The rebates allow us to do more.
Yes	The rebates allowed us to install more measures.
Yes	The incentive improved the payback and allowed us to replace more valves.
Yes	There were areas with no doors and garage doors that would have been just left open.
Yes	There would have been nothing.
Yes	We wouldn't have installed energy saving *****; there was a lot that went into the construction of the ***** so hard to say what wouldn't have been done.
Yes	We would have done 20% less; incentive helps us get more \$ for this year.
Yes	We would have done 25% of what we did.
Yes	We would have done fewer building. We do 2 or 3 per year, so we would have done half. Maybe 1 to code and 1 with insulation.
Yes	We would have had no ***** without the program; *****.
Yes	We would have only done 25% of what we did; would not have targeted the most important ones; ***** , just the ones we could visually locate, the others no.
Yes	No comment.
No	***** had enough justification on their own. Auxiliary equipment would have changed.
No	***** , same scale.
No	The amount of work was need based.
No	Cheaper, easier decision, still easy to pursue in absence of incentive and program support.
No	The current condition was a safety hazard. We needed to complete this amount to fix it.
No	The decision was driven by equipment failure. Also, I'm an energy guy, so we were motivated irrespective of the Union Gas program. Incentive helps a bit to convince CFO but would have happened anyway.
No	We did this work before we knew it qualified for incentives.
No	Didn't present management with smaller options.
No	He would have kept going through the plant piecemeal, eventually getting to the whole thing. This is accounted for in timing.
No	High ROI (under 1 year).
No	I don't rely on rebates to make these decisions. I base the decision on the return on investment.
No	I would use the source I used to calculate what I needed and install it.
No	If we did the work, we would have done it the same way.
No	The incentive doesn't make any difference.

Quantity	Dat3a_O. Why do you say that?
No	The incentives were mostly an afterthought and icing on the cake.
No	It was a ***** replacement.
No	It would be very difficult to do anything else. It's all or nothing. You can't do part.
No	It's a very large building. We had to install the proper equipment in it.
No	It's just a matter of the size of the *****. There's nothing that I could change.
No	Just based on this project requirements. There was only one way to do it. There weren't options.
No	We knew what we wanted.
No	NA for this project, set amount required for this application regardless
No	No difference.
No	Same - Energy savings were large enough to make it worth it, even without incentives.
No	Scope of projects already determined years prior.
No	The program did not influence our decisions.
No	The size of the ***** was decided based on the needs of the process.
No	The incentive did not affect the amount of equipment that would have been installed.
No	There is a certain amount needed *****. That can't change.
No	We had a specific size that we needed. The new one has more throughput.
No	We had an engineering study completed in order to identify exactly the size of the unit we needed.
No	To leave some pipe uninsulated would not have made sense.
No	We didn't want to leave any pipe exposed.
No	We just replaced what needed to be replaced.
No	We needed a certain size *****.
No	We needed to conduct this amount of work, regardless of the incentives.
No	We upgrade a whole suite of controls; so we needed to do all for it to function properly.
No	We were moving forward before learning of the rebate.
No	We would have done it. We had to do it. The incentive is a great thing. We welcome that. But, the incentive is not going to change the scope of the work.
No	It would have been spread over numerous years.
No	We would have still done the same amount, just may have taken a little longer to get completed.
No	The amount of the incentive didn't drive the quantity, it was marginal, so they would've installed the same amount.
No	The capacity wouldn't have changed.
No	It doesn't make sense to do a portion.
No	We might've chosen not to do as many steam traps right away, some were just leaking as opposed to failing outright.
No	We need the same size to keep up with customer demands for our product.
No	The quantity was not an issue here; we didn't have an ***** and we wanted one to increase efficiency.
No	The quantity was not relevant; we needed to replace the fans.
No	The quantity wasn't the issue here.
No	We replaced one washer.
No	It was required.
No	The same amount but we would have done it less frequently.
No	The same scale.
No	The option with the most savings was to go with the ***** smaller *****; incentives made no difference here.
No	We have all sorts of other systems that fit with the ***** - heating/cooling, irrigation, etc. - that we had to get the amount of ***** we did.
No	We needed the quantity that we went with.
No	We needed to address all of the leaks with or without the rebate.
No	We needed to replace the failed insulation, no more no less.
No	Ultimately the same amount, but it would have taken us much longer to get through the queue.
No	We would have installed a lower quality.
No	It wouldn't really have an effect.
No	No comment.

Table 8-12: Dat4 Verbatim Responses for Union Custom C&I programs

Attribution	Dat4. Summarize the program's effect on the timing, efficiency, and amount that you installed.
Full	We had to do it right away; it was designed to incorporate a lot of ee tools.
Full	I'd say it definitely would have impacted whether we did it. And, the quality of product that went into it.
Full	It had a positive impact on the end result. / It allowed us to select a higher efficiency unit that is cheaper to run.
Full	It had a large effect, probably wouldn't have done this work without program/incentives.
Full	Nothing at all.
Full	The program affected the timing; the grant was coming, so we could do the project right away; otherwise it would have been delayed. would have gone standard efficiency; lots of planning and design went into maximizing efficiency and product quality.
Full	The rebate influenced the timing of the project. We likely wouldn't have done it otherwise.
Full	The only reason I did it was because of the program, so I wouldn't have done it.
Full	The program affected the timing, size, and materials selection of the project because they are involved in the annual planning phases.
Full	The program made it all work. It's a lot easier to put together a big project all at once than small little ones over time. The money savings allowed it to be a larger up front project.
Full	The program provided technical support and incentives that helped the project move forward.
Full	The program provided technical support and incentives that were essential to the project moving forward.
Full	The program slowed down the process due to the length of the process (i.e. application), but allowed us to install more efficient equipment. It did not have an effect on the amount of equipment installed.
Full	They were very polite and very easy to deal with. In going forward, we are going to bring them in right at the forefront. Union Gas's program wasn't the reason for doing the project. We didn't do the project just because we saved the gas. That was a very nice spin-off of the project.
Full	Very helpful. Audit helped us to recognize steam traps and fix them.
Full	We wouldn't have done this without the program.
Full	Without the program this project would have likely not been implemented.
Full	The program was a large influence in helping to coordinate moving forward with the project.
Full	Union Gas was highly influential in the project because their visit and suggestion led to the initiation of the project. Once discovered, the project would have proceeded at the same time with or without the incentive but not at all without their involvement.
Full	We would have built a standard *****, with no upgrades; we would not have ventured down this path without the program. We used engineering services to see if it was going to work; we did trials up front; we stepped forward in increments.
Full	We would have done nothing at all.
Full	Without the rebates, we would have done it, just would have went with a cheaper, less efficient version.
Full	We would have installed roofing just to meet code, not beyond.
Full	We need the program to even prompt us to think about energy efficiency.
Full	No comment.
Partial	Definitely with Union it made the decision easier. Sometimes financially it's not doable at the time. It makes it easier, but in this case it was already in the plan.
Partial	We didn't know about the energy savings from this project, but we would have been doing it for years if we had known (with or without the incentives since it has such a high ROI).
Partial	Due to the incentive, it moved the program forward for us; re controls and other equipment, it assisted us in upgrading those controllers.
Partial	We would have kept going through the plant a piece at a time.
Partial	I would have put up the same amount of ***** area, but would have chosen a less efficient product; Program did affect it a little bit, and made me do it a little sooner, maybe a year later without the program.
Partial	Incentives are nice, but we would do this work anyways due to the energy savings and safety. It does help us get the work done more quickly.
Partial	It had a payback involved in it. So, it was a deciding factor in deciding whether to proceed or not and the timing of when to proceed. And, if it saved on capital funds. Because if we were able to get a grant then that would speed up implantation.
Partial	It made it sooner and more. No effect on energy efficiency level per se.
Partial	It was a lot easier to do the project when they did it when they offered the rebate. Otherwise, it would have been another 6 months or a year.

Attribution	Dat4. Summarize the program's effect on the timing, efficiency, and amount that you installed.
Partial	Medium to large effect, we probably wouldn't have done this work or done less dock seals without program.
Partial	Program had an effect on timing since incentives helped get the project approved quickly by upper management. The program had little effect on efficiency or quantity (for this project - larger projects like a boiler this would likely have a greater effect).
Partial	The program impacted the timing of the project but not the quantity or efficiency.
Partial	The program impacted the timing, efficiency, and quantity.
Partial	The program impacted timing, quantity, and efficiency; their projects are entirely dependent on payback.
Partial	The program incentives influenced timing, efficiency, and quantity of what was installed.
Partial	Program is not as important as it used to be in 2008-2011.
Partial	The project would have been delayed 12 months and absence of program could have easily affected the technology. We were *****, so we may have gone for plain *****
Partial	We would have installed the same amount of square meters (or linear meters) or I just wouldn't have done it at all.
Partial	The program had little effect on the timing. No impact on efficiency for this project, but helped us get more efficient boilers in the past. Incentives helped us do more steam traps than we likely would have been able to do at one time.
Partial	The program helped us complete the work sooner/more frequently than otherwise possible and also helped us afford to complete more. Little effect on efficiency.
Partial	The program made it all work. It's a lot easier to put together a big project all at once than small little ones over time. The money savings allowed it to be a larger up front project.
Partial	They were part of bringing the awareness of that project to us, it helped us with cost justification and calculations and made us aware of the technology.
Partial	Union Gas incentives probably helped upper management approve this work, otherwise would have tried to get it approved the next year.
Partial	What we did was just identified if we could get an increase in productivity with our ***** then we could take our other ***** off line.
Partial	We would have kept repairing the cracked *****, removing sections, etc... and then would have replaced it in 1-2 years.
Partial	We would have only fixed large leaks without incentives.
Partial	Lower efficiency is not an option, but would not have been able to do it with the level of frequency and intensity.
Partial	The program did not influence timing or efficiency, but it did influence the quantity of valves installed.
Partial	The program had an influence on the timing of the project and the quantity (for steam traps), but no impact on the efficiency level.
Partial	The program impacted the timing, not quantity or efficiency.
Partial	The program influenced the timing but not the efficiency or the amount.
Partial	The program prompted us to think about it; maybe would have done half over several years.
Partial	The same amount but we would have done it less frequently; with the program we were doing it annually, without the program, we would have done it every 2-3 years instead.
Partial	The same time, same size/scale, some components such as ***** and ***** would have dropped out.
Partial	The incentives were a nice bonus; had no impact on timing, quantity, or efficiency.
Partial	The program's largest effect was the assistance in assessing the situation. As far as the rebate program goes, it made it easier to convince the project going forward. Incentive wise it's a moderate effect.
Partial	The Union incentive had a significant effect on size and effectiveness. Without the incentive, it may have proceeded but it would've been harder to justify and smaller in scope.
Partial	We would have done half as many *****
Partial	We would have done it anyway, but would have done less than half of what we did and it would have taken through 2020; audits helped identify what we needed.
Partial	We would have only done 25% of the quantity, only the ones that we could see.
None	We could have done it later, but it would have been awkward, looked bad, and potentially damaged the building.
None	Essentially, Union makes us aware that the incentive programs are available. They haven't really pushed them in any one direction WRT any specific projects.
None	Everything was in line and turned out very well for us and for Union Gas. Because I had to change the unit, I would do it anyway. Since I had the incentive it was faster for us to go ahead and purchase the unit.
None	Everything went smooth. I am thankful for the incentive. There was nothing else we could have done to better the efficiency.

Attribution	Dat4. Summarize the program's effect on the timing, efficiency, and amount that you installed.
None	Had to do it. Original controls were 11 years old and had reached the end of the equipment life. Were wasting a lot of energy. No effect by program on timing, efficiency, size/scope.
None	I think it was a bonus for the overall project that this incentive was available. It probably influenced the decisions on some of the smaller, gas-fired equipment that we use in the building. It might have contributed to *****.
None	Incentives didn't have large impact. Main goal was to reduce heat output. ROI was high enough that we would have done anyways.
None	Incentives were nice but didn't have a huge impact since we realized the potential savings from this project.
None	It made no difference.
None	It would have been a very similar project. But, the incentive helps our decision to go forward and install the components. The timing wouldn't have changed.
None	It's great. It didn't effect the timing, efficiency, or amount.
None	Made it easier to make the case to my CFO but would have happened anyway.
None	No effect on timing, efficiency, or quantity, since we did this work before learning about incentives.
None	No effect.
None	No influence on timing, quantity, or efficiency.
None	Not much influence.
None	Nothing in particular.
None	The program had no impact on timing, efficiency, or quantity.
None	Safety was the main driver, not the program, although the incentives were appreciated.
None	The fact that there's an incentive program provides incentives for doing the project, but it's not the major factor. It helps push this project along.
None	The program didn't really effect the timing, efficiency, or amount, but incentives did help.
None	The program had little effect on the timing, efficiency, and amount of work conducted for this project since it was all need based. Other projects they have influence quantity though (i.e. when installing insulation).
None	The project was designed. Went on time. We got good results from the project. And we are thankful that we got the incentive from Union Gas for the project.
None	The timing was good because everything got completed on time. We didn't know the savings until about 7 months later, when we hit winter. The incentive was a great help.
None	There was no effect.
None	There was some effect. There are a few things we might not have done, or the utility support sped the decision. E.g. the ***** and the *****. Would have likely done anyway but taken longer to analyze and decide.
None	Utility helped define the minimum efficiency for project and helped improve ROI to get easy approvals from corporate
None	We were moving forward before learning of the rebate.
None	While the incentives were appreciated, they were not large enough to have much effect on what we installed (timing, efficiency, or amount).
None	While we appreciated the incentive, we would have installed the energy curtain anyways to save on natural gas so the program didn't really influence our decision.
None	Incentives were a bonus that fit in with their maintenance schedule; program had no influence on timing, quantity, or efficiency
None	No impact on the timing and efficiency. The incentives were a nice bonus; always looking for way to get energy savings.
None	No impact on timing, quantity, or efficiency.
None	No program attribution. The program did not impact timing, quantity or efficiency.
None	The program didn't have an influence on anything.
None	The program had no influence on timing, quantity, or efficiency.
None	The program impacted efficiency of equipment; no impact on timing or quantity.
None	We would have done the same exact thing that we did. You could get a less efficient deck design but we wouldn't have picked that.
None	We would have done exactly what we did; the rebate is a bonus on the end; we're making decision based on best payback and most EE; if there's a rebate, great. If not, we wouldn't do something less efficient because it doesn't make business sense.
None	No comment.



Union Large Volume

This section presents the Union Large Volume self-reported responses from the timing, efficiency, and quantity attribution battery where customers were asked “Why do you say that?”. These responses along with whether a response received some timing, efficiency, or quantity credit are presented in Table 8-13, Table 8-14, and Table 8-15.

A “yes” in the timing, efficiency, or quantity column indicates partial or full attribution for that source based on the scored questions (not the responses here). A “no” indicates no attribution for that source. For example in the first table a “yes” in the timing column indicates that the respondent answered the question DAT1a and DAT1b with responses that credited the program with accelerating the project. A “no” in the timing column indicates that the respondent did not credit the program with accelerating the project. A “no” for timing does not preclude the same respondent indicating the program affected the efficiency or quantity/size of the same project.

Additionally, following the specific timing, efficiency and quantity questions, customers were asked to summarize the program’s effect on the timing, efficiency and amount of the project installed (Dat4). These responses are presented in Table 8-16 with the scored level of attribution: full, partial, or none.

None of the responses provided below were used in the direct scoring of surveys. For respondent confidentiality these responses are isolated from other responses from the interview and do not reflect the full story the respondent conveyed. The responses are provided here to provide insight into how customers describe their decision making on the project relative to the program. See APPENDIX J and APPENDIX K for details on how attribution was scored.

Table 8-13: Timing Verbatim Responses for Union Large Volume

Timing	Dat1a_O. Why do you say that?
Yes	By being aware of everything it helped to speed things up.
Yes	Do a yearly steam trap analysis and would have discovered the failed traps then.
Yes	I think because the effective cost of the work was less with the incentive from Union Gas.
Yes	It helped to move it ahead faster, with the funding.
Yes	It was creating a *****, one was very fouled, so it had to be done regardless, the 2nd was borderline, and would have been cleaned the next year if it hadn't been last year.
Yes	Survey by Union Gas identified the issues, but this would've happened eventually anyway.
Yes	It was a good project & made sense to do at some point in time. ***** would have given it more priority.
Yes	No comment.
No	Already identified and approved as part of infrastructure maintenance - incentives were a bonus.
No	Company has recognized the need for this due to potential energy savings/ ROI.
No	Decision driven by needs at the site, not incentives.
No	Installation was staggered as it was. They chipped away at it. Had to stagger anyway due to their production schedule and constraints.
No	It would have had no impact. We would have implemented the project with or without the program rebate.
No	It's a larger project. So, the relative effect of the rebate is not as great.
No	Needed to be replaced. Incentives were too small to have an effect (incentive less than 1% of project cost).
No	Only the one window of time for spring maintenance projects.
No	The incentive is appreciated. But, I can't delay such a large maintenance item.
No	The project was feasible on its own merits and management expected them to implement it.
No	These issues are important to the continuing operation of the plant and they are addressed as quickly as they can be.
No	Timing determined by turnaround cycle.
No	We planned to do it regardless of the program.
No	Because of equipment age (turnaround). incentive helpful to engineering group, but small compared to whole project. Incentive less than 1% of project cost.
No	Because of equipment age. incentive helpful to engineering group, but small compared to whole project. Incentive less than 5% of project cost.
No	Because won't have another ***** until *****, so take advantage of that opportunity or lose out on it.
No	It needed to be replaced.
No	The program had no influence on these projects. These were maintenance issues that needed to be done regardless and met payback requirements without incentives.
No	Repairs, so they had to happen.
No	It was part of a larger project.
No	We had to do the one as it was failing, the 2nd would have been done in the next couple of years if we didn't do it at this time, it would have failed in 2-3 years.
No	No comment.

Table 8-14: Efficiency Verbatim Responses for Union Large Volume

Efficiency	Dat2a_O. Why do you say that?
Yes	Because they made us aware of the potential energy savings of going with what we did. And, they actively lobbied us for it.
Yes	No comment.
No	As a ***** manufacturer, we understand going with higher efficiency product will save us money in the long run. Plus already had scope approved by president/director.
No	Energy savings justify on its own.
No	Engineering standards.
No	More efficient units like the one we got would pay for themselves, even without the incentive.
No	It needed to be replaced. Incentives were too small to have an effect in this case (for other projects incentives have helped us afford more efficient equipment, but depends on ROI).
No	We picked this ***** because it was the best operational decision. It's just good business practice to install the highest efficiency that we could install.
No	We would have selected same product.
No	We needed the amount of insulation and the type that we installed.
No	We had to do the one, the 2nd would have been done in the next couple of years if we didn't do it at this time, it would have failed in 2-3 years.
No	Would have gone ahead with same ***** project anyway.
No	No comment.

Table 8-15: Quantity Verbatim Responses for Union Large Volume

Quantity	Dat3a_O. Why do you say that?
Yes	We would have gone with an option that did not increase the efficiency of the system.
Yes	One ***** needed to be replaced due to corrosion, but the rebate allowed us to do the 2nd one at the same time.
Yes	Would be influenced.
Yes	No comment.
No	*Measure* needed to be replaced anyway. Maintenance ***** needed to be done anyway, and was already scheduled.
No	Already identified and approved as part of infrastructure maintenance - incentives were a bonus.
No	Certain constraints in terms of safety standards.
No	Decision driven by needs at the site, not incentives.
No	Maintenance standards.
No	NA - only 1 was needed.
No	Needed to be replaced anyway.
No	Needed to be replaced. Incentives were too small to have an effect (incentives less than 1% of project cost).
No	The program is beneficial; it puts money back into their pocket. Like sprinkles on cake (extra \$).
No	The simplicity of the project. What we were implementing was just standard practice. There was nothing we would have done that was out of the ordinary.
No	There wasn't really an option to do only part of it.
No	It was based on engineering standards, not on program incentives.
No	We had a pretty good idea of what we were going to do. We spent a lot of time determining the scope of the work. At the time we are thinking, it is not guaranteed that we will get the rebates. So, it is a bit of an educated guess.
No	We had to install the amount we did. The incentive contribution was not material.
No	We needed the insulation they installed, and we wouldn't have changed this.
No	We needed to replace ***** failed steam traps anyway, would just have been delayed.
No	Only one choice.
No	Repairs are necessary.
No	Same amount but this would've had to happen over a period of time / piecemeal.
No	This was what we needed, and we incorporate the program in our planning process.
No	It was new construction/***** project, one window of opportunity.
No	We would have been installed anyway on own merits.
No	No comment.

Table 8-16: Dat4 Verbatim Responses for Union Large Volume

Attribution	Dat4. Summarize the program's effect on the timing, efficiency, and amount that you installed.
Full	The program provides commitment to the project. Gets it done.
Full	They were instrumental in helping us to identify the potential energy savings, which expanded the project's scope. But, resulted in a long-term cost benefit to our organization. The program was very helpful in convincing the powers that be that the more expensive option was the best one to pursue.
Full	Would not have installed absent the program. Would have kept as-is.
Full	No comment.
Partial	Incentives helped motivate staff to get going. The project was done slightly earlier and on a larger scale than it would have been absent the program.
Partial	It improved the timing because of the availability of the rebate. The efficiency and the scope would have remained the same. We couldn't have done less work than we did.
Partial	Program provides commitment to project. Gets it done.
Partial	The timing, the program made it happen sooner. So, we gained the savings sooner.
Partial	Very likely to install same equipment, 36 months later, same efficiency, same quantity.
Partial	Very likely to install same equipment, would have been delayed 18 months.
Partial	We would have done less and less frequently. We would have likely done it, but 6 months later when we have downtime, on a smaller scale. We would do 75% and not replace ***** until they were closer to end of life because of program education we understand ***** efficiency.
Partial	Its hard to say, would have done half as many 2 years later. We would have wasted more fuel, traps are something we observe; years of patching up equipment. Now it's maintenance annually due to program ed.
Partial	One ***** needed to be replaced due to corrosion, but we did the 2nd one at the same time because of the rebate, but it had some RUL.
Partial	The program influenced timing and quantity.
Partial	The program accelerated the installation by 12 months and caused a larger amount of steam traps (half of those that were incented) to be replaced.
Partial	The program accelerated the installation some, and caused a larger amount of pipe insulation to be replaced but the respondent didn't know by how much for either.
Partial	We would have been somewhat likely to do it, because we knew what we were doing. It wasn't a good thing to do, but would have been 6 months later because we didn't know how much fuel we were wasting, but in keeping with same scale/efficiency.
Partial	We would have done the same thing; rebate was influential in getting us to do the *****; incentive pushed the 2nd project to this year, instead of the next year; utility rebate makes the payback better.
None	As mentioned before, the utility mainly just provided the incentive quote/estimate, but did not have much effect on anything else.
None	Honestly, we were set on doing this as an infrastructure improvement and would have done it all the same without the incentives.
None	Incentives can help for certain projects, but when they are relatively small they don't impact our timing, efficiency, or amount. Still helps, but doesn't sway us.
None	It had no effect. It's a good program that helps people make better business decisions in terms of installing the best, efficient materials and equipment and, therefore, making better business decisions.
None	It triggered an awareness that there were many more projects that we could implement. It put us in that frame of thought and helped encourage us.
None	It would have affected if and how soon the project got approved.
None	No effect on timing, efficiency or size/scope of what they installed. Would have done anyway.
None	No effect. Decision driven by needs at the site, not incentives
None	No effect. Would have been same timing, efficiency level and size/scope.
None	Program had little effect on the decision to do this work, because it was necessary for the safety/continuing operation of the facility. Also little effect on efficiency and quantity, due to engineering and maintenance standards respectively.
None	Project was very likely to be implemented without the Union Gas program, at the same time, efficiency level and size/scope.
None	The program had essentially no effect on this work at all (timing, efficiency, or amount). This was work we planned to do regardless.
None	The project would have been done at the same time, efficiency level and size absent the program.
None	Very likely to install same equipment, same time, same efficiency, same quantity.

Attribution	Dat4. Summarize the program's effect on the timing, efficiency, and amount that you installed.
None	No effect on the timing, efficiency level, or size/scope.
None	No influence.
None	The program is always there, so you look for ways to recoup your money. But without the program we would still do these repairs.
None	It wouldn't have affected it. Would have happened anyways.
None	No comment.

Enbridge Commercial, Industrial and Multi-Residential Programs

This section presents the Enbridge Commercial, Industrial and Multi-Residential self-reported responses from the timing, efficiency, and quantity attribution battery where customers were asked "Why do you say that?". These responses along with whether a response received some timing, efficiency, or quantity credit are presented in None of the responses provided below were used in the direct scoring of surveys. For respondent confidentiality these responses are isolated from other responses from the interview and do not reflect the full story the respondent conveyed. The responses are provided here to provide insight into how customers describe their decision making on the project relative to the program. See APPENDIX J and APPENDIX K for details on how attribution was scored.

Table 8-17, Table 8-18, and Table 8-19.

A "yes" in the timing, efficiency, or quantity column indicates partial or full attribution for that source based on the scored questions (not the responses here). A "no" indicates no attribution for that source. For example in the first table a "yes" in the timing column indicates that the respondent answered the question DAT1a and DAT1b with responses that credited the program with accelerating the project. A "no" in the timing column indicates that the respondent did not credit the program with accelerating the project. A "no" for timing does not preclude the same respondent indicating the program affected the efficiency or quantity/size of the same project.

Additionally, following the specific timing, efficiency and quantity questions, customers were asked to summarize the program's effect on the timing, efficiency and amount of the project installed (Dat4). These responses are presented in Table 8-20 with the scored level of attribution: full, partial, or none.

None of the responses provided below were used in the direct scoring of surveys. For respondent confidentiality these responses are isolated from other responses from the interview and do not reflect the full story the respondent conveyed. The responses are provided here to provide insight into how customers describe their decision making on the project relative to the program. See APPENDIX J and APPENDIX K for details on how attribution was scored.

Table 8-17: Timing Verbatim Responses for Enbridge Custom C&I programs

Timing	Dat1a_O. Why do you say that?
Yes	*****: delayed a year w/o rebate – it still would have gone, but maybe 60%chance it was done that year/40% chance next year; *****: would have to do something at some point...maybe delayed, it would not go to ruin but it could be neglected longer.
Yes	Because having a stronger business case will give us better payback and the project will become more viable and more likely to get approved and funded.
Yes	I don't know for this specific project - but incentives frequently expedite getting projects approved.
Yes	It is easy to justify in the project budget.
Yes	Enbridge's program created the business case for us.
Yes	Eventually we would have gotten to it, such a large saver.
Yes	I would have added ***** instead of doing the *****. But, I would still have had to add *****.
Yes	The incentive matters.
Yes	Incentives are included in our budget forecasting.
Yes	Incentives helped the director approve the project. We may have been delayed it without incentives.
Yes	Incentives made it easy to get approved (brought it within 2.5 yr ROI). May have got pushed back without incentives because more convincing would have been necessary.
Yes	It would have been much later if not never.
Yes	It wouldn't have had the payback. It would have been beyond our guideline.
Yes	It's the business case. The incentives shore it up. Without that funding, it throws off the numbers, we need to secure more internal funding.
Yes	Just because of the ROI. The incentives made it happen. They put it over the edge.
Yes	Likely would not have done it without incentives due to maintenance costs/hassle to keep them clean.
Yes	Money.
Yes	Our location is closing, so it would never have happened.
Yes	Probably a little bit later because general awareness of incentive was lower. Enbridge turned them on to other incentives.
Yes	The *process* for ***** relatively expensive for the expected ROI. As a result, upper management would not likely see value without the incentive.
Yes	The incentive helps focus people's attention in terms of getting the job done. They help us in highlighting these measures as opportunities.
Yes	The incentive raised the profile of the project in comparison to its size.
Yes	The math showed them the savings to get the ***** installed. Enbridge helped with the math.
Yes	The program is not just an incentive thing. The thing for me that is equally important is the partnership in terms of identifying and vetting different project ideas.
Yes	They incentivized the steam trap audit as well.
Yes	They now do this every year. This is an odd question.
Yes	They were still considering energy savings and wanted to be proactive. They like the incentive. If there weren't an incentive, they would do another project first.
Yes	They would do it every three years, but not every year.
Yes	They would have done them piecemeal over time.
Yes	Upper management would have likely not approved a project like this that is not viewed as an immediate priority.
Yes	We had to do it. But, the incentive helped us to do it faster.
Yes	We wouldn't have been able to justify the payback without the incentive.
Yes	Without incentives the project would not have been approved/ we wouldn't have done the project.
Yes	It would have been pushed off.
Yes	We would have had to wait until next summer to get it in the budget.
Yes	We would have likely still replaced one at the same time, and then the second one at a later date.
Yes	We would have replaced on equipment burnout.
Yes	We would have taken longer to be aware of the savings opportunity. Plus the incentive was relatively large and a significant motivator.
Yes	We would have taken longer to get appropriate resources and funding in place.
Yes	We wouldn't have had technical or financial support.
Yes	It's not a small project ***** , so it takes time, lots of operations, keep the plant running all the time, started 2011, ended 2015, rebate accelerated the project by one year.
Yes	The rebate helped the payback work out.
Yes	The rebate reduced payback so they could install measures sooner.

Timing	Dat1a_O. Why do you say that?
Yes	The rebate helped the payback allowing them to do the project sooner.
Yes	Tough to say; they have tight ROI metrics.
Yes	It would have taken longer to convince them to do.
Yes	It would've been replaced eventually, but they don't typically become aware until an audit or something breaks down.
Yes	No comment.
No	***** replacement was due
No	***** was a regular maintenance item. ***** were something they wanted for growing reasons.
No	Aiming to meet internal efficiency goals.
No	Because of our business model. We work in *****. We only have a short window to ***** because of the weather.
No	The incentive is a very small percentage from the project cost.
No	The unit was old and needed to be replaced.
No	Because we were going to change the boilers whether there was any incentive or not.
No	The Enbridge program was not a factor.
No	End of useful life, savings with gas when replaced.
No	The equipment had failed and we needed a replacement. The decision was driven largely by the larger Toronto Hydro incentive. The small Enbridge incentive relative to the large total project cost wasn't a big motivator.
No	The equipment needed replacement.
No	I think that moment when you are trying to decide, knowing that there is some extra funding pushes you to do it. Enbridge's involvement had more to do with whether we would do it or not do it than the with timing of doing it.
No	I would still implement it. It's more of an operational savings. We are going to get savings with the Enbridge program or not.
No	The idea came from us and our president.
No	It's the business case. The incentives shore it up. Without that funding, it throws off the numbers, we need to secure more internal funding.
No	Leaks needed to be fixed, it's very expensive for the company to continue operating "as is/was".
No	Motive was for improved plant conditions, only found out about incentives after we were set on doing project.
No	It needed doing.
No	We needed to get this work done for energy efficiency purposes.
No	Once we discovered the need we like to move on them, given the circumstances.
No	Refused.
No	Similar time because we have a 5 year plan on spending on this type of project.
No	Simply because the payback was justifiable.
No	That was the time when we were able to identify it. The program being in place just helped us move along.
No	The Hydro Incentive was bigger. The Enbridge incentive was great. It made the ROI that much better. It was a bonus. But, it was the Hydro one that made the case for this project.
No	The boilers were falling apart. Try to submit early in the year when people aren't busy, timing for tender is very important.
No	The drivers for the projects didn't have much overlap with the Enbridge reps; they provide only a very small portion of total funding; they're not at the table.
No	The incentive makes it a real no brainer, but it's a decent business case without it. The decision is weather driven, so we do it every year but could do it every other year without the incentives.
No	They needed to be done.
No	They were a pile of rust.
No	This one would probably have happened at this time, though in a smaller way.
No	This was a construction project which was scheduled for other reasons.
No	Timing was coordinated by the energy office.
No	We had planned to do this replacement per our schedule.
No	We had to change the equipment. Enbridge just helped us with installing energy efficient equipment.
No	We had to have the ***** shut down at the time we made the installation. Those shutdowns aren't very frequent. We had a scheduled outage. And, the equipment was here. So, that's when we installed it.
No	We had to replace the *****.
No	The maintenance had to be done.
No	It didn't affect timing.

Timing	Dat1a_O. Why do you say that?
No	We had to address safety issues.
No	It had to be done during shutdown.
No	it was a quick, small project; no capital investment involved.
No	leverage *****
No	One of the boilers was failing critically.
No	The project was under the 1-year ROI, but the rebate made the ROI lower.
No	The rebates were not a factor in the timing. We were going to do these projects with or without the incentives.
No	The rebates were not a factor in the timing; We were going to do this project with or without the incentives.
No	The system was broken. We had to replace.
No	We planned these projects well before they knew the rebates existed.
No	To improve process efficiency.
No	No comment.

Table 8-18: Efficiency Verbatim Responses for Enbridge Custom C&I programs

Efficiency	Dat2a_O. Why do you say that?
Yes	Incentive changed the cost/benefit calculation.
Yes	Incentives helped get a more efficient unit approved. *****, so may have gone with unit of a similar efficiency - hard to say.
Yes	Might have gone less efficient. Hard to know.
Yes	The program incentive helps improve PP.
Yes	The incentive helps to install a higher efficiency equipment.
Yes	We would have gone with a lower efficiency.
Yes	We would have replaced like for like without the rebates.
Yes	I don't know for this specific project, but possibly less efficient equipment if that was the only way they could get it approved.
Yes	We would have installed more than standard but not quite high-efficiency.
Yes	The rebates allowed them to pursue more efficient equipment.
No	Again, the decision wasn't driven by the Enbridge incentive.
No	Consultant recommendation.
No	Enbridge is just a small player in the financing and decision making for these projects.
No	Enbridge's involvement is mainly to do with verifying what they did. No influence on efficiency.
No	Energy savings is important to us
No	If we are going to do it, we'll do it right. The goal was to increase efficiency.
No	If we were to do the *****, we would have done it in the most efficient way possible.
No	We installed the equipment suggested by our vendor. Incentives did not influence the choice.
No	Just energy savings after the fact. I am very conscious of the environmental energy cost, its just second nature to my training, how are we going to be better.
No	***** driven
No	The ***** requirements were the driver for getting the *****.
No	The big ***** was supposed to be more efficient.
No	The equipment we selected meets our own internal high standard and yields payback over time.
No	We don't care about the rebates.
No	We wanted to install the best and latest technology.
No	We bought a used unit that became available. We did not custom buy it.
No	We needed a ***** that would be faster because of the increased usage.
No	We put the best possible solution at the time in place.
No	We try to install the most EE boiler money can buy, we know that in the long run you save on operating cost.
No	We try to update our equipment with like for like, efficient alternatives regardless (this is why we consult energy experts first).
No	We wanted to use the equipment we used.
No	Without incentives the project would not have been approved/ we wouldn't have done the project.
No	We would have replaced it with the same efficiency levels.
No	It wouldn't make sense to spend the money without getting the savings.
No	Just ***** installation and some ***** to control it.
No	There was only one option other than ***** , which is ***** and that's what we did.
No	We had a good idea of what we wanted based on previous experience. We wanted to save money by increasing energy efficiency.
No	We knew what we needed.
No	No comment.

Table 8-19: Quantity Verbatim Responses for Enbridge Custom C&I programs

Quantity	Dat3a_O. Why do you say that?
Yes	Because the program helps offset the difference in the price cost.
Yes	Because we would have less incentive. So, the payback would have been less. So, there would have been less money to be spent.
Yes	Enbridge made us aware of the type of equipment that was available.
Yes	Enbridge's incentives and assistance in annual planning is critical for the implementation of most non-mission critical projects.
Yes	If there is no incentive, then we might go for less.
Yes	If you can get incentives to do something, then you will do a better job just because of the cost reduction.
Yes	It all come backs to it being one system. You are either installing it or not.
Yes	May have only installed 1 or 2 *****.
Yes	Not immediate priority due to lower ROI.
Yes	Only one *action* was necessary to recover heat.
Yes	Same reason, budget would have had a smaller scope. We may not have adjusted the dampers.
Yes	The cost savings with the program.
Yes	The incentive made it cost effective enough that we could get approval from our finance team.
Yes	They might do however many steam traps they could afford, which is often not much.
Yes	They would have done one of the ***** boilers.
Yes	They would not have done this project otherwise.
Yes	We needed it.
Yes	We would have gone with like-for-like replacement of the old system, which was smaller.
Yes	We wouldn't have been focused on identifying the traps that needed replacing.
Yes	Without the proper ROI we would have had to come up with some other design or something to get it approved. But, I don't know what that would be.
Yes	Without incentives, the project would not have been approved/ we wouldn't have done the project.
Yes	We would have likely replaced the seal/bumper on one door, then another later on.
Yes	We would have probably not done any without incentives.
Yes	We would have still done both since we were focusing on renovating non-critical office area.
Yes	We wouldn't have been aware of the value and need.
Yes	We would have just done one *measure* instead of two.
Yes	No comment.
No	All units were at the end of the useful life.
No	Amount was needed for significant improvement.
No	The audit service provided by the utility was very helpful. But the incentives did not impact the choice.
No	Basically, we don't get to see incentive money, it goes back to ***** and might be used somewhere else.
No	Enbridge is just a small player in the financing and decision making for these projects.
No	Engineer and vendor recommendation.
No	The equipment needed replacement.
No	Every site needed a new *****
No	The extent would have been the same.
No	It had to be compatible, but increased efficiency was part of 5 year goal.
No	I don't think the incentive had any bearing on whether we were going to do this project.
No	It all come backs to it's one system. You are either installing it or not.
No	It had merits on it own. It had its own justification, even without Enbridge's rebate.
No	It was a comprehensive project for all mechanicals by design.
No	It's because of the financials.
No	It's just a maintenance thing they had to fix.
No	It's was the option we needed to save money.
No	Just have 1 heater.
No	Leaks needed to be fixed. It would be expensive for the company to not repair.
No	Likely would have done less, and only completed a few of the ***** one year and more the next.
No	We might have gone with a smaller system.
No	We needed to replace them all at once to get a better price from the vendor.
No	There was no influence on size or quantity of boilers installed.
No	I'm not certain, but I believe only one needed to be replaced.

Quantity	Dat3a_O. Why do you say that?
No	No influence on sizing.
No	Not scalable; had to control all ***** fans.
No	We only need one unit.
No	We only needed to replace the one.
No	The project needed to be done together because of co-location of *****.
No	The quantity was based on ***** advice based on square feet. We would install as many as they advised since they had most experience with them. Not dependent upon the incentive.
No	The repair had to be done to address safety concerns.
No	The ***** was more influential.
No	The ***** requirements was the driver for getting the EE points.
No	The equipment was sized based on the amount of *process*.
No	The equipment we selected to meet our own internal high standard and yields payback over time.
No	The incentive was just a bonus. We had to do this.
No	The size we went with fills the need.
No	They go based on the building size.
No	They sized it for the building.
No	They wanted to try it, which is what they did.
No	They were a system. Replace all at once.
No	They were sized for the building.
No	They would do the audit and replacement the same, just less often.
No	Vendor.
No	We needed it.
No	You can't do less because of the type of work we do. You can't do a portion and not do the other portion.
No	Because the units that were being replaced all work well together hand-in-hand so it was advantageous to do a whole replacement instead of partial. More practical and cost efficient.
No	The decision wasn't driven by the Enbridge incentive.
No	Just a longer period of time.
No	We needed the size for health and safety.
No	Not scalable.
No	The same process, both buildings.
No	The same size either way.
No	The same, with controls, you can't say do more/less, you have to do it.
No	Still gone after at the same time because of internal drivers, good business case.
No	The failing boilers needed to be replaced.
No	The project would have been the same without Enbridge support as the old system was broken.
No	We needed to redo the ductwork system, so nothing would've changed without rebates.
No	We needed what we got; the rebate had no impact on this.
No	We were only looking to install one VFD.
No	It would've gotten replaced but later, as they failed.
No	No comment.

Table 8-20: Dat4 Verbatim Responses for Enbridge Custom C&I programs

Attribution	Dat4. Summarize the program's effect on the timing, efficiency, and amount that you installed.
Full	Enbridge's incentives and assistance in annual planning is critical for the implementation of most non-mission critical projects.
Full	It helps with the timing. Some of the projects would never happen at all if it wasn't for the analysis. The efficiency is improved as well. The analysis helps determine how to make the project a better option. They help with the overall outcome by providing the technical support and some of the fi.
Full	The program had large impact on timing and amount. Very likely this work would have not been approved without incentives.
Full	Program had little effect on timing or efficiency for ***** project (because it was a HUGE energy waste and had a very high ROI = needed to be done), but had large impact on ***** - made this project feasible.
Full	The funding made the project viable. Without the funding we wouldn't have been able to do it.
Full	The incentive and the program through Enbridge allowed us to get a program completed that we probably wouldn't have without their help. They helped us simplify the project and implement it in a timely manner.
Full	The incentives had a very large effect. If we didn't have them, the ROI would have been over 3 years and the project would have never been approved.
Full	They originated the project, the business case. They helped with the assessment which helped accelerate the process of approval with the incentives and a faster ROI.
Full	They provided evidence that this was a good thing to do, and they put their money where their mouth is.
Full	We would have installed a standard efficiency boiler otherwise.
Full	When I give them the number of exhaust fans that I have. And, I give them the ***** units that I have, they did the calculations to balance the system. / When I learned that there is an incentive then I can spend a little more money than what I planned to. With the incentives, we could install a *****.
Full	With the incentives and the individual help from Enbridge it helped us reach the proper ROI and make the project a reality.
Full	Without incentives, we would most likely not have done this work, so large effect on timing and amount.
Full	Without the timing, it would have been delayed indefinitely.
Full	We would have installed all ***** boilers at the same efficiency.
Full	No comment.
Partial	Absent the program and incentive, the controls projects would have been implemented eventually, about 12 months later. The program had no impact on the efficiency level or size dimension.
Partial	Big influence. The incentive is a great help to the corp. Without the incentive, they would not move the project forward that soon.
Partial	By having the incentive, it does increase our ability to save money sooner rather than later. And, it increases our ability to get it done sooner.
Partial	I suspect this work would have taken longer to get approved and we may have had to settle for a less efficient unit without incentives.
Partial	Certainly, a relevant bonus to us, we got 5% back, but again, overall, project would have proceeded regardless
Partial	Enbridge's incentives and assistance in annual planning is critical for the implementation of most non-mission critical projects.
Partial	Hard to say for a lot of these (since hypothetical), but incentives helped get this work approved. Without incentives, we may have done it later, or only 1 maybe 2 of the economizers at this time.
Partial	I think Enbridge's program for subsidizing steam trap studies and replacement of faulty traps ensures that we do it on a regular basis and a higher frequency than we otherwise would.
Partial	If we didn't have the assistance the project would not have been completed to the extent that it was. And, it would have been much later that we got the job done. We would have not experienced the improvements in production.
Partial	Incentives helped bring down ROI which made it easier to get approved. We would have likely done a less thorough job and later without incentives, since the bottom line is critical here.
Partial	It helped us install it a year early.
Partial	It improved the business case and made the decision process easier. Also, it invites more rigor for measurement and verification which makes it easier for us.
Partial	Program incentives helped us afford a more efficient option, but didn't impact timing/quantity since all units were overdue for replacements.
Partial	Program incentives helped us complete both ***** at the same time. Otherwise would have done work in two stages.

Attribution	Dat4. Summarize the program's effect on the timing, efficiency, and amount that you installed.
Partial	Sped up installation, improved efficiency, and had no effect on quantity for this one site.
Partial	The Enbridge rep made them aware of the incentive for the VFD measure and got the process started. The VFDs were installed 24 months before they would have been absent the program. No effect on the efficiency level or size/scope.
Partial	The incentive and help with calculations of paybacks were important. Easier to make the business case and sell it to VP level to get funded. It clarifies the driving factors and provides outside proof that it will save money.
Partial	The incentive program helps in specifying energy efficient equipment. Also, the coordinator helped in answering questions for optimum energy equipment. Also, to help in reducing the cost of the project.
Partial	The incentives helped them to implement the project in 2015. Else they would have replaced it on burnout, perhaps a few years later.
Partial	The key was our Enbridge contact making us aware of the incentives. Then our consultant ***** identified the failed traps and the quantitative savings opportunity. We would have done fewer traps and significantly later without the program's role.
Partial	The program definitely helped us to create the business case. Without Enbridge's help we would not have looked in depth at the ***** project. They helped during the assessment which helped create the business case for the payback. And, they helped direct us to manufacturers to help replace the equipment. The incentives helped us move forward faster on the process of approval. And, the money helped us to do more. And, giving us the incentives gives us a lot of visibility.
Partial	The program has very significant influence on the timing and efficiency of the projects but it promotes the selection of the smaller or easier projects as opposed to larger or more complicated projects.
Partial	The program helps in specifying the equipment. So, the program helps in offsetting some costs for us.
Partial	The program incentives helped us increase the project scope and improve overall ***** efficiency, but did not have much effect on the timing.
Partial	The program was the main driver in the maintenance manager initially becoming a steam trap champion.
Partial	The timing was okay. We got our incentive as soon as we finished the project. So, it gave us incentive to finish it quicker rather than later. We are satisfied with it. We are happy with the program.
Partial	There was a small effect by the program on the timing of installation. The measure would still have been installed, but about 12 months later.
Partial	They had key inputs in helping ***** upsize to bigger more efficient equipment.
Partial	They helped us do the audit every year rather than every three years.
Partial	They raised the profile of the project as they have done for other projects like boilers.
Partial	We would have done one boiler to see how it went otherwise.
Partial	Without the incentive, we would have had to wait until the next year at least.
Partial	Without the program incentives, we may have not done this work as soon or as thorough.
Partial	We would have installed them two years later at a lower efficiency level.
Partial	We would probably have done these piecemeal over time.
Partial	We would still have gone after the same projects because of internal drivers, good business case.
Partial	All or nothing, same upfront costs, let's not waste time doing half and half again; it may have affected repairs if I didn't have enough \$.
Partial	It influenced the timing, but that's it.
Partial	The program had an influence on the timing due to incentive.
Partial	The program impacted timing and efficiency.
Partial	The program influenced timing, nothing else.
Partial	The program only influenced timing.
Partial	The program rebates influenced the timing, nothing else.
Partial	The insulation before was deteriorating so we had to put it back; with the rebate we could put in something more efficient to capture everything; controls would have done the same efficiency/quantity.
Partial	We would have replaced *measure* with the same *measure* instead of spending \$ modifying the piping to install *measure*, but that would only be good for 2-3 years.
None	It was nice to have that money, it wasn't what pushed it to do it. Aged equipment needed replacement.
None	We were already set on doing this project before we became aware of incentives, so the program did not have an impact on timing or efficiency. Quantity only based on advice of product specialist.
None	Audit service provided by the utility was very helpful. But the incentives did not impact the choice, size, efficiency or timing of the project.
None	Enbridge did not have influence. Rebates were nice to have but not the driving force.

Attribution	Dat4. Summarize the program's effect on the timing, efficiency, and amount that you installed.
None	Enbridge didn't have as much impact on this project as the Toronto Hydro incentive. Enbridge's was an additional incentive that we could go for. But, it was just a bonus. We received a larger incentive from Toronto Hydro. Don't get me wrong. We love the Enbridge program. But, the Toronto Hydro incentive was more influential.
None	Enbridge incentives were good but did not impact the scope or timing of the project.
None	Enbridge reps; they're not at the table; we remember there's money there and we always apply for it because we want to apply it forward; but you're not even a 5% share; 100% goes back into other projects.
None	Enbridge's incentive on the project didn't have much effect on the timing. It was an expensive project. So, the incentive was a smaller portion of the total cost than with other projects. So , it was nice. But, the project was going to go ahead with or without incentives.
None	Enbridge's support allowed us to make a decision to move ahead quickly. Their technical support helped us make the decision. And, the financial support also helped expedite the decision.
None	I just plan it the year before. I've got a budget. You get a rebate. But, because I have to tell them the year before, I have to tell them about the project. You tell them everything that is going to happen the year before. It makes it easier to do the project because there is an incentive.
None	Incentives helped, but we would have done the project the same without it.
None	Incentives were helpful to get work approved, but we would have done mostly the same since we had it on radar with our internal 5 year energy savings plan.
None	It didn't affect the timing. It didn't affect the scope. It stood on its own merits. So, it was a bonus that we got a rebate check at the end. But, we still would have pursued this anyways.
None	Makes the decision a no brainer i.e. much easier to do.
None	Minimal effect on timing, efficiency, and amount installed for this project, since we had planned to replace this anyways since it was at the end of its expect life.
None	No effect.
None	No impact. We know that there's incentive money coming, but if we have to replace, we just go ahead and do it.
None	None.
None	Not a huge effect.
None	Not much effect, since it needed to happen right away due to failed equipment and since larger ***** Toronto Hydro incentive was the big driver. Still, every piece played a part in overall financing and decision making.
None	Program had no influence on timing, quantity, or efficiency.
None	Program incentives didn't effect timing, efficiency, and amount installed since the leaks needed to be repaired.
None	Rebates were nice but didn't make a difference.
None	Since we knew about the incentives before we started planning, the program might have increased the efficiency level of what we installed. Not sure, though. In terms of timing and what we did, we were doing the whole thing regardless.
None	The Enbridge program was icing on the cake for us. We would still have implemented the program regardless of the Enbridge program. The operational savings and the energy savings had more impact than the incentive and rebate.
None	The owners tend to take rebates into account.
None	The program had no effect on the project, and it would have gone forward at the same time, efficiency level and size absent the program.
None	The program had no effect on this project; it had to be done to address safety issues. No effect on timing, efficiency or size from the program.
None	The program just really didn't have an effect on whether we would do it or not. The timing was good and it made it get approved.
None	There was no impact on this boiler project. It was just another thing to go and get because it was available. The impact on Project 1 was more.
None	These projects were well on their way before they became aware of the rebates.
None	This project had to be done at the time that it was (during shutdown) and the program had no impact on the efficiency level or size dimension. The company would have installed the same technology regardless.
None	This project we would have done otherwise.
None	To get the incentive, audits and repairs have to follow a specified methodology, so it's high as well. The program's existence tightens up our process.

Attribution	Dat4. Summarize the program's effect on the timing, efficiency, and amount that you installed.
None	When we planned to replace the door we knew we had to replace the door. Our general manager said to contact Enbridge to see if there is an incentive that we could get. They came over and looked at our plan. They told us there is an incentive and this is what it is going to be. The Enbridge incentive gave us a boost to do it. It went through faster.
None	We would have done these anyhow.
None	Installation had to happen, rebate was a nice bonus.
None	No influence on timing, quantity, or efficiency.
None	No program influence on timing, quantity, or efficiency.
None	The program did not have any influence on the timing, efficiency or quantity.
None	The program really just was a bonus for us (a surprise because we didn't know Enbridge was going to supply a credit).
None	We would have done the same; it's a pure opportunity for savings; it's a mandate for every project we do, there has to be an energy component.
None	No comment.

RunitRight

This section presents the Enbridge RunitRight self-reported responses from the timing, efficiency and quantity attribution battery where customers were asked "Why do you say that?". These responses along with whether a response received some timing or quantity credit are presented in Table 8-21 and Table 8-22.

A "yes" in the timing or quantity column indicates partial or full attribution for that source based on the scored questions (not the responses here). A "no" indicates no attribution for that source. For example in the first table a "yes" in the timing column indicates that the respondent answered the question DAT1a and DAT1b with responses that credited the program with accelerating the project. A "no" in the timing column indicates that the respondent did not credit the program with accelerating the project. A "no" for timing does not preclude the same respondent indicating the program affected the efficiency or quantity/size of the same project.

Additionally, following the specific timing, efficiency and quantity questions, customers were asked to summarize the program's effect on the timing, efficiency and amount of the project installed (Dat4). These responses are presented in Table 8-23 with the scored level of attribution: full, partial, or none.

None of the responses provided below were used in the direct scoring of surveys. For respondent confidentiality these responses are isolated from other responses from the interview and do not reflect the full story the respondent conveyed. The responses are provided here to provide insight into how customers describe their decision making on the project relative to the program. See APPENDIX J and APPENDIX K for details on how attribution was scored.

Table 8-21: Timing Verbatim Responses for Enbridge RunitRight

Timing	Dat1a_O. Why do you say that?
Yes	We have a strong commitment to energy efficiency so the program's financial incentive helped accelerate the timeline of the gas projects by decreasing their cost and their payback periods.
Yes	Later or never. Some of the work we were aware needed to be done, but incentives allowed us to expedite work. Some things identified may have been overlooked/never done.
Yes	The rebate helped accelerate the project timeline.

Table 8-22: Quantity Verbatim Responses for Enbridge RunitRight

Quantity	Dat3a_O. Why do you say that?
Yes	Our internal efficiency audits are likely not as thorough as Enbridge's report.
Yes	No comment.
No	No comment.

Table 8-23: Dat4 Verbatim Responses for Enbridge RunitRight

Attribution	Dat4. Summarize the program's effect on the timing, efficiency, and amount that you installed.
Full	Helped identify the projects earlier and provided the motivation to act on them earlier.
Partial	Only affected the timing of the projects by helping to make them happen sooner.
Partial	The program helped expedite work and helped us complete a more extensive project overall. Also helped us identify/plan for future capital projects.
Partial	The ***** program accelerated the timeline for the gas projects.
Partial	The program has very significant influence on the timing and efficiency of the projects but it promotes the selection of the smaller or easier projects as opposed to larger or more complicated projects.
Partial	Unsure how program would have affected timing but it didn't affect the extensiveness or size of the projects.

APPENDIX D. GROSS RR RESULTS FOR ADDITIONAL DOMAINS

These results are not applied to calculate savings totals. The results in this section are different aggregations of the data that provide additional information to the programs and stakeholders. In the tables, results with less than 5 completes or absolute precision (+/-) greater than 20% are not shown, but the categories remain in the table to provide context for the results that can be reported.

The final table in each section has the application domain (same domain as in the body of the report) with non-finite population (non-FPC) corrected errors. Non-FPC errors provide a more appropriate estimate of error for projecting future program performance.

Overall ratios in these tables are the sample weighted average and not used in calculating verified gross savings for the programs.

Union Commercial, Industrial and Multi-Family Programs

Table 8-24: Targeted Sample Domain for Union Custom C&I and LIMF programs

Domain	n		Ratio	90% Confidence Interval			Error Ratio	% Program Savings	
	Measures	Clusters		+/-	Lower Bound	Upper Bound			Relative Precision
Overall	114	74	98%	6%	92%	105%	6%	0.33	100%

Table 8-25: Simple vs. Complex Engineering adjustment for Union Custom C&I and LIMF programs

Domain	n		Ratio	90% Confidence Interval			Error Ratio	% Program Savings	
	Measures	Clusters		+/-	Lower Bound	Upper Bound			Relative Precision
Complex	56	42	87%	7%	81%	94%	8%	0.29	67%
Simple	58	39	117%	12%	105%	129%	10%	0.38	33%
Overall	114	74	98%	6%	92%	105%	6%	0.33	100%

Table 8-26: Program and Simple vs. Complex Engineering adjustment for Union Custom C&I and LIMF programs

Sector	Domain	n		Ratio	90% Confidence Interval			Error Ratio	% Program Savings	
		Measures	Clusters		+/-	Lower Bound	Upper Bound			Relative Precision
Custom Industrial	Complex	42	30	90%	7%	83%	97%	8%	0.26	54%
	Simple	38	25	116%	13%	103%	129%	11%	0.33	27%
Custom Commercial	Complex	11	9	68%	17%	51%	86%	26%	0.41	12%
	Simple	17	12	127%	35%	92%	163%	28%	0.53	5%
Multi-residential	Complex	3	3	124%	2%	122%	126%	2%	0.01	1%
	Simple	3	2	100%	0%	100%	100%	0%	0.00	0%
Overall		114	114	98%	6%	92%	105%	6%	0.33	100%

Table 8-27: Detailed Measures for Union Custom C&I and LIMF programs

Domain	n		Ratio	90% Confidence Interval			Error Ratio	% Program Savings	
	Measures	Clusters		+/-	Lower Bound	Upper Bound			Relative Precision
Hydronic Insulation	9	9	116%	11%	105%	127%	9%	0.15	8%
Heat Recovery	13	10	106%	10%	96%	117%	10%	0.17	20%
Greenhouse	15	9	92%	4%	88%	95%	4%	0.06	29%
Operational Improvements	9	7	90%	10%	80%	99%	11%	0.15	4%
Leak Repair	7	4	130%	32%	98%	162%	25%	0.21	6%
HVAC	10	10	85%	41%	44%	125%	48%	0.83	11%
Steam Trap	9	8	85%	1%	84%	86%	1%	0.02	3%
Other Action	2	1	191%	0%	0%	0%	0%	0.00	3%
Controls	10	9	82%	9%	74%	91%	11%	0.17	5%
Building Shell	8	6	99%	12%	87%	112%	12%	0.15	2%
Other Equipment	16	12	83%	18%	65%	101%	22%	0.42	9%
Other Multi-family	6	5	121%	8%	114%	129%	6%	0.07	1%
Overall	114	74	98%	6%	92%	105%	6%	0.33	100%

Table 8-28: Program and Detailed Measures for Union Custom C&I and LIMF programs

Sector	Domain	n		Ratio	90% Confidence Interval			Error Ratio	% Program Savings	
		Meas.	Clusts.		+/-	Lower Bound	Upper Bound			Relative Precision
Custom Industrial	Building Shell	8	6	89%	8%	81%	97%	9%	0.11	2%
	Controls	4	4	88%	20%	68%	108%	23%	0.19	2%
	Greenhouse	15	9	97%	3%	94%	100%	3%	0.05	29%
	Heat Recovery	13	10	105%	10%	95%	114%	9%	0.16	20%
	HVAC	5	5	93%	12%	81%	106%	13%	0.14	2%
	Hydronic Insulation	9	9	116%	11%	105%	127%	9%	0.15	8%
	Leak Repair	7	4	121%	30%	92%	151%	24%	0.21	6%
	Operational Improvements	9	7	96%	8%	88%	105%	9%	0.12	4%
	Steam Trap	3	3	100%	1%	99%	101%	1%	0.00	2%
	Other Equipment	7	5	70%	25%	45%	95%	35%	0.37	6%
Custom Commercial	Controls	6	5	98%	4%	93%	102%	4%	0.05	3%
	HVAC	5	5	59%	25%	34%	84%	42%	0.44	9%
	Steam Trap	6	5	99%	3%	97%	102%	3%	0.03	1%
	Other Action	2	1	173%	0%	0%	0%	0%	0.00	3%
	Other Equipment	9	7	90%	11%	79%	101%	12%	0.17	2%
Multi-Family	Other	9	7	90%	11%	79%	101%	12%	0.17	2%
Overall		114	114	98%	6%	92%	105%	6%	0.33	100%

Table 8-29: Applied Domains with non-FPC Errors for Union Custom C&I and LIMF programs

Sector	Domain	n		Ratio	90% Confidence Interval			Error Ratio	% Program Savings	
		Measures	Clusters		+/-	Lower Bound	Upper Bound			Relative Precision
Custom Industrial	Greenhouse Equipment	15	9	92%	5%	87%	97%	6%	0.09	29%
	Action	20	12	108%	20%	88%	127%	18%	0.35	12%
	Hydronic Insulation	9	9	116%	15%	101%	131%	13%	0.21	8%
	Other Equipment	36	25	101%	20%	81%	120%	19%	0.57	33%
Custom Commercial and LIMF		34	24	89%	30%	59%	120%	34%	0.98	19%
Overall		114	74	99%	9%	89%	108%	10%	0.49	100%

Union Large Volume

Table 8-30: Simple vs. Complex Engineering adjustment for Union Large Volume

Domain	n		Ratio	90% Confidence Interval			Error Ratio	% Program Savings	
	Measures	Clusters		+/-	Lower Bound	Upper Bound			Relative Precision
Complex	55	24	102%	20%	82%	122%	20%	0.57	49%
Simple	22	15	57%	23%	33%	80%	41%	0.91	51%
Overall	77	36	78%	20%	58%	98%	26%	0.91	100%

Table 8-31: Detailed Measures for Union Large Volume

Domain	n		Ratio	90% Confidence Interval			Error Ratio	% Program Savings	
	Measures	Clusters		+/-	Lower Bound	Upper Bound			Relative Precision
Hydronic Insulation	6	5	99%	2%	97%	100%	2%	0.02	44%
Heat Recovery	13	10	140%	57%	83%	196%	41%	0.70	8%
Operational Improvements	15	10	56%	12%	45%	68%	21%	0.36	19%
Leak Repair	18	11	46%	24%	23%	70%	51%	0.93	7%
Steam Trap	14	9	62%	34%	28%	96%	54%	0.88	4%
Other Action	3	3	96%	28%	67%	124%	30%	0.18	5%
Other Equipment	8	7	122%	109%	13%	232%	89%	1.22	13%
Overall	77	36	78%	20%	58%	98%	26%	0.91	100%

Table 8-32: Applied Domains with non-FPC Errors for Union Large Volume

Domain	n		Ratio	90% Confidence Interval			Error Ratio	% Program Savings	
	Measures	Clusters		+/-	Lower Bound	Upper Bound			Relative Precision
Equipment	24	18	116%	36%	80%	152%	31%	0.76	68%
Action	53	18	175%	176%	-1%	350%	101%	2.45	32%
Overall	77	36	135%	81%	54%	217%	60%	2.13	100%

Enbridge Commercial, Industrial and Multi-Residential Programs

Table 8-33: Targeted Sampling Domains for Enbridge Custom C&I and LIMF programs

Domain	n		Ratio	90% Confidence Interval				Error Ratio	% Program Savings
	Measures	Customers		+/-	Lower Bound	Upper Bound	Relative Precision		
Custom Industrial	53	41	100%	3%	97%	103%	3%	0.12	39%
Custom Commercial and LIMF	74	41	91%	14%	78%	105%	15%	0.57	61%
Overall	127	82	95%	9%	86%	103%	9%	0.51	100%

Table 8-34: Simple vs. Complex Engineering adjustment for Enbridge Custom C&I and LIMF programs

Domain	n		Ratio	90% Confidence Interval				Error Ratio	% Program Savings
	Measures	Clusters		+/-	Lower Bound	Upper Bound	Relative Precision		
Complex	64	41	100%	3%	97%	103%	3%	0.12	41%
Simple	63	45	92%	14%	78%	106%	15%	0.61	59%
Overall	127	82	95%	9%	86%	103%	9%	0.51	100%

Table 8-35: Program and Simple vs. Complex Engineering adjustment for Enbridge Custom C&I and LIMF programs

Sector	Domain	n		Ratio	90% Confidence Interval				Error Ratio	% Program Savings
		Measures	Clusters		+/-	Lower Bound	Upper Bound	Relative Precision		
Custom Industrial	Simple	37	26	100%	4%	96%	104%	4%	0.11	33%
	Complex	16	16	102%	2%	101%	104%	2%	0.04	7%
Custom Commercial	Simple	22	14	82%	27%	56%	109%	33%	0.69	30%
	Complex	14	9	100%	7%	93%	107%	7%	0.11	6%
Multi-residential	Simple	25	15	104%	4%	100%	108%	4%	0.09	22%
	Complex	13	6	99%	2%	97%	101%	2%	0.02	2%
Overall		127	82	95%	9%	86%	103%	9%	0.51	100%

Table 8-36: Detailed Measures for Enbridge Custom C&I and LIMF programs

Domain	n		Ratio	90% Confidence Interval				Error Ratio	% Program Savings
	Measures	Clusters		+/-	Lower Bound	Upper Bound	Relative Precision		
Heat Recovery	13	10	98%	5%	93%	103%	5%	0.09	9%
Etools Boiler	18	12	104%	3%	101%	107%	3%	0.06	25%
Etools Ventilation	16	15	100%	3%	96%	103%	4%	0.08	21%
Steam Trap	21	13	124%	2%	122%	126%	1%	0.03	4%
Etools Boiler Add-on	8	7	101%	15%	86%	116%	15%	0.20	3%
Other Equipment	29	23	74%	27%	47%	101%	37%	1.03	34%
Other Action	3	3	20%	16%	4%	36%	80%	0.47	0%
Other Multi-Residential	19	9	101%	2%	99%	103%	2%	0.03	4%
Overall	127	82	95%	9%	86%	103%	9%	0.51	100%

Table 8-37: Program and Detailed Measures for Enbridge Custom C&I and LIMF programs

Sector	Domain	n		Ratio	90% Confidence Interval				Error Ratio	% Program Savings
		Measures	Clusters		+/-	Lower Bound	Upper Bound	Relative Precision		
Custom Industrial	Etools Ventilation	4	3	106%	8%	97%	114%	8%	0.05	10%
	Heat Recovery	12	9	99%	5%	94%	104%	5%	0.08	9%
	Steam Trap	8	8	106%	3%	104%	109%	2%	0.04	2%
	Other Action	3	3	32%	25%	8%	57%	76%	0.45	0%
	Other Equipment	25	19	94%	6%	88%	99%	6%	0.15	18%
Custom Commercial	Etools Boiler	3	3	100%	0%	100%	100%	0%	0.00	8%
	Etools Boiler Add-on	8	7	106%	13%	94%	119%	12%	0.16	3%
	Etools Ventilation	8	8	97%	7%	90%	104%	8%	0.11	8%
	Steam Trap	13	5	100%	0%	100%	100%	0%	0.00	2%
	Other Equipment	4	4	52%	70%	-18%	122%	135%	1.15	16%
Multi-residential	Etools Boiler	15	9	107%	4%	103%	110%	3%	0.06	17%
	Etools Ventilation	4	4	93%	11%	82%	104%	12%	0.10	4%
	Other Multi-Residential	19	9	100%	1%	99%	101%	1%	0.02	4%
Overall		127	82	95%	9%	86%	103%	9%	0.51	100%

Table 8-38: Applied Domains with non-FPC Errors for Enbridge Custom C&I and LIMF programs

Sector	Domain	n		Ratio	90% Confidence Interval			Error Ratio	% Program Savings	
		Measures	Clusters		+/-	Lower Bound	Upper Bound			Relative Precision
Custom Industrial	Heat Recovery	13	10	98%	8%	90%	106%	8%	0.14	9%
	Steam Trap	8	8	128%	5%	123%	132%	4%	0.05	2%
	Other	32	25	99%	7%	92%	106%	7%	0.20	28%
Custom Commercial and Multi-residential		74	41	91%	15%	77%	106%	16%	0.61	61%
Overall		127	82	95%	10%	85%	104%	10%	0.55	100%

APPENDIX E. NTG Results for Additional Domains

These results are not applied to calculate savings totals. The results in this section are different aggregations of the data that provide additional information to the programs and stakeholders. In the tables, results with less than 5 completes or absolute precision (+/-) greater than 20% are not shown, but the categories remain in the table to provide context for the results that can be reported.

The final table in each section has the application domain (same domain as in the body of the report) with non-finite population (non-FPC) corrected errors. Non-FPC errors provide a more appropriate estimate of error for projecting future program performance.

Overall ratios in these tables are the sample weighted average and not used in calculating net savings for the programs.

Union Commercial, Industrial and Multi-Family Programs

Table 8-39: Targeted Sample Domain for Union Custom C&I programs

Domain	n		Ratio	90% Confidence Interval				Error Ratio	% Program Savings
	Measures	Clusters		+/-	Lower Bound	Upper Bound	Relative Precision		
Custom Industrial	136	84	38%	5%	33%	43%	13%	0.74	82%
Custom Commercial	62	28	43%	11%	32%	54%	26%	0.80	18%
Overall	198	112	39%	5%	34%	44%	12%	0.76	100%

Table 8-40: Net-to-Gross Category for Union Custom C&I programs

Domain	n		Ratio	90% Confidence Interval				Error Ratio	% Program Savings
	Measures	Clusters		+/-	Lower Bound	Upper Bound	Relative Precision		
Equipment	147	85	41%	5%	36%	46%	12%	0.67	80%
Action	49	26	35%	12%	22%	47%	35%	1.06	19%
Multi-family	*	*	*	0%	*	*	0%	0.00	1%
Overall	198	112	39%	5%	34%	44%	12%	0.76	100%

Table 8-41: Program and Net-to-Gross Category for Union Custom C&I programs

Sector	Domain	n		Ratio	90% Confidence Interval				Error Ratio	% Program Savings
		Measures	Clusters		+/-	Lower Bound	Upper Bound	Relative Precision		
Custom Industrial	Equipment	107	67	42%	5%	36%	47%	13%	0.64	70%
	Action	29	17	24%	12%	11%	36%	52%	1.23	12%
Custom Commercial	Equipment	40	18	33%	4%	29%	37%	11%	0.27	11%
	Action	*	*	*	21%	*	*	36%	0.58	7%
Multi-family	Multi-family	*	*	*	0%	*	*	0%	0.00	1%
Overall		198	112	39%	5%	34%	44%	12%	0.76	100%

Table 8-42: Detailed Measures for Union Custom C&I programs

Domain	n		Ratio	90% Confidence Interval				Error Ratio	% Program Savings
	Measures	Clusters		+/-	Lower Bound	Upper Bound	Relative Precision		
Hydronic Insulation	12	12	42%	13%	29%	55%	31%	0.60	8%
Heat Recovery	29	21	59%	7%	52%	66%	12%	0.32	20%
Greenhouse	26	17	40%	12%	28%	52%	30%	0.70	29%
Operational Improvements	9	7	10%	9%	1%	19%	85%	1.16	4%
Leak Repair	14	9	37%	16%	21%	52%	42%	0.68	6%
HVAC	21	17	33%	17%	16%	51%	52%	1.23	11%
Steam Trap	14	12	38%	11%	27%	48%	28%	0.55	3%
Other Action	*	*	*	23%	*	*	62%	0.52	3%
Controls	23	13	45%	9%	36%	54%	20%	0.40	5%
Building Shell	*	*	*	20%	*	*	38%	0.66	2%
Other Equipment	28	19	18%	9%	10%	27%	47%	1.17	9%
Other Multi-family	*	*	*	0%	*	*	0%	0.00	1%
Overall	198	112	39%	5%	34%	44%	12%	0.76	100%

Table 8-43: Program and Detailed Measures for Union Custom C&I programs

Sector	Domain	n		Ratio	90% Confidence Interval				Error Ratio	% Program Savings
		Meas.	Clusts		+/-	Lower Bound	Upper Bound	Relative Precision		
Custom Industrial	Greenhouse	26	17	40%	12%	28%	52%	30%	0.70	29%
	Heat Recovery	29	21	59%	7%	52%	66%	12%	0.32	20%
	Hydronic Insulation	12	12	42%	13%	29%	55%	31%	0.60	8%
	Leak Repair	14	9	37%	16%	21%	52%	42%	0.68	6%
	Operational Improvements	9	7	10%	9%	1%	19%	85%	1.16	4%
	Building Shell	*	*	*	20%	*	*	38%	0.66	2%
	Controls	7	7	18%	4%	14%	22%	21%	0.29	2%
	Steam Trap	6	6	29%	12%	17%	41%	42%	0.52	2%
	HVAC	*	*	*	21%	*	*	95%	1.64	2%
	Other	10	8	7%	8%	-1%	15%	108%	1.61	6%
Custom Commercial	HVAC	10	7	46%	19%	27%	65%	41%	0.56	9%
	Controls	16	6	78%	5%	74%	83%	6%	0.07	3%
	Steam Trap	8	6	54%	16%	38%	69%	29%	0.35	1%
	Other Action	*	*	*	23%	*	*	62%	0.52	3%
	Other Equipment	18	11	38%	8%	30%	46%	20%	0.37	2%
Multi-Family	Other	*	*	*	0%	*	*	0%	0.00	1%
Overall		198	112	39%	5%	34%	44%	12%	0.76	100%

Table 8-44: Applied Domains with non-FPC Errors for Union Custom C&I programs

Sector	Domain	n		Ratio	90% Confidence Interval			Error Ratio	% Program Savings	
		Measures	Customers		+/-	Lower Bound	Upper Bound			Relative Precision
Custom Industrial	Greenhouse	26	17	38%	27%	11%	65%	71%	1.68	29%
	Heat Recovery	29	21	58%	17%	41%	74%	29%	0.76	20%
	Leak Repair and Hydronic Insulation	26	21	35%	19%	17%	54%	53%	1.41	14%
	Operational Improvements	9	7	12%	15%	-3%	27%	123%	1.68	4%
	Controls	7	7	19%	8%	11%	26%	41%	0.56	2%
	Steam Trap	6	6	29%	21%	8%	50%	73%	0.89	2%
	Other	33	23	21%	19%	2%	40%	90%	2.51	10%
Custom Commercial	Controls	16	6	78%	39%	39%	117%	50%	0.61	3%
	Other	46	23	42%	32%	10%	75%	76%	2.13	16%
Overall		198	112	38%	10%	28%	49%	27%	1.70	100%

Union Large Volume

Table 8-45: Net-to-Gross Category for Union Large Volume

Domain	n		Ratio	90% Confidence Interval			Error Ratio	% Program Savings	
	Measures	Clusters		+/-	Lower Bound	Upper Bound			Relative Precision
Equipment	26	21	5%	2%	3%	7%	37%	0.98	68%
Action	57	20	12%	4%	8%	16%	34%	0.89	32%
Overall	83	41	8%	2%	6%	10%	27%	1.02	100%

Table 8-46: Detailed Measures for Union Large Volume

Domain	n		Ratio	90% Confidence Interval			Error Ratio	% Program Savings	
	Measures	Clusters		+/-	Lower Bound	Upper Bound			Relative Precision
Hydronic Insulation	10	7	6%	3%	3%	9%	51%	0.70	44%
Heat Recovery	13	10	7%	5%	2%	11%	70%	1.20	8%
Operational Improvements	20	12	13%	5%	7%	18%	41%	0.79	19%
Leak Repair	14	8	12%	6%	5%	18%	55%	0.82	7%
Steam Trap	17	11	21%	7%	13%	28%	35%	0.65	4%
Other Equipment	6	6	0%	0%	0%	0%	146%	1.77	13%
Other Action	*	*	*	0%	*	*	0%	0.00	5%
Overall	83	41	8%	2%	6%	10%	27%	1.02	100%

Table 8-47: Applied Domains with non-FPC Errors for Union Custom C&I programs

Domain	n		Ratio	90% Confidence Interval			Error Ratio	% Program Savings	
	Measures	Customers		+/-	Lower Bound	Upper Bound			Relative Precision
Hydronic Insulation	10	7	6%	12%	-7%	18%	217%	2.95	44%
Operational Improvements	20	12	17%	11%	6%	29%	67%	1.28	19%
Heat Recovery	13	10	11%	15%	-5%	26%	144%	2.48	8%
Leak Repair and Other Actions	17	11	7%	9%	-2%	15%	127%	2.33	12%
Steam Trap	17	11	21%	17%	4%	38%	83%	1.52	4%
Other Equipment	6	6	0%	0%	0%	0%	235%	2.86	13%
Overall	83	41	11%	6%	5%	17%	58%	2.21	100%

Enbridge Commercial, Industrial and Multi-Residential Programs

Table 8-48: Targeted Sample Domain for Enbridge Custom C&I programs

Domain	n		Ratio	90% Confidence Interval			Error Ratio	% Program Savings	
	Measures	Clusters		+/-	Lower Bound	Upper Bound			Relative Precision
Custom Industrial	60	50	32%	5%	27%	37%	15%	0.65	42%
Custom Commercial	101	62	27%	7%	20%	35%	26%	1.20	58%
Overall	161	112	29%	4%	25%	34%	15%	0.97	100%

Table 8-49: Net-to-Gross Category for Enbridge Custom C&I programs

Domain	n		Ratio	90% Confidence Interval			Error Ratio	% Program Savings	
	Measures	Clusters		+/-	Lower Bound	Upper Bound			Relative Precision
Equipment	102	79	26%	4%	21%	30%	16%	0.87	76%
Action	24	16	25%	13%	12%	37%	51%	1.17	5%
Multi-Residential	35	17	44%	14%	30%	58%	31%	0.74	19%
Overall	161	112	29%	4%	25%	34%	15%	0.97	100%

Table 8-50: Program and Net-to-Gross Category for Enbridge Custom C&I programs

Sector	Domain	n		Ratio	90% Confidence Interval			Error Ratio	% Program Savings	
		Measures	Clusters		+/-	Lower Bound	Upper Bound			Relative Precision
Custom Industrial	Equipment	50	40	33%	5%	28%	38%	15%	0.56	40%
	Action	10	10	*	22%	*	*	96%	1.65	3%
Custom Commercial	Equipment	52	39	17%	7%	10%	24%	40%	1.47	37%
	Action	14	6	27%	5%	22%	33%	19%	0.23	2%
Multi-Residential	Multi-Residential	35	17	44%	14%	30%	58%	31%	0.74	19%
Overall		161	112	29%	4%	25%	34%	15%	0.97	100%

Table 8-51: Detailed Measures for Enbridge Custom C&I programs

Domain	n		Ratio	90% Confidence Interval			Error Ratio	% Program Savings	
	Measures	Clusters		+/-	Lower Bound	Upper Bound			Relative Precision
Heat Recovery	13	10	55%	9%	46%	64%	16%	0.27	10%
Etools Ventilation	30	29	12%	5%	7%	17%	43%	1.36	22%
Etools Boiler	24	19	27%	10%	17%	36%	36%	0.90	21%
Steam Trap	24	16	25%	13%	12%	37%	51%	1.17	4%
Etools Boiler Add-on	11	9	14%	4%	10%	18%	29%	0.46	3%
Other Equipment	42	33	28%	7%	21%	35%	25%	0.83	36%
Other Multi-Residential	17	7	97%	3%	94%	100%	3%	0.05	3%
Overall	161	112	29%	4%	25%	34%	15%	0.97	100%

Table 8-52: Program and Detailed Measures for Enbridge Custom C&I programs

Sector	Domain	n		Ratio	90% Confidence Interval			Error Ratio	% Program Savings	
		Measures	Clusters		+/-	Lower Bound	Upper Bound			Relative Precision
Custom Industrial	Etools Ventilation	8	7	15%	10%	5%	25%	70%	0.95	10%
	Heat Recovery	13	10	55%	9%	46%	64%	16%	0.27	10%
	Steam Trap	*	*	*	22%	*	*	96%	1.65	2%
	Other Equipment	29	24	33%	7%	25%	40%	23%	0.65	19%
Custom Commercial	Etools Ventilation	15	15	5%	4%	1%	8%	72%	1.58	8%
	Etools Boiler	13	11	27%	15%	12%	41%	54%	0.99	8%
	Boiler Add-on	11	9	14%	4%	10%	18%	29%	0.46	3%
	Steam Trap	14	6	27%	5%	22%	33%	19%	0.23	2%
	Other	13	9	18%	12%	5%	30%	70%	1.13	17%
Multi-Residential	Etools Boiler	11	8	26%	14%	12%	40%	54%	0.80	13%
	Etools Ventilation	7	7	20%	14%	6%	34%	71%	0.97	3%
	Other	17	7	97%	3%	94%	100%	3%	0.05	3%
Overall		161	112	29%	4%	25%	34%	15%	0.97	100%

Table 8-53: Applied Domains with non-FPC Errors for Enbridge Custom C&I programs

Sector	Domain	n		Ratio	90% Confidence Interval			Error Ratio	% Program Savings	
		Measures	Customers		+/-	Lower Bound	Upper Bound			Relative Precision
Custom Industrial	Etool Ventilation	8	7	15%	22%	-7%	37%	146%	1.98	10%
	Heat Recovery	13	10	55%	30%	25%	85%	54%	0.93	10%
	Other	39	34	31%	18%	14%	49%	56%	1.95	22%
Custom Commercial	Etool Ventilation	15	15	5%	5%	0%	9%	91%	2.01	8%
	Etool Boiler and Boiler Add-on	25	20	23%	14%	9%	37%	61%	1.57	12%
	Steam Trap	14	6	27%	14%	13%	42%	52%	0.63	2%
	Other	12	8	21%	20%	1%	42%	97%	1.45	16%
Multi-Residential	Etool Boiler	11	8	27%	16%	10%	43%	61%	0.90	13%
	Etool Ventilation	7	7	20%	21%	-2%	41%	108%	1.47	3%
	Other	17	7	97%	4%	93%	101%	4%	0.06	3%
Overall		161	112	29%	9%	21%	38%	29%	1.87	100%

RunitRight

Table 8-54: Net-to-Gross Category for Enbridge RunitRight

Domain	n		Ratio	90% Confidence Interval			Error Ratio	% Program Savings	
	Measures	Clusters		+/-	Lower Bound	Upper Bound			Relative Precision
Action	16	10	50%	14%	36%	64%	27%	0.47	100%
Overall	16	10	50%	14%	36%	64%	27%	0.47	100%

Table 8-55: Applied Domains with non-FPC Errors for Enbridge RunitRight

Domain	n		Ratio	90% Confidence Interval			Error Ratio	% Program Savings	
	Measures	Customers		+/-	Lower Bound	Upper Bound			Relative Precision
RunitRight	16	10	50%	20%	30%	70%	39%	0.68	100%

APPENDIX F. SECONDARY ATTRIBUTION Results

These results are not applied to calculate savings totals. This secondary attribution approach is lower rigour than the primary approach and provides a sense of the incremental effect that historical program efforts have on projects today. This score is not intended for application in determining program net savings.

Union Commercial, Industrial and Multi-Family Programs

Table 8-56: Secondary Attribution for Union Custom C&I programs

Sector	Domain	n		Secondary Attr Ratio	Ratio	Ratio Difference	% Program Savings
		Measures	Clusters				
Custom Industrial	Greenhouse	26	17	46%	40%	6%	29%
	Heat Recovery	29	21	61%	59%	2%	20%
	Leak Repair and Hydronic Insulation	26	21	54%	40%	14%	14%
	Operational Improvements	9	7	10%	10%	0%	4%
	Controls	7	7	51%	18%	32%	2%
	Steam Trap	6	6	35%	29%	7%	2%
	Other	33	23	21%	21%	0%	10%
Custom Commercial	Controls	16	6	92%	78%	14%	3%
	Other	46	23	45%	38%	7%	16%
Overall		198	112	45%	39%	6%	100%

Union Large Volume

Table 8-57: Secondary Attribution for Union Large Volume

Domain	n		Secondary Attr Ratio	Ratio	Ratio Difference	% Program Savings
	Measures	Clusters				
Hydronic Insulation	10	7	6%	6%	0%	44%
Operational Improvements	20	12	21%	13%	8%	19%
Heat Recovery	13	10	15%	7%	9%	8%
Steam Trap	17	11	21%	21%	1%	4%
Other Equipment	6	6	1%	0%	1%	13%
Leak Repair and Other Actions	17	11	17%	9%	8%	12%
Overall	83	41	12%	8%	4%	100%

Enbridge Commercial, Industrial and Multi-Residential Programs

Table 8-58: Secondary Attribution for Enbridge Custom C&I programs

Sector	Domain	n		Secondary Attr Ratio	Ratio	Ratio Difference	% Program Savings
		Measures	Clusters				
Custom Industrial	Etools Ventilation	8	7	15%	15%	0%	10%
	Heat Recovery	13	10	61%	55%	6%	10%
	Other	39	34	39%	31%	8%	22%
Custom Commercial	Etools Ventilation	15	15	35%	5%	31%	8%
	Steam Trap	14	6	61%	27%	33%	2%
	Etools Boiler and Boiler Add-on	25	20	27%	24%	3%	12%
	Other	12	8	24%	18%	6%	16%
Multi-Residential	Etools Boiler	11	8	30%	26%	4%	13%
	Etools Ventilation	7	7	60%	20%	41%	3%
	Other	17	7	99%	97%	1%	3%
Overall		161	112	39%	29%	9%	100%

RunitRight

Table 8-59: Secondary Attribution for Enbridge RunitRight

Domain	n		Secondary Attr Ratio	Ratio	Ratio Difference	% Program Savings
	Measures	Clusters				
RunitRight	16	10	60%	50%	10%	100%
Overall	16	10	60%	50%	10%	100%

APPENDIX G. VENDOR ATTRIBUTION

The NTG ratio includes two components, a participant score and a vendor score. APPENDIX K provides details of how vendor interviews are triggered and how vendor scores are used.

Union Commercial, Industrial and Multi-Family Programs

Table 8-60 shows that of the 51 measures that we attempted to contact the vendor, we completed 24 via 14 vendor interviews.

Table 8-60: Vendor Interviews for Union Custom C&I programs

Vendor Involvement	Attribution	Customers		Measures		Percent Savings
		N	n	N	n	
Vendor not involved in decision		38	N/A	85	N/A	48%
Vendor not important		11		26		16%
Vendor important	100% Direct Attribution	18		36		14%
	<100% Direct Attribution	31	14	51	24	23%
Total		98	14	198	24	100%

Table 8-61 shows a comparison of attribution with and without vendors. The table shows that vendor scores increased attribution by 3% overall, with the greatest effect being a 12% increased for controls.

Table 8-61: Attribution with and without Vendors for Union Commercial, Industrial and Multi-Family Programs

Sector	Domain	n		Ratio with Vendor	Ratio without Vendor	Ratio Difference	% Program Savings
		Measures	Clusters				
Custom Industrial	Greenhouse	26	17	40%	40%	0%	29%
	Heat Recovery	29	21	59%	59%	0%	20%
	Leak Repair and Hydronic Insulation	26	21	40%	36%	4%	14%
	Operational Improvements	9	7	10%	6%	4%	4%
	Controls	7	7	18%	6%	12%	2%
	Steam Trap	6	6	29%	27%	2%	2%
	Other	33	23	21%	18%	3%	10%
Custom Commercial	Controls	16	6	78%	78%	0%	3%
	Other	46	23	38%	31%	7%	16%
Overall		198	112	39%	36%	3%	100%

Union Large Volume

Table 8-62 shows that we attempted to contact five vendors and were only able to complete one.

Table 8-62: Vendor Interviews for Union Large Volume

Vendor Involvement	Attribution	Customers	
		N	n
Vendor not involved in decision		16	N/A
Vendor not important		2	
Vendor important	100% Direct Attribution	11	
	<100% Direct Attribution	5	1
Total		34	1

For confidentiality reasons, the number of measures and percent of savings cannot be reported for this program.

Table 8-63 shows that vendor attribution did not increase overall attribution for this program.

Table 8-63: Attribution with and without Vendors for Union Large Volume

Domain	n		Ratio with Vendor	Ratio without Vendor	Ratio Difference	% Program Savings
	Measures	Clusters				
Hydronic Insulation	10	7	6%	6%	0%	44%
Operational Improvements	20	12	13%	13%	0%	19%
Leak Repair and Other Actions	17	11	9%	9%	0%	12%
Heat Recovery	13	10	7%	7%	0%	8%
Steam Trap	17	11	21%	21%	0%	4%
Other Equipment	6	6	0.1%	0.1%	0%	13%
Overall	83	41	8%	8%	0%	100%

Enbridge Commercial, Industrial and Multi-Residential Programs

Table 8-64 shows that of the 49 measures that we attempted to contact the vendor, we completed 23 via 19 vendor interviews.

Table 8-64: Vendor Interviews for Enbridge Custom C&I programs

Vendor Involvement	Attribution	Customers		Measures		Percent Savings
		N	n	N	n	
Vendor not involved in decision		27	N/A	50	N/A	31%
Vendor not important		6		9		9%
Vendor important	100% Direct Attribution	29		54		30%
	<100% Direct Attribution	37	19	49	23	30%
Total		99	19	162	23	100%

Table 8-65 shows that vendor attribution increased overall program attribution by 2%. The greatest increases were for Multi-residential boilers and ventilation.

Table 8-65: Attribution with and without Vendors for Enbridge Custom C&I programs

Sector	Domain	n		Ratio with Vendor	Ratio without Vendor	Ratio Difference	% Program Savings
		Measures	Clusters				
Custom Industrial	Etools Ventilation	8	7	15%	15%	0%	10%
	Heat Recovery	13	10	55%	55%	0%	10%
	Other	39	34	31%	30%	1%	22%
Custom Commercial	Etools Ventilation	15	15	5%	5%	0%	8%
	Steam Trap	14	6	27%	27%	0%	2%
	Etools Boiler and Boiler Add-on	25	20	24%	22%	2%	12%
	Other	12	8	18%	16%	2%	16%
Multi-Residential	Etools Boiler	11	8	26%	19%	7%	13%
	Etools Ventilation	7	7	20%	11%	8%	3%
	Other	17	7	97%	97%	0%	3%
Overall		161	112	29%	28%	2%	100%

RunitRight

Table 8-66 shows that we attempted to contact two vendors and were only able to complete one.

Table 8-66: Vendor Interviews for Enbridge RunitRight

Vendor Involvement	Attribution	Customers	
		N	n
Vendor not involved in decision		3	N/A
Vendor not important		1	
Vendor important	100% Direct Attribution	1	
	<100% Direct Attribution	2	1
Total		7	1

For confidentiality reasons, the number of measures and percent of savings cannot be reported for this program.

Table 8-67 shows that vendor attribution did not increase overall attribution for this program.

Table 8-67: Attribution with and without Vendors for Enbridge RunitRight

Domain	n		Ratio with Vendor	Ratio without Vendor	Ratio Difference	% Program Savings
	Measures	Clusters				
RunitRight	16	10	50%	50%	0%	100%
Overall	16	10	50%	50%	0%	100%



APPENDIX H. MAPPING OF REPORTING DOMAINS TO TRACKING CATEGORIES

A map of reporting domains to tracking database records and categorization will be provided to each utility in Excel format to facilitate adding the ratio results to their internal data.

APPENDIX I. SAMPLING PROCESS

This appendix provides detail on the:

- High-level process used in sampling
- exploration of tracking data
- definition of the unit of analysis
- stratification decisions
- 2015 FR and CPSV sample design
- 2013/14 Spillover Sample design
- Sample and backup sample selection

High-level process

A sample is a collection of data items such as those collected through surveys, metering or on-site observation. A sample design is required when a sample does not include the entire target population. Most sample designs are driven by cost constraints (including schedule constraints), desired precision or both. The sampling process described here ensures that all bases are covered, ensuring optimal precision around estimates of interest for the data collected. The process we followed is detailed below. All numbers and observations and goals described were operating assumptions used at the beginning of the process:

1. Identify Goals, Methods and Constraints: for sampling, the goals consist of identifying the primary and secondary estimates of interest: what quantitative results are most important. Defining the data collection methodology –the process used to gather the data for the analysis – and the estimation method – the approach used to calculate the primary estimate of interest – is critical for defining elements of the design. Cost and schedule constraints surrounding the data collection and analysis then determine an upper bound for the sample size.

- **Goals:** For this study the primary estimate of interest is the NTG ratio for each program. The NTG ratio is the parameter that we are targeting for 90/10 precision for each program.

As will be described later in the methodology memo, we calculate the NTG ratio as

$$\text{NTG} = (1-\text{FR}) \cdot (1+\text{SO}).$$


Since spillover tends to be small, this formulation is mathematically very close to the simpler formula indicated in the recent Ontario evaluations

$$\text{NTG} = 1-\text{FR} + \text{SO}.$$

We prefer the multiplicative formula as a more complete expression of the relationship between free ridership and spillover.

Previous work in Ontario indicates that free ridership is on the order of 10% to 60% across program segments, 50% overall on a savings-weighted basis. Spillover is on the order of 5%. Because spillover is generally small, the precision of the full NTG will in most cases be close to that of the net-of-free rider factor, even with a modest spillover sample size.

- **Methods and Constraints:** We are using two data collection methods, each of which have different costs associated. Due to cost constraints we must limit our use of on-sites to those projects where it



will make the most difference in the estimate. These will be deployed on the largest and most complex projects as identified based on tracking data descriptions. TSERs will be used to collect the balance of the data that we do not have the funds to collect with On-sites. For smaller and simpler projects where the decisions made are more straight forward, TSER verification provides accurate data at a reasonable cost.

Define the unit of analysis: The unit of analysis is the level at which final estimates will be made. Some studies have multiple units of analysis: process evaluation results may be based on respondent level estimates, while impact evaluation results may be based on measure or project level estimates. Sampling units do not need to be the same as the unit of analysis, but identifying both early is crucial.

We are using the same definition for our sampling unit. Most customers have no more than three projects in a given year, and most projects are of only one or two measure types, so that we will be able to inquire about all of these in a single survey or interview of reasonable length.

We plan to ask each sampled customer about attribution for all of the customer's measures. Only a handful of customers have more than three (unit of analysis level) measures in 2016, with a maximum of six.

For customers with large numbers of projects and measures, we will ask about groups of measures or projects. The groupings will depend on details of the types of measures and savings magnitudes.


Identify the target population: The target population is the universe of items that inferences and estimates are desired for. In the initial scope of the NTG study, the primary target population was defined as future programs of the same type. Having future program years as the target population has two implications for the sample design. First, the applicable error associated with our estimates is the non-finite population corrected error (described in our discussion of sample size below) which requires larger sample sizes for a given precision. Second, analysis by sub-domains such as measure types within the programs becomes more important. The measure mix in programs changes from year to year and typically NTG varies more across measure types than within. For more accurate estimates of net savings for future program years, applying measure type NTG ratios will be preferred to program as a whole NTG ratios. At this time the question of prospective vs. retrospective application of NTG results is unresolved. The final sample design is expected to result in precision levels sufficient for either application of the results.

Establish the Sample Frame: The sample frame refers to the list or mechanism from which the sample is drawn. A perfect frame will match the target population exactly.

Since the target populations of this study are the future programs, we will not have a perfect sample frame; however, if the program designs remain relatively stable, using past program participants as the sample frame will provide a good list from which to draw our sample.

Determine sample size: Sample size refers to the number of items that are selected from the sample frame in order to draw inferences and create estimates about the target population. In stratified designs, sample sizes are determined for each stratum.

Critical to the sample size determination is the error ratio for each sampling cell with respect to the ratio to the estimated. The error ratio for ratio estimation is the equivalent of the coefficient of variation for estimation of a population mean. Our experience with conducting similar NTG studies of



commercial-industrial customers is that the error ratio for the free rider rate is between 0.7 and 0.8 within reasonably defined sampling cells.

In determining these sample sizes, the number of customers in the full population is also important for two reasons. First, if we are trying to estimate a parameter for a finite population, the sample size required is reduced by the Finite Population Correction or FPC. Second, we need to consider the number of completed surveys we can realistically complete given likely response rates.

Use of the FPC is appropriate when the parameter of interest represents a particular population. This situation applies when we are determining the free ridership factor or spillover rate for a particular program and time frame. When we determine these factors for all future theoretical projects, it is arguably more appropriate to treat the sample drawn from recent participants as coming from an essentially infinite population. Thus, for projection to future years we generally recommend against applying the FPC.

Stratification: Stratification is the partitioning of a target population. Stratification is discussed in depth in the sample design section in the body of the Scope of Work.

Sample Selection: Sample selection refers to the process of obtaining the sample of units from the sample frame. If all units on the sample frame are selected then the design is referred to as a census or certainty sample. Otherwise units may be selected either randomly or non-randomly, depending on the evaluation goals, constraints and amount of acceptable bias. The sample selection process is a critical feature of the sample design and has a direct impact on the expected precision and bias of estimates. The optimal sample selection process for a particular project can vary greatly.

Unit and Item non-response Unit and item nonresponse are potential sources of bias, depending on the nonresponse mechanism and the level of nonresponse encountered. Unit nonresponse refers to the absence of information from an entire sampled unit. Item nonresponse refers to the situation where some data are collected, but not all, from a sampled unit. The nonresponse mechanism refers to the process that is causing the nonresponse. If the probability of responding depends on the data items being sought then the nonresponse mechanism is said to be non-ignorable. Otherwise it is called an ignorable nonresponse mechanism. Nonresponse bias tends to be greater when the nonresponse mechanism is non-ignorable and as levels of item nonresponse increase.

There are various ways to address nonresponse in a sample. For example, weight adjustments are often used to account for unit nonresponse and item imputation techniques are often used to account for item nonresponse.

If nonresponse levels are low and the response mechanism is thought to be ignorable then one could ignore nonresponse and simply create estimates among the respondents.

We recommend treating unit nonresponse as ignorable for this study since it does not depend on the data items being sought. Instead, it depends on the willingness of the decision maker at the participating business agreeing to respond to the survey.

For item nonresponse in the scored portion of the surveys we recommend treating the nonresponse as non-ignorable if all three of the T, E, Q portions of the free ridership sequence contain non-response. Otherwise we plan to treat the item nonresponse as ignorable and will impute the average response for the missing item from among scored units of the same measure type and utility. The exception to this

rule is when we find conflicting responses in our QC of the data collection that indicates the nonresponse is non-ignorable. For non-ignorable item nonresponse we will drop the unit from the analysis.

Expansion Sample expansion refers to the process of extrapolating results from a sample back to the target population of interest. Often times this is done using a sample weight. The weight is a numeric quantity associated with each responding unit and conceptually represents the amount of the target population the responding unit represents during the analysis. The sample weight is some function of the total number of units on the sample frame.

The sample weight for our analysis will be built from the inverse probability of selection, incorporating additional adjustment factors to account for nonresponse and coverage errors. The sample weight will be utilized along with the “size” of the unit (energy savings) to expand results using ratio estimation, as described in the ratio estimation appendix of this work plan.

Domains of interest: Often times, estimates for an entire target population are of interest, but so are estimates for various subgroups. Subgroups may or may not overlap. Identifying the population domains of interest is another critically important design feature because it affects the decisions being made about other design features, such as the desired sample size, stratification variables and primary and secondary estimates of interest.

Explore the tracking data

We explored the tracking data provided by Union and Enbridge to determine data availability, the number and types of measures installed, and the size and quantity of projects. We explored the Union and Enbridge datasets separately.

Enbridge custom participant data

The custom program participant data files provided by Enbridge included custom C&I energy efficiency projects claimed during the 2013-2015 program years and custom Low Income Multi-Family projects claimed in 2015 (Table 8-68). The records in the tracking data are per installed measure, so there may be multiple rows per project if more than one measure is installed, and there may also be more than one project per account. There are 124 accounts that appear in both the 2015 program year and the 2013/14 program years.

Table 8-68. Enbridge Custom C&I and Multi-Residential program participation metrics by year

Program Year	Accounts	Gas Savings (m ³)
2013	680	53,030,333
2014	573	46,195,015
2015	706	51,330,067

The Enbridge custom project tracking data includes measure level savings specific to a measure, site and date. As part of defining the unit of analysis, we used the tracking data variables *Market Type*, *load type name*, *end use*, and *technology* to categorize measures into measure types that would be meaningful for data collection and expansion, shown in Table 8-69.

Table 8-69. Enbridge participation metrics by measure, 2013-2015

Measure Type	2013-2014 (SO)		2015 (CPSV/FR)	
	Accounts	Gas Savings (m ³)	Accounts	Gas Savings (m ³)
HVAC	636	32,807,840	380	19,105,965
Controls	337	17,821,495	175	13,868,059
Other Equipment	121	25,151,192	10	2,153,339
Operational Improvements	119	9,672,787	55	7,811,661
Heat Recovery	16	1,092,519	29	4,398,419
Steam and Hot Water	175	3,376,999	86	1,825,048
Process Heat	14	4,786,413	3	73,078
Building Shell	38	1,833,941	89	1,794,104
Greenhouse	10	2,682,162	3	300,394

Enbridge RunitRight participation data

For RunitRight, the program tracking data includes projects claimed in the 2014-2015 program years. These projects were all completed in 2013-2014; savings for a project in the program do not get claimed until after one year of site metering is complete.

Table 8-70. Enbridge RunitRight program participation metrics by year claimed

Program Year	Accounts	Gas Savings (m ³)
2014	45	625,088
2015	28	542,442

The RunitRight program has only one measure type. It also has several projects with negative savings. Negative savings (increases in energy use) are possible results from retro-commissioning projects, sometimes due to calculation method (billing analysis based savings without weather, occupancy adjustment or production adjustment) or due to actual increases in energy use. Negative saving measures need to be handled carefully in ratio estimation: high FR on large negative savings projects can result in overall program FR <0, which is not a valid result.²⁶ Our recommended approach to the problem is to produce and apply ratios with separate domains for positive and negative savings projects.

Union custom participant data

The participant data files provided by Union included energy efficiency projects claimed during the 2013-2015 program years. The records in the tracking data are per installed measure, so there may be multiple rows per project if more than one measure is installed, and there may also be more than one project per account. There are 67 accounts that appear in both the 2015 program year and the 2013/14 program years.

²⁶ Free ridership on negative savings results in more program savings, rather than less.

Table 8-71. Union participation metrics by year

Program Year	Accounts	Gas Savings (m ³)
2013	352	369,438,742
2014	392	285,752,549
2015	462	201,620,726

We used the *project type*, *equipment type*, and *project category* variables in the tracking data to categorize measures. Our first step was to distill the combined information from the three fields into measure types that would be meaningful for data collection and expansion, shown in Table 8-72. The largest measure types (by cumulative savings) were maintenance, steam and hot water, and optimization.

Table 8-72. Union participation metrics by measure, 2013-2015

Measure Type	2013-2014		2015	
	Accounts	Gas Savings (m ³)	Accounts	Gas Savings (m ³)
Maintenance	222	255,847,232	79	37,181,863
Steam and Hot Water	161	119,657,223	91	39,229,635
Optimization	91	94,790,733	28	16,936,421
Ag and Greenhouse	149	64,895,560	73	31,875,980
Heat Recovery	86	38,174,741	52	19,797,904
Other Equipment	56	27,104,377	13	20,653,141
Controls	78	16,785,704	128	13,267,526
HVAC	48	14,885,291	49	8,829,742
Process Heat	25	13,242,538	10	4,536,172
Building Shell	152	5,599,318	68	3,597,883
New Construction	19	3,714,489	5	4,589,777
Cogeneration	4	494,085	1	1,124,682

Define the unit of analysis

Following data exploration, we defined the unit of analysis, which established the level at which data will be analyzed but not the level at which it will be collected, which is the sampling unit. We further discuss this distinction and how the sampling unit is defined in the Task 2.5 section.

The definition of the unit of analysis is one of the most important and least discussed aspects of DSM program evaluation. Consider the following four dimensions: end -use, measure type, equipment or “action,” and calculation approach. The program tracking databases include the first three dimensions and do not have an identifier for the fourth (though there may be a way to proxy it). Our example assumes that calculation type can be defined at a high level with reasonable accuracy based on existing database fields for the 2015 program year. Table 8-73 shows six measures performed at a site in a year through a program. Each of these categories could be considered a possible unit of analysis.

Table 8-73: Example dimensions used to define a unit of analysis

Measure ID	Enduse	Measure Type	Equipment or Action	Calc Type
M1	Process Heat	Boiler	Action	Complex
M2	Process Heat	Boiler	Equipment	Complex
M3	Space Heat	Boiler	Action	Simple
M4	Space Heat	Boiler	Equipment	Simple
M5	Space Heat	Furnace	Action	Simple
M6	Space Heat	Furnace	Equipment	Simple

- **The end use** can be important in decision making because lowering the cost per unit produced is a different decision than lowering the cost of heating a facility or office, for example. It can also be used as a proxy for the complexity of the calculation, as process-related end uses tend to have more complex and site-specific calculation approaches. End use can be used in surveys by listing the measure types that fall into the category; however, this is not ideal for NTG as the program’s influence on decision making may differ by measure type, affecting the attribution response.
- **Measure type** is important for surveys to aid participant recall by providing a concrete, simple description of what equipment was altered or installed. This aggregation is less appropriate for CPSV where the calculation method may differ.
- **Equipment or Action** is a very important distinction for NTG. Continuous improvement actions, such as maintenance, operations, and optimization, have fewer barriers to implementation than equipment purchases due to lower total cost, shorter term planning horizons and often fewer approvals. Businesses typically have separate budgets for capital and operating expenses. Purchases of new or replacement equipment falls under a capital budget, while actions are usually part of the operating budget or performed by salaried employees. Capital budgets typically have long term planning and allocation, while an operating budget is by nature more flexible to conditions in a given year. The ability of programs to affect equipment and action decision making is necessarily different as well. For the unit of analysis, actions were put into three categories: maintenance, operational improvement, and optimization.
- **Calculation type** is important for CPSV. Simple, commonly implemented measures in custom programs do not require the same depth of data collection to verify calculations and inputs as more complex measures. Simple measures also use standardized calculation approaches that reduce variance. Evaluators tend to find fewer adjustments and, even when adjustments are found, the adjustment often affects all measures of a calculation approach similarly.


In the example shown in Table 8-73, aggregating across any of the four listed dimensions is a trade-off of accuracy for increased precision, reduced customer burden and reduced evaluation costs. Not aggregating makes the same trade-off, but in reverse.

We aggregated across elements that are likely to have a lesser effect on decision making (such as type of insulation) and did not aggregate across distinctions that are likely to play a larger role in how decisions were made (such as process vs space heat).

The unit of analysis for the evaluation, presented in Figure 8-1, aggregates the data to the utility, account, year, and measure type. For Union, aggregating the tracking data to the unit of analysis reduced the number of records from 744 to 597 records for 2015 and from 1,468 to 1,091 records for 2013 to 2014. For

Enbridge, the number of records for 2015 decreased from 955 to 858 records and for 2013 to 2014 decreased from 1,648 to 1,511 records.

Figure 8-1: Unit of analysis



For this evaluation, the unit of analysis and the sampling units are defined differently. While a unit of analysis separates units of different accounts/sites, program years or measure types, the sampling unit is specific to the customer. As an example, one Enbridge customer may have installed a new boiler in 2013 and insulation in 2014, which is two different units of analysis. Since they were installed by the same customer, however, they belong to one sampling unit. In the analysis phase, weights will be developed for each unit of analysis (account-measure type-year), but for the standard error calculation, data collected from a single customer (sample unit) will be treated as a cluster rather than evaluated as if they are independent observations.

Once aggregated to the unit of analysis, Union had an average of 1.5 units of analysis per account in 2013 and 2014 and 1.3 units per account in 2015²⁷ while Enbridge has an average of 1.2 units per account in 2013, 2014, and in 2015. In general, Union accounts tended to have more units of analysis per account than Enbridge accounts. Only 26 Union accounts have 5 units and none had more than 5. For Enbridge, 9 accounts have 4 units and no accounts have more than 4. This will facilitate data collection, since it's reasonable to ask about 3-4 units.

At this time we are unable to comment on the number of units per customer, because some customers will likely have multiple accounts. Customers will be defined by their contact information which will be requested along with the documentation request following submission of the scope of work.

²⁷ We are assuming a 1:1 account to customer ratio for sampling. For the analysis, customer will be defined by contact information (phone number primarily), which is not included in the provided tracking data.

Stratify the NTG and CPSV data

There is a balance between having too many and too few strata.²⁸ In sample designs, more strata allow the design to control representativeness and estimated precision along more dimensions. Having more strata does not hurt overall precision, but it can increase the sample sizes required. Each stratification level serves to improve efficiency, improve representativeness, or both.

There are four populations across which the evaluation findings will be completely separate from one another.²⁹ These populations are defined by having separate program designs. The divisions between these populations are hard lines; none of the reported ratio results will include a mix of information across these populations. We can think of this as four evaluations using a common methodology and data collection effort:

- Union Large Volume
- Union Custom C&I
- Enbridge Custom C&I
- Enbridge RunitRight

Within the stratification segments (see **Figure 8-2** and **Figure 8-3**) we categorize measures to improve the efficiency and representativeness of the sample.³⁰ The stratification for the 2015 data collection effort balances the needs of two studies, with the CPSV sample a subset of the NTG sample. Each has differing measure categorization priorities.³¹

- For NTG the measure categorization most predictive of free ridership rates is whether the project is installation of efficient equipment or whether the project was an action taken with existing equipment, regardless of whether that action is maintenance or an optimization that leads to energy savings.
- For CPSV the measure categorization most predictive of verification rates is a simple calculation versus one that is complex. Simple projects that follow consistent approaches and vary less from site to site typically have verification rates with lower variance than more complex projects that require more site-specific knowledge and truly custom calculations. Stratifying by rigour allows us to assign a lower ER (0.3) to the simple project strata and higher to the more complex strata (0.4 ER) which provides better sample allocation. Simple strata projects will receive a TSER verification, while complex strata projects will receive an on-site verification.

The final stratification level segments projects by the magnitude of energy savings resulting from that project. Large projects represent a greater portion of the population, so sampling them at increased rates will result in greater precision with fewer verification visits or calls. Smaller projects must also be sampled to ensure representativeness. DNV GL used cumulative savings as a measure of size for the 2015 sample designs and annual savings as a measure of size for 2013/14 sample designs. Cumulative savings were not

²⁸ DNV GL agrees with the approaches described in "Sampling Methodology for Custom C&I Programs" which was prepared by Navigant for the TEC in 2012 and used to inform previous CPSV sample designs. Our sample design approach is consistent with the approaches recommended and follows the recommended seven step process (pages 17-23).
Dan Violette, Ph.D. & Brad Rogers, M.S., MBA, Navigant Consulting, Inc. "A Sampling Methodology for Custom C&I Programs," Prepared for: Sub-Committee of the Technical Evaluation Committee. November 12, 2012 (Revised October 28, 2014).

²⁹ For the CPSV, LI MF will be reported with MR MF either together with Custom C&I or as a separate Multi-Family domain, depending on final sample sizes and precisions.

³⁰ Page 14 in the Navigant report provides an explanation of the rationale for stratification.


³¹ The current stratification plan has more aggregated program segment categories than were described in the original proposal. When developing the proposal sample design, we did not have access to the data or savings amounts specific to measure types.

provided for 2013/14.³² In terms of sample allocation, using annual savings will select longer life measures at a lower rate than would occur if cumulative savings are used.

It is important to note that the stratification used for sampling and expansion does not need to correspond directly to the level of reporting. For example, while we have chosen to use broad categories of customer segments in our stratification, this does not preclude reporting by more disaggregate customer segments.


Figure 8-2 and Figure 8-3 show the CPSV and NTG stratification for Enbridge and Union respectively.

Figure 8-2: Enbridge stratification



³² The August 4, 2016 data provided by Enbridge included cumulative savings for 2015, but not 2013 and 2014.


Figure 8-3: Union stratification



Design the 2015 samples

Critical to the sample size determination is the error ratio for each sampling cell with respect to the ratio to be estimated. The error ratio for ratio estimation is the equivalent of the coefficient of variation for estimation of a population mean. Free ridership is measured as a percentage between 0 and 100%, with clustering of responses on the extremes. The clustering of responses at 0 and 100% means that the error ratio for NTG studies is generally higher than that for engineering verification, where most of the estimates cluster reasonably close to the tracking savings estimates. Figure 27 shows the expected clustering of results for the two study types.

Figure 8-4: Error ratio example-plots



Our experience with conducting similar studies of commercial-industrial customers is that the error ratio for NTG factors is between 0.6 and 0.8 within reasonably defined sampling cells. SO typically has an error ratio higher than that of FR. Our sample design assumes an ER of 0.6 for FR and 0.8 for SO.

Including the Equipment vs. Action level of stratification allows us to use a 0.6 ER assumption for FR, rather than the 0.7 ER assumption that we would use without.

The CPSV sample of the 2015 program year will target a subset of sites selected for the FR portion of the study. CPSV error ratios are typically lower than those for FR. We are using error ratios ranging from 0.3 to 0.4 for the CPSV portion of the study. Including a stratification level based on assumed complexity allows us to vary these ERs to better allocate our sample. Specifically, we used an error ratio of 0.4 for “complex” Commercial and Industrial strata, 0.35 for “complex” Multi-Family strata, and 0.3 for the less complex TSER strata.

The error ratios for CPSV are based on previous CPSV efforts for the utilities that have achieved or come close to achieving 90/10 precision at the program level using an error ratio assumption of 0.35. Using an error ratio from a study performed by a different firm working for different clients (even though they are the same programs) is a risk. We are mitigating this risk by using a unit of analysis smaller than site-level in our sample design, but collecting data on all projects at the site from the same program year. This approach provides an additional margin of error for the evaluation by collecting more data than is projected by the sample design approach.³³ The cost of the additional data collection is low since engineers will already be on the phone or on-site with the customer.

³³ Sampling at the sub-site level allows us to use measure characteristics more effectively in sampling and expansion. Over-collected data (units of analysis that were not selected randomly) will be given a weight of one (representing themselves alone) to ensure the final results are not biased by collecting additional data from multiple measure sites.

2015 Enbridge stratification

The 2015 Enbridge stratification is presented in **Figure 8-2**. The final stratification includes 4 evaluation programs, two NTG categories, two CPSV categories and up to three size categories optimized for sampling efficiency. In total, there are 26 Strata.

Table 8-74 shows the 2015 Enbridge sample design in table form with the expected relative precisions and sample for targeted programs shown for each portion of the study. Data collection for FR will be completed through IDI, while the CPSV group indicates strata that will have on-site data collection (complex) or TSER (simple) for gross savings verification.

Table 8-74: 2015 Enbridge CPSV and FR sample design

Stratification Segment	NTG Group	CPSV Group	Size Strata	Sample Frame		FR Sample Design		CPSV Sample Design	
				N	m3	n	Rel. Prec.	n	Rel. Prec.
Industrial	Action	Complex	3	13	18,898,127	8	10%	7	10%
		Simple	2	8	4,964,165	4		4	
	Equipment	Complex	4	70	276,569,945	24		15	
		Simple	2	25	43,925,065	6		6	
Commercial	Action	Complex	2	3	10,988,780	3	10%	3	10%
		Simple	1	24	3,875,430	4		4	
	Equipment	Complex	3	59	61,573,901	22		9	
		Simple	2	293	236,656,958	34		10	
Market Rate Multi-Family	All	Complex	1	53	23,584,650	8	5		
		Simple	2	175	129,568,929	19	8		
Low Income	All	Complex	1	6	5,125,020	0	N/A	2	
		Simple	1	104	58,676,555	0		6	
RunitRight	Optimization	IDI	3	28	2,712,210	17	10%	0	N/A
Total				861		149		79	

Table 8-75 shows the anticipated relative precisions for less aggregated program segments. We expect that the final relative precisions will be close to 90/10 for these segments as well as the targeted programs above.

Table 8-75: Enbridge expected precisions by program segment

Stratification Segment	Sample Frame		NTG		CPSV	
	N	Savings	n	Relative Precision	n	Relative Precision
Industrial	118	22,806,549	41	9%	30	9%
Commercial	376	18,098,912	64	10%	27	12%
MR MF + LI MF	336	10,424,606			21	13%
MR MF	237	7,363,563	27	20%		
RunitRight	28	542,442	18	10%		

Table 8-76 provides the detailed sample design.

Table 8-76: Detailed 2015 Enbridge CPSV and FR sample design

Strata	Utility	Program	NTG Category	CPSV Category	Measures in Frame	FR Measure Target	CPSV Measure Target	Cumulative Gas Savings in Frame (m3)	Fraction of Frame Total Reported Cumulative Savings (m3)
211101	Enbridge	Industrial	Action	Complex	8	4	3	2,231,087	0.3%
211102	Enbridge	Industrial	Action	Complex	4	3	3	3,678,905	0.4%
211103	Enbridge	Industrial	Action	Complex	1	1	1	12,988,135	1.5%
211201	Enbridge	Industrial	Action	Simple	7	3	3	2,028,590	0.2%
211202	Enbridge	Industrial	Action	Simple	1	1	1	2,935,575	0.3%
212101	Enbridge	Industrial	Equipment	Complex	47	7	4	44,621,995	5.1%
212102	Enbridge	Industrial	Equipment	Complex	13	7	4	52,578,105	6.0%
212103	Enbridge	Industrial	Equipment	Complex	7	7	4	76,310,125	8.7%
212104	Enbridge	Industrial	Equipment	Complex	3	3	3	103,059,720	11.7%
212201	Enbridge	Industrial	Equipment	Simple	24	5	5	23,332,790	2.7%
212202	Enbridge	Industrial	Equipment	Simple	1	1	1	20,592,275	2.3%
221101	Enbridge	Commercial	Action	Complex	2	2	2	774,895	<0.1%
221102	Enbridge	Commercial	Action	Complex	1	1	1	10,213,885	1.2%
221201	Enbridge	Commercial	Action	Simple	24	4	4	3,875,430	0.4%
222101	Enbridge	Commercial	Equipment	Complex	50	13	4	20,106,586	2.3%
222102	Enbridge	Commercial	Equipment	Complex	8	8	4	31,966,255	3.6%
222103	Enbridge	Commercial	Equipment	Complex	1	1	1	9,501,060	1.1%
222201	Enbridge	Commercial	Equipment	Simple	265	17	5	88,190,023	10.1%
222202	Enbridge	Commercial	Equipment	Simple	28	17	5	148,466,935	16.9%
224101	Enbridge	Commercial	Multi-Residential	Complex	53	8	5	23,584,650	2.7%
224201	Enbridge	Commercial	Multi-Residential	Simple	139	10	4	53,999,911	6.2%
224202	Enbridge	Commercial	Multi-Residential	Simple	36	9	4	75,569,018	8.6%
241301	Enbridge	Run-it-right	Action	N/A	19	8	0	373,925	<0.1%
241302	Enbridge	Run-it-right	Action	N/A	5	5	0	923,845	0.1%
241303	Enbridge	Run-it-right	Action	N/A	4	4	0	1,414,440	0.2%
254101	Enbridge	Low Income	N/A	Complex	6	0	2	5,125,020	0.6%
254201	Enbridge	Low Income	N/A	Simple	104	0	6	58,676,555	6.7%

2015 Union stratification

The Union stratification is shown in Figure 8-3. The final stratification includes 4 evaluation programs, two NTG categories, two CPSV categories and up to three size categories optimized for sampling efficiency. In total, there are 30 strata.

Table 8-77 shows the 2015 Union sample design in table form with the expected relative precisions and sample for targeted programs shown for each portion of the study. Data collection for FR will all be

completed through IDI, while the CPSV group indicates strata that will be have on-site data collection (complex) or TSER (simple) for gross savings verification.

Table 8-77: 2015 Union CPSV and FR sample design

Stratification Segment	NTG Group	CPSV Group	Size Strata	Sample Frame		FR Sample Design		CPSV Sample Design	
				N	m3	n	Rel. Prec.	n	Rel. Prec.
Industrial	Action	Complex	1	21	75,487,148	7	10 %	6	10 %
		Simple	1	44	102,200,503	4		3	
	Equipment	Complex	4	136	862,582,429	35		17	
		Simple	3	111	165,066,284	10		9	
Commercial	Action	Complex	2	8	81,635,903	5	10 %	4	
		Simple	1	13	22,029,892	6		3	
	Equipment	Complex	3	109	142,631,725	14		7	
		Simple	1	42	14,831,059	5		3	
Market Rate Multi-Family	All	Complex	2	6	7,409,515	3	N/A	2	
		Simple	1	1	44,260	1		1	
Low Income Multi-Family	All	Complex	2	2	1,454,295	0	N/A	2	
		Simple	1	35	4,466,365	0		3	
Large Volume	Action	Complex	3	35	404,398,149	10	10 %	8	10 %
	Equipment	Complex	4	37	846,481,549	22		13	
Total				579		115		75	

Table 8-78 shows the anticipated relative precisions for less aggregated program segments. We expect that the final relative precisions will be close to 90/10 for these segments as well as the targeted programs above.

Table 8-78: 2015 anticipated precisions by program segment

Program Segment	Sample Frame		NTG		CPSV	
	N	Savings	n	Relative Precision	n	Relative Precision
Industrial	310	78,037,717	61	10%	38	10%
Commercial	171	16,132,513	33	10%	19	11%
Large Volume	72	106,719,551	31	10%	23	10%
MR MF+LI MF	44	730,945			11	13%
MR MF	7	394,489	5	18%		

Table 8-79 provides the detailed sample design.

Table 8-79: Detailed 2015 Union CPSV and FR sample design

Strata	Utility	Program	NTG Category	CPSV Category	Measures in Frame	FR Measure Target	CPSV Measure Target	Cumulative Gas Savings in Frame (m3)	Fraction of Frame Total Reported Cumulative Savings (m3)
111101	Union	Industrial	Action	Complex	21	7	6	75,487,148	2.8%
111201	Union	Industrial	Action	Simple	44	4	3	102,200,503	3.7%
112101	Union	Industrial	Equipment	Complex	104	13	6	183,932,142	6.7%
112102	Union	Industrial	Equipment	Complex	22	12	5	242,844,358	8.9%
112103	Union	Industrial	Equipment	Complex	9	9	5	347,468,949	12.7%
112104	Union	Industrial	Equipment	Complex	1	1	1	88,336,980	3.2%
112201	Union	Industrial	Equipment	Simple	91	5	4	50,638,424	1.9%
112202	Union	Industrial	Equipment	Simple	19	4	4	73,398,020	2.7%
112203	Union	Industrial	Equipment	Simple	1	1	1	41,029,840	1.5%
121101	Union	Commercial	Action	Complex	7	4	3	50,040,503	1.8%
121102	Union	Commercial	Action	Complex	1	1	1	31,595,400	1.2%
121201	Union	Commercial	Action	Simple	13	6	3	22,029,892	0.8%
122101	Union	Commercial	Equipment	Complex	104	9	3	20,998,185	0.8%
122102	Union	Commercial	Equipment	Complex	4	4	3	44,746,640	1.6%
122103	Union	Commercial	Equipment	Complex	1	1	1	76,886,900	2.8%
122201	Union	Commercial	Equipment	Simple	42	5	3	14,831,059	0.5%
123101	Union	Commercial	Multi-family	Complex	5	2	1	2,316,375	<0.1%
123102	Union	Commercial	Multi-family	Complex	1	1	1	5,093,140	0.2%
123201	Union	Commercial	Multi-family	Simple	1	1	1	44,260	<0.1%
131101	Union	Large Volume	Action	Complex	28	5	4	126,323,149	4.6%
131102	Union	Large Volume	Action	Complex	6	4	3	215,015,820	7.9%
131103	Union	Large Volume	Action	Complex	1	1	1	63,059,180	2.3%
132101	Union	Large Volume	Equipment	Complex	25	10	4	114,682,330	4.2%
132102	Union	Large Volume	Equipment	Complex	5	5	3	137,740,059	5.0%
132103	Union	Large Volume	Equipment	Complex	4	4	3	200,140,680	7.3%
132104	Union	Large Volume	Equipment	Complex	3	3	3	393,918,480	14.4%
153101	Union	Low Income	N/A	Complex	1	0	1	20,865	<0.1%
153102	Union	Low Income	N/A	Complex	1	0	1	1,433,430	<0.1%
153201	Union	Low Income	N/A	Simple	35	0	3	4,466,365	0.2%

Design the spillover samples

The sample design for spillover omits the CPSV category, but is otherwise consistent with the sample design for the 2015 FR and CPSV evaluation task. For spillover, the ER used was 0.8; 90/10 precision was targeted.

2013/14 Enbridge stratification

The 2013/14 Enbridge stratification is presented in Figure 8-5. The final stratification includes 4 evaluation programs, two NTG categories, two CPSV categories and up to three size categories optimized for sampling efficiency. In total, there are 28 strata.

Figure 8-5: 2013/14 Enbridge stratification




Table 8-80 shows the number of accounts and savings in the sample frame and the targeted spillover sample size for each grouping.

Table 8-80: 2013/14 Enbridge spillover sample design

Stratification Segment	NTG Group	Size Strata	Sample Frame		SO Sample Design	
			N	m3	n	Rel. Prec.
Industrial	Action	3	40	5,067,923	20	10%
	Equipment	6	191	41,899,589	50	
Commercial	Action	4	79	4,604,864	25	10%
	Equipment	6	603	27,240,429	60	
MR MF	All	5	553	20,412,543	65	
RunitRight	Action	4	45	625,088	26	10%
Total			1,511		246	

2013/14 Union stratification

The Union stratification is presented in Figure 8-6. In total, there are 35 strata.

Figure 8-6: 2013/14 Union stratification




Table 8-81 shows the number of accounts and savings in the sample frame and the targeted spillover sample size for each grouping.

Table 8-81: Union spillover sample design

Utility	Stratification Segment	NTG Group	Size Strata	Sample Frame		SO Sample Design	
				N	m3	n	Rel. Prec.
Union	Industrial	Action	5	167	64,448,800	38	10%
		Equipment	6	412	107,347,726	57	
	Commercial	Action	4	74	9,687,715	24	10%
		Equipment	5	190	15,744,760	40	
	MR MF	All	2	38	564,428	8	
	Large Volume	Action	5	130	317,638,812	38	10%
Equipment		5	94	139,759,050	33		
Total				1,105		238	

Prepare the sample and backup sample


Once we have completed the final sample design, we will submit a data request to the utilities. The specific types of information we will be requesting are outlined in Table 8-82. The decision maker may not

necessarily be located at the site where the project occurred and may be the same for multiple projects at multiple sites. The technical expert is someone who will be able to answer questions regarding the specific engineering specifications of the equipment. Program energy advisors are the primary Account Manager or Energy Solutions Consultant that worked with the customer on the sampled projects. Vendors are the third-party firms that were involved in the sale or design of the equipment, or the sale and performance of the O&M services.

Table 8-82: Information to be requested

Requested Information	Project Year	
	2013/14	2015
Site Address	√	√
Project Documentation	√	√
Decision Maker Contact Information: <ul style="list-style-type: none"> ▪ Full Name ▪ Role ▪ Mailing Address ▪ Email Address ▪ Direct Business Phone Number 	√	√
Technical Expert Contact Information: <ul style="list-style-type: none"> ▪ Full Name ▪ Role ▪ Mailing Address ▪ Email Address ▪ Direct Business Phone Number 	√	√
Program Energy Advisor Information: <ul style="list-style-type: none"> ▪ Full Name ▪ Email Address ▪ Direct Business Phone Number 		√
Vendor Contact Information: <ul style="list-style-type: none"> ▪ Full Name ▪ Role ▪ Mailing Address ▪ Email Address ▪ Direct Business Phone Number 	√	√

For the 2015 NTG sample we will request documentation and contact information for 50% more projects that are in the primary sample. This corresponds to a minimum 66% response rate. If response rates are lower than 66% in specific stratum, we will request documentation and contact information for additional projects in the stratum.



For the 2013/14 spillover sample, we will request contact information for three times the number of sampled projects. This corresponds to a minimum 33% response rate. We will not request project documentation for the spillover sample until we have identified the sites that require follow up engineering interviews. To protect respondent confidentiality, we will request documentation for more sites than will receive follow up calls. Overall this staging of requests will reduce the amount of project documentation that the utilities need to provide, while ensuring efficient data collection.

Backup sample will only be contacted if needed to meet targeted number of completes.

Once we have received the requested contact information, we will identify instances where a contact was involved in multiple projects, even across sites. While the projects are conducted at the site level, the decision maker, technical expert, or vendor may have been involved in projects at multiple sites. For example, multiple participating sites for the same retail chain may have one energy manager from the corporate office but the technical expert may be site specific. Using this contact information and considering cross-site involvement, we will assemble the CATI and the IDI sample frame.

APPENDIX J. LCNS Methodology

Life Cycle Net Savings (LCNS) is a methodology for determining the FR component of NTG by estimating program effect over the life of the program measure. In this appendix, the terms FR and attribution are used interchangeably as complements of one another. This appendix does not include spillover.

Notation:

VGS_S = Verified Gross Savings based on ISP or code efficiency equipment baseline (annual)

VGS_E = Verified Gross Savings based on pre-existing equipment baseline (annual)

VGS_L = Verified Gross Lifetime Savings

Y_{V.EUL} = Verified Estimated Useful Life (Years) of installed efficient equipment

Y_{V.RUL} = Verified Remaining Useful Life (Years) of replaced equipment³⁴

Y_A = Years Accelerated

Y_R = Remaining Useful Life of pre-existing equipment

A_E = Efficiency Attribution

A_Q = Quantity (size) Attribution

F_E = Efficiency free ridership

F_Q = Quantity (size) free ridership

SPA = Simple Program Attribution (function of efficiency and quantity free ridership, not timing)

NS_L = Net Lifetime Savings

NS_A = Net Acceleration Period Savings


NS_P = Net Post-Acceleration Period Savings

Verified lifetime savings

First we consider the verified savings that make up the denominator in the NTG ratio. Figure 8-7 shows the verified lifetime savings for a measure.

³⁴ RUL of existing equipment is also applicable as defining the estimated useful life for some retrofit add-on measures

Figure 8-7: Verified lifetime savings for a measure



Verified lifetime savings are calculated as the difference in energy use of the incentivized measure and the energy use of the in-situ measure for the remaining useful life of the in-situ measure plus the verified savings of the ISP or code baseline measure for rest of the (verified) life of the new measure.

$$VGS_L = VGS_E \times Y_{V.RUL} + VGS_S \times Y_{V.EUL}$$


Timing

The treatment of timing is how LCNS differs from other estimation approaches for attribution. In LCNS the response to the question “when would you have performed the measure without the program” defines the number of years that the program accelerated (advanced) the measure. This period is referred to as the “acceleration period” and shown as the distance from the origin to Y_A along the x-axis.

During the acceleration period, the customer would not have installed a new measure (efficient or standard). Instead the appropriate baseline equipment for this time period is the pre-existing equipment that they had been using. This section shows how this difference in baseline affects the net savings estimate for the measure relative to the gross savings.

During the acceleration period (Y_A), the attributable savings are calculated as the difference in energy use of the incentivized equipment and the energy use of the replaced equipment (a pre-existing efficiency baseline). As a result, during the acceleration period the net savings (blue box up to VGS_E) may be higher than the verified gross savings (VGS_S) if the efficiency of the pre-existing equipment was less than the standard program baseline. Savings during the acceleration period are, by definition, attributable. Figure 8-8 shows the attributable savings in the acceleration period for an accelerated measure.

Figure 8-8: Acceleration Period Savings



Acceleration period savings are calculated as:

$$NS_A = VGS_E \times Y_A$$


Special Case: “Never”

Some respondents will indicate that they would “never” have replaced the existing equipment. A customer “Never” would have installed the project if they:

1. respond to initial timing question by saying they never would have installed it without the program
2. respond to second timing question by saying they would have installed it more than four years later without the program
3. respond to the initial quantity question by saying they would not have replaced any of the units without the program

For these measures, the acceleration period is defined by the remaining useful life of the pre-existing measure (Y_R) and the applicable baseline is versus pre-existing efficiency (VGS_E) as shown in Figure 8-9.

Figure 8-9: Acceleration period savings for “never” cases



Acceleration period savings for “Never” would have installed measures are calculated as:

$$NS_A = VGS_E \times Y_R$$

Efficiency and quantity

In the post-acceleration period attribution is based on the program effect on the efficiency and quantity of what was installed.

Efficiency attribution, A_E , measures the effect the program had on the *efficiency* of the equipment installed. The efficiency attribution measures the proportion of savings attributable to the program for increasing the efficiency of the equipment above what would have been installed otherwise.

Quantity attribution, A_Q , measures the effect the program had on the *size or amount* of the equipment installed. The quantity attribution measures the proportion of savings attributable to the program for increasing or decreasing the quantity of equipment above or below what would have been installed otherwise.

The Simple Program Attribution (SPA) is the fraction of annual verified gross savings that are attributable to the program and is a function of the efficiency free-ridership (f_E) and the quantity free-ridership (f_Q).

The free-ridership values for efficiency and quantity are calculated from the attribution factors. The complement of attribution is free-ridership. Attribution measures the portion of the savings that result because of the actions of the program. Free-ridership measures the portion of the savings that would have happened in the absence of the program. The free-ridership equivalents of the attribution factors are used to determine program net savings.

$$f_E = 1 - A_E$$

$$f_Q = 1 - A_Q$$

The fraction of verified gross savings that would have occurred without the program is the product of the fraction of units that would have been installed without the program, and the fractional unit savings that these units would have had without the program.

$$f_{QE} = f_Q f_E$$

For example, if two-thirds as many units would have been installed without the program ($f_Q = 2/3$), and the savings per unit would have been only half as much ($f_E = 1/2$), the portion of the savings that would have occurred without the program would be


$$f_{QE} = (2/3) \times (1/2) = 1/3.$$

The SPA is the complement of this free rider portion.

$$SPA = 1 - f_{QE} = 1 - f_Q f_E$$

The relationship is illustrated in Figure 8-10.


Figure 8-10: Graphical derivation of the SPA equation



SPA is the attribution of each year savings in the post-acceleration period. Figure 8-11 shows the program attributable and free-ridership portions of each year's savings in the post-acceleration period. The blue rectangles represent SPA as discussed and shown from above. The height of the SPA box is equivalent to the baseline used for verified savings. The grey "missing pieces" are the free ridership for each year's savings. Because attribution is three dimensional and this is a two-dimension document, we are representing both

years and quantity on the x-axis. Years are denoted by the dark blue vertical lines, while the quantity FR (f_Q) is shown as the width of the grey box.

Figure 8-11: Post-acceleration period attributable savings



The net savings in the post-acceleration period are calculated as:


$$NS_P = VGS_S \times SPA \times (Y_L - Y_A)$$

Note that for the special case discussed relating to acceleration period savings, "Never", $SPA = 100\%$.

Calculating attribution

Figure 8-12 shows the attributable savings across the lifetime of the measure NS_L (blue) overlaid on the verified gross lifetime savings VGS_L (green). The figure shows that with the effect of the dual baseline verification included in the net savings estimate and in the verified savings estimate that net savings will always be less than or equal to gross savings.

Figure 8-12: Attributable vs. verified gross savings for a measure



The formula for each individual measure's estimate of lifetime net savings is:

$$NS_L = NS_A + NS_P$$

or

$$NS_L = VGS_E \times Y_A + VGS_S \times (SPA) \times (Y_{V.EUL} - Y_A)$$

The formula for each individual measure's attribution is:

$$Attr = \frac{NS_L}{VGS_L}$$

or


$$Attr = \frac{VGS_E \times Y_A + VGS_S \times (SPA) \times (Y_{V.EUL} - Y_A)}{VGS_E \times Y_{V.RUL} + VGS_S \times (Y_{V.EUL} - Y_{V.RUL})}$$

Four years is the time horizon beyond which we assume the respondent cannot answer with certainty. Anything beyond four years ($Y_A > 4$) is treated as a "never would have installed" response (100% attributable), rather than an accelerated measure.

Special Case: FR Sampled Projects not sampled for CPSV

The sample for the CPSV portion of the study is a subset of the free ridership sample. This means that for projects included in the FR study, but not included in CPSV we will not be calculating verified savings. For expansion of the NTG ratio and for calculating post-acceleration period savings we will use the final ratio application domain level Gross RR to estimate verified savings for measures not in the CPSV.

For acceleration period savings, we will use the A/P ratio of accelerated projects in the CPSV to estimate the pre-existing baseline savings. The A/P ratio refers to the ratio between the annual Acceleration Period Savings and the annual Post-Acceleration Period Net Savings. It is always one or larger. Like the application



of Gross RR, the A/P ratio will be estimated at the application domain level for use in estimating net savings for the FR-only sampled measures.

APPENDIX K. DETERMINING ATTRIBUTION PARAMETERS

The attribution factors defined in the previous section are determined from the participant responses gathered during the survey. This section provides an overview of the survey data and how it is used to determine each attribution factor. It also includes more detailed sections for each factor that show exactly how all survey responses are handled.

General procedure

This section provides an overview of the attribution factors and how they are determined.

- Timing attribution, A_T : The timing attribution is determined from the acceleration period, Y_A , which is in turn provided directly by the respondent and the verified savings versus existing equipment provided by the evaluation engineers. There is no timing attribution effect for values of Y_A greater than four; in those instances, we assume that the measure would never have been installed without the influence of the program.
- Efficiency attribution, A_E : The efficiency attribution is based on the answers to questions DAT2a and DAT2b which ask about the efficiency level that would have been installed in absence of the program. Respondents who indicate that they would have installed a lesser-efficient piece of equipment in the absence of the program are asked what efficiency they would have installed instead. An efficiency attribution value is assigned based on the response. Standard efficiency based on program definitions will be used to bracket the finer cut as defined in the project documentation provided by the utilities.
- Quantity attribution, A_Q : The quantity attribution is based on the percentage change in quantity caused by the program, ΔQ , which is in turn provided directly by the respondent. The timing section next shows the attribution assignment based on responses to DAT3a and DAT3b.

The next few sections deal with determining the timing, efficiency, and quantity attributions on a more detailed level.


Timing

The timing attribution, A_T , is determined from the first set of attribution survey questions. These questions are used to determine if the program accelerated implementation of a measure or caused it to be implemented before it would have been without the program. The two relevant questions are labelled DAT1a and DAT1b.

- DAT1a: "Without < the program >, would you have <installed, preformed> <measure> at the same time, earlier, later, or never?"
 - DAT1a_O: "Why do you say that?"
- DAT1b: "Approximately how many months later?" (DAT1b is only asked if DAT1a is "Later.")

Note that these questions ask about the timing of installing equipment, not installation of efficient equipment in particular. For example, if the measure was replacement of a high-efficiency boiler, the question asks when the boiler would have been replaced without the program. Engineers conducting the interviews are trained to ensure clarity for these questions. Figure 8-13 shows a decision tree for DAT1a and DAT1b.

Figure 8-13: Decision tree for the acceleration period



The measure is considered accelerated if the respondent indicates that the measure would have been installed less than four years later without the influence of the program. The acceleration period is determined based on the answer to DAT1b. If the respondent is unable to answer DAT1b, the measure is assigned the average acceleration period across all accelerated measures in the same measure group.

If the respondent answers DAT1a with Earlier or Same Time then there is no acceleration period. If the respondent answers DAT1a with Never and the Quantity and Efficiency sections apply to the measure then the survey skips to the next section and there is no acceleration period. If the respondent answers DAT1a with Don't Know or Refused but does provide answers to inform the Quantity and Efficiency Attributions then the measure is assigned the average Acceleration Attribution for all measures in the same primary domain.³⁵

³⁵ The primary domain is the domain that the attribution factor will be applied to in calculating the final net savings for the programs.

Table 8-83: Timing attribution assignments

Coarse Cut (DAT1a) (Would you have implemented the measure at the same time absent the program)	Finer Cut (DAT1b)	Acceleration period
Same time	NA	None
Earlier	NA	None
Later	0 < years <4	$A_T = \text{DAT1b}$ Acceleration period equals response to DAT1b
	4 ≤ years	Equivalent to "Never" $A_T = A_R$ Acceleration period equals remaining useful life of replaced equipment, SPA=100%
	Don't know/refused	Weighted average of "later" cases for primary domain, 0 < years <4
Never	NA	$A_T = A_R$ Acceleration period equals remaining useful life of replaced equipment, SPA=100%
Don't know/refused	NA	Weighted average of all respondents for primary domain


Efficiency

Efficiency Attribution, A_E , gives the program credit for increasing the efficiency of a measure above what would have been installed in the absence of the program. The two relevant questions are DAT2a and DAT2b.

- DAT2a: "Without <the program>, would you have installed the same efficiency as what you installed, lower efficiency, or higher efficiency?"
- DAT2b: "Without <the program>, would you have installed <measure> that was "standard efficiency on the market at that time," or "between standard efficiency and the efficiency that you installed?" (DAT2b is only asked if DAT2a is "Lesser.")

The program receives nonzero Efficiency Attribution if the respondent indicates that they would have installed a less efficient measure without the influence of the program. The magnitude of the Efficiency Attribution is determined based on the answer to DAT2b, as shown in Table 8-84. Figure 8-14 shows the corresponding decision tree for DAT2a and DAT2b.

Figure 8-14: Decision tree for efficiency attribution



If the respondent answers DAT2a with Greater or Same then the survey skips to the next section and there is zero Efficiency Attribution. If efficiency is not applicable to this measure but quantity is applicable and the measure would have been installed anyway then the survey skips to the next section and the Efficiency Attribution will not affect the Simple Program Attribution. If the respondent answers DAT2a with Don't Know or Refused but does provide answers to inform the Quantity Attribution and Acceleration Period then the measure is assigned the average Efficiency Attribution for all measures in the same measure group.

Table 8-84: Efficiency attribution assignments

Coarse Cut (DAT2a) (what efficiency would have been implemented absent the program)	Finer Cut (DAT2b)	Efficiency Attribution
Same	NA	0%
Lower	Standard efficiency or according to code	100%
	Between standard efficiency and the efficiency that was installed	50%
	Don't know/refused	Weighted average of above cases for primary domain
Greater	NA	0%
Don't know/refused	NA	Weighted average of all respondents for primary domain

Quantity

Quantity Attribution, A_Q , gives the program credit for increasing the quantity of a measure above what would have been installed in the absence of the program. The two relevant questions are DAT3a and DAT3b.

- DAT3a: "Without <the program>, how different would the <number/size> of the <equipment type> have been? Would you say you would have installed the same amount, less, more, or not have installed anything?"
- DAT3b: "By what percentage did you change the amount of <equipment type> installed because of <the program>?" (DAT3b is only asked if DAT3a is "Less" or "More.")

The program receives nonzero Quantity Attribution if the respondent indicates that they would have installed less of the measure or a smaller measure without the influence of the program (for example: "I would have replaced as many doors"_. The program also receives nonzero Quantity Attribution if the respondent indicates that they would have installed more of the measure or a larger measure without the influence of the program (for example: "I would have installed a bigger furnace, but I through the program I learned it was unnecessary"). The latter case covers situations where the program effect was in "right sizing" the measure. The magnitude of the Quantity Attribution is determined based on the answer to DAT3b, as shown in Table 8-85. Figure 8-15 shows a decision tree for DAT3a and DAT3b.

Figure 8-15: Decision tree for quantity attribution




Table 8-85: Quantity attribution assignments

Coarse Cut (DAT3a) (How much equipment would have been replaced absent the program)	Finer Cut (DAT3b)	Quantity Attribution
Same	N/A	0%
Less/Smaller	ΔQ	$AQ = \Delta Q / (\Delta Q + 100\%)$
	Don't know/refused	Weighted average of "less" cases for primary domain
More/Larger (right sizing)	ΔQ	$AQ = \Delta Q$
	Don't know/refused	Weighted average of "more" cases for primary domain
None	N/A	100%
Don't know/refused	N/A	Weighted average of all respondents for primary domain

If the respondent would have installed a smaller measure without the program then the Quantity Attribution is calculated as:

$$A_Q = \text{Inc} / (\text{Inc} + 100\%)$$

where

Inc = percentage change in quantity because of the program.

If the respondent would have installed a larger measure without the program, then the Quantity Attribution is calculated as:


$$A_Q = \text{Inc}.$$

If the respondent answers DAT3a with Same Amount or None then the survey skips to the next section and there is zero Quantity Attribution. If quantity is not applicable to this measure but efficiency is applicable and the measure would have been installed anyway then the survey skips to the next section and the Quantity Attribution will not affect the Simple Program Attribution. If the respondent answers DAT3a or DAT3b with Don't Know or Refused but does provide answers to inform the Efficiency Attribution and Acceleration Period then the measure is assigned the average Quantity Effect for all measures in the same measure group.

What if they "Don't Know" or "Refuse?"

Some respondents are unable or unwilling to answer the relevant questions in the survey attribution sequence. If a participant is unable or unwilling to answer *all* of the attribution questions then the participant is dropped from the attribution analysis. However, the respondent information will still be included as part of the installation rate and the VGI. Figure 8-16 shows a decision tree that indicates the relationship between the question responses and how they affect the attribution. If a measure goes to the "Keep" decision then the ultimate resolution of each effect is shown in the previous tables.

Figure 8-16: NTG case retention decision tree for don't know/refused




When efficiency and quantity don't apply

Quantity and efficiency questions do not apply to all measures. Efficiency questions do not apply if the equipment type is inherently an efficiency improvement; that is, the "standard efficiency" baseline would be not to install anything. Variable frequency drives (VFDs) or heat recovery systems are examples. Quantity questions do not apply when varying quantity or size does not make sense in the context of the measure.

Figure 8-17 shows a decision tree that indicates the relationship between the question responses and how they affect attribution. If a respondent indicates that a measure would never have been installed without the program and the DAT2a and DAT3a questions do not apply then the attribution is 100%. If the respondent would have installed the project at the same time, earlier, or later and the DAT2a and DAT3a questions do not apply then the measure is assigned the average savings-weighted attribution across all measures in that measure group.

Figure 8-17: Decision tree for not applicable



Example Attribution Calculations

Table 8-86 provides several examples of how survey responses are translated into an NTG ratio. The examples in the table show primarily early replacement (on the gross savings) measures, but the non-ER measures would work the same way. E and Q are the attribution portions, not free ridership (i.e. 0% in column Q means 100% free ridership for quantity/ size).


Table 8-86: Attribution Examples

Example	DAT1a	DAT1b	DAT2a	DAT2b	DAT3a	DAT3b	VGS _E	VGS _S	Y _{V,RUL}	Y _{V,EUL}	VGS _L	Y _A	E	Q	SPA	NS _L	NTG
Accl only	Later	Two Years	Same		Same		100	50	3	10	650	2	0%	0%	0%	200	31%
"Never" for timing	Never		Same		Same		100	50	3	10	650	3	0%	0%	100%	650	100%
No attribution	Same		Same		Same		100	50	3	10	650	0	0%	0%	0%	0	0%
Accl with partial efficiency	Later	Two Years	Less	Between	Same		100	50	3	10	650	2	50%	0%	50%	400	62%
"Never" with partial eff.	Never		Less	Between	Same		100	50	3	10	650	3	50%	0%	100%	650	100%
Partial eff. only	Same		Less	Between	Same		100	50	3	10	650	0	50%	0%	50%	250	38%
Accl with partial eff. and partial quantity	Later	Two Years	Less	Between	Less	Half	100	50	3	10	650	2	50%	50%	75%	500	77%
"Never" with partial eff. and partial quantity	Never		Less	Between	Less	Half	100	50	3	10	650	3	50%	50%	100%	650	100%
Partial efficiency and partial quantity	Same		Less	Between	Less	Half	100	50	3	10	650	0	50%	50%	75%	375	58%
"None" is equal to "Never"	Same		Same		None		100	50	3	10	650	3	100%	0%	100%	650	100%
Full eff. credit, no accel. or quantity (ER)	Same		Less	Standard	Same		100	50	3	10	650	0	0%	100%	100%	500	77%
Full eff. credit, no accel. or quantity (non-ER)	Same		Less	Standard	Same		0	50	0	10	500	0	0%	100%	100%	500	100%

Secondary attribution

Secondary attribution, the longer-term effect of the program on participant decision making will be assessed based on a single question (DAT6). DAT6 asks the respondent about the likelihood of the project given all program assistance for all projects since the programs were started. The greater of the score from DAT6 and the primary SPA will be used as the SPA in calculating the secondary attribution. Secondary attribution is an estimate of LCNS attribution based on all program efforts, not just program efforts focused on this project. This secondary attribution approach is lower rigour than the primary approach and provides a sense of the incremental effect that historical program efforts have on projects today. This score is not intended for application in determining program net savings.

Figure 8-18: Secondary attribution scoring




Incorporating vendor effect

DNV GL will take two steps to determine when a vendor survey is necessary to supplement the participant survey. They are:

1. When we request project documentation and site contact information for each sampled project we will also ask the utilities to provide vendor contact information for projects with vendor involvement.
2. Each survey completed with a participant is reviewed to determine the effect the supplier had on the participant's decision to install a given measure relative to the program's effect. If a participant indicates that the program did not influence their decision to install high-efficiency equipment but the vendor did have substantial influence, then we will complete a survey with the vendor. The decision tree is shown in Figure 8-19.

Figure 8-19. Decision tree to trigger vendor interview



For measures with both participant surveys and vendor surveys, the analysis will produce two separate attribution values. The first reflects the influence that the program had on the participant’s decision to install the measure. The second reflects the influence that the program had on the vendor’s business practices and therefore their ability to sell the measure. We choose the higher of the two values as the final program attribution for that measure. That is, if either the vendor or the customer indicates that the program influenced the decision to install the measure, we conclude that the program influenced the decision. In the event that a vendor interview is triggered, but is either not completed or results in an inconclusive vendor score, vendor attribution for the measure will be the average attribution of all completed vendors within the evaluation program.


The vendor attribution scoring method will be included with the vendor interview guide.

Quality control by interviewers and analysts

Each of the components of attribution, Timing (DAT1a/ DAT1a_O/DAT1b), Efficiency (DAT2a/DAT2a_O/DAT2b) and Quantity (DAT3a/ DAT3a_O/DAT3b), have a question sequence that follows the same pattern:

- DATXa. What would you have done without the program?
- DATXa_O. Why do you say that?
- DATXb. <If DATXa=program effect> How different would the project have been?

Quality control for each component of attribution consists of comparing the final component attribution score (t, e, q) to the open-ended response for the “DATXa_O. Why do you say that?” question.



Interviewers are trained to probe if the response to the open-ended question is inconsistent with the scored response to DATXa.

During the analysis phase, the analyst will put measures into three bins: full attribution, partial attribution and full free rider for each component. The analyst works bin at a time to compare each verbatim open ended response to the score for the attribution component. Assessing verbatim responses by bin reduces analyst error and speeds the review. If an open-ended response appears inconsistent with the score received, the case is elevated to PM review.

Overall attribution scores are compared to the DAT0 score and assesses for consistency. A high attribution score from the TEQ questions should usually correspond to a “somewhat unlikely” or “very unlikely” to implement response to DAT0. Inconsistent scores are referred to PM review.

Overall attribution scores are also assessed for consistency with the DAT4 verbatim, by bins as described for the QC of the component scores. Inconsistent scores are referred to PM (Ben Jones) review.

Non-Zero attribution scores are also assessed for consistency with the responses to PF8 and PF9. Any non-zero score that also has a response of “after making decision” or “after installing” is considered inconsistent and referred to PM (Ben Jones) review.

The overall attribution score will also be compared to DAT6 (the secondary attribution question). In theory, DAT6 should be equal to or greater to the overall attribution score for all measures, but because the question is a scalar 1-10 and the primary attribution is scored by asking about influence on specific aspects of the project inconsistencies are expected. For QC, all instances where the secondary attribution is more than 20% lower than overall primary attribution will trigger a PM review.

Quality control PM Review

Analysts are instructed to have a low bar (“when in doubt flag for review”), most of the measures flagged for PM review result in no change. For each site that has a measure flagged for PM review, the PM (Ben Jones) will review the full survey, including all measures and responses. The PM may also follow up with the interviewer to better understand the combination of responses. If the PM determines that the flagged score (whether of a component or overall) is not clearly contradicted by the overall story told by the respondent throughout the interview, the PM makes no change. If the flagged score is clearly contradicted (approximately 1% of cases in DNV GL’s experience), the PM decides among three options:

- drop the measure from the sample (for very muddled responses, much more common with CATI than IDI)
- replace the inconsistent response with a “Don’t Know” (effectively using the average if it is clear that there should be some attribution for the component, but unclear how much)
- adjust the flagged score to more accurately reflect the intent of the respondent (employed in cases where there is overwhelming evidence of intent, for instance the open-ended response says clearly what the score should be)

For all adjusted scores, project sponsor (Tammy Kuiken) approval is required.

APPENDIX L. Spillover Methodology

The spillover portion of the study includes participant spillover only. The participant spillover analysis will provide separate estimates of spillover for inside-like, inside-unlike, outside-like, and outside-unlike spillover. Each of the estimates will be generated based on ratio estimation relative to the program measure savings. Some spillover data was collected as part of the combined CPSV/NTG data collection. Spillover results will be provided in a separate volume.

Spillover “refers to effects of customers that adopt energy efficiency measures because they are influenced by a utility’s program-related information and marketing efforts, but do not actually participate in the program.”³⁶ As in many jurisdictions, Ontario’s Demand-Side Management Guidelines recognize the importance of spillover in determining program benefits and requires “comprehensive and convincing empirical evidence” to support any program spillover claim.

Key challenges to providing convincing quantified evidence of spillover for a particular customer include:

- Determining that a particular subsequent action was due to the influence of the program
- Confirming that the action was not taken as part of the original or another program, hence already counted by the program
- Quantifying the savings associated with confirmed spillover actions.

DNV GL’s proposed approach provides a high level of rigor to address each of these issues.

- We determine program influence using participant surveys that start with the framing used for our free ridership questions. This framing helps ensure more meaningful responses to questions of the influence of the experience with the program in implementing the original measure on subsequent actions. As for the free rider surveys, obtaining the right respondents is also essential to obtaining meaningful responses to these questions.
- We confirm that the actions tentatively identified as spillover were not already counted by another program by cross-checking tracking data bases. Also critical to separation of spillover from program-claimed savings is understanding what savings if any are claimed by the programs for facilitation support such as opportunity identification, feasibility studies, audits, and related continuous improvement program engagement.
- We quantify the savings for confirmed spillover actions by collecting engineering specifications and calculating associated savings. This approach gives more accurate results than asking customers to estimate the magnitude of spillover savings relative to the original measure.

Thus, our participant spillover methodology addresses the following key issues:

- *Locating the right decision-maker* - Large commercial and industrial companies have multiple decision-makers and it is often difficult to find someone who is familiar with both the tracked program-influenced measure and the spillover measure. Employee turnover can also complicate this. Our approaches to ensure appropriate respondents are discussed above.
- *Avoiding double-counting* – Companies that received financial incentives from an energy efficiency program for one measure are likely to seek these incentives for future measures. Hence it is important

³⁶ Ontario Energy Board Demand Side Management Guidelines for Natural Gas Utilities, EB-2008-0346, June 2011, Chapter 7.

to get the program's latest tracking data to make sure that a potential participant spillover measure did not receive program support.

- *Estimating program attribution for potential spillover measures* - A common way of assessing participant spillover is to ask how much the participant's experience with the tracked program-influenced measure influenced their decision to implement measures that are candidates for spillover attribution. It is difficult to turn this "fuzzy" assessment of program influence into a more concrete attribution factor necessary for attributing a certain quantity of m³ from the spillover measure to the program.
- *Estimating the energy savings for the participant spillover measures*. Because spillover measures occurred outside the program, evaluators do not have access to the same information about the size, type, and quantity of the implemented energy-efficient measures that they would find in a program tracking database.

Our approach to these issues is described in more detail below. This approach is based on one we used successfully in Wisconsin C&I programs over many years.

Understanding energy-related standard practices

The first objective of the survey will be to find out whether the participant's company or organization had installed any energy-efficient equipment or made any energy-efficient changes in operation or maintenance (O&M) procedures after the implementation of the tracked project. But before doing that we will collect some information about the company or organization's energy-related decision-making process. We will ask the participants a series of questions about:

- Who in their company makes decisions about equipment replacement and retrofit projects;
- What information sources are used in making these decisions; and
- Possible barriers to energy efficiency implementation.

This information will be valuable for a number of different reasons. First, it should help program implementers devise strategies for increasing program awareness and mitigating barriers to project implementation, especially for participants who did not identify any subsequent energy-efficient projects after the tracked project. Second, by shedding light on the project decision-making process, it should help the evaluators make better judgments about assigning program attribution to a given project. Finally, it should make the survey appear less peremptory for those who did not report any new energy-efficient projects after the tracked projects, since otherwise their survey would be terminated fairly quickly.

After we collect this information about participant energy practices, we will ask the participants whether their company/organization had installed any energy-efficient projects after the installation of the tracked project. If the participants report no subsequent actions, we will terminate the survey since there is no participant spillover to be measured. If they do identify subsequent projects, then we will collect some basic information about the project including:

- The approximate year of the project;
- The geographic location of the project (e.g. city);
- The types of energy-efficient measures installed or energy-efficient O&M practices implemented; and
- Whether the tracked project and the subsequent project were in the same facility or not (needed for the calculation of inside vs. outside spillover).

Because this information will be collected by CATI program surveyors who do not have an energy background, we will not ask them to try to collect too detailed information about the energy-efficient project.

It just needs to be detailed enough to allow the evaluators to make a reasonable match with any projects in the program tracking data.

Calculating program attribution for candidate spillover actions


The next stage of the survey will focus on program attribution. Our method only awards spillover energy savings if two criteria are met:

ES1. The potential spillover project is at least partially attributable to the participant’s experience with the program in implementing the earlier tracked project (Attribution Factor A).

For like spillover, the original tracked project is at least partially attributable to the program (Attribution Factor B). For unlike spillover, Attribution B will apply if the respondent indicates that the original program measure (separate from other program efforts) was a factor in their decision.

Figure 8-20 shows how program causality ties to different types of spillover. Attribution B applies to like spillover in all cases, while for unlike spillover attribution B applies to the spillover only if the original program measure was part of the program influence that led to the spillover measure being implemented.

Figure 8-20: Program influence on spillover by type



If a measure met these two criteria, we assign it spillover savings according to the following formula:

$$(\text{Spillover Savings}) = (\text{the measure's savings}) \times (\text{Attribution Factor A}) \times (\text{Attribution Factor B}).$$

We apply both Attribution Factor A and Attribution Factor B because if the program had no influence on the original tracked project, the program should not get credit for any additional measure installations resulting from that tracked project. To reduce respondent fatigue, Attribution Factor A will be asked in the CATI

survey, while Attribution B will only be asked in the Engineering follow up IDI. If Attribution A is zero we will not conduct a follow up interview.

To determine attribution factor B we will use the FR question battery already described in this SOW. For Attribution factor A we will use a scoring method that will be triggered off the question, "If you had not made the earlier energy-efficiency improvements I just listed, how likely would you have been to make this additional energy efficiency improvement?" The scoring method, which we used in Wisconsin for many years, is shown in Table 8-87. If the participant said they were very likely to have made the additional energy efficiency improvement without the program, then we will terminate the survey since there will be no participant spillover to be measured. If the subsequent measure is fully or partially attributable, then for unlike spillover a follow up question will be administered to assess whether Attribution B is applicable.

Table 8-87: Program Attribution for Subsequent Measures

If had not made tracked program-influenced energy efficiency improvement, reported likelihood of making subsequent energy efficiency improvement		Assigned Attribution Factor A
1	Not likely at all	1.00
2	Not very likely	0.90
3	Somewhat likely	0.55
4	Very likely	0.00

The reason we use a different method for Attribution Factor A than for Attribution Factor B is that the character of influence is different. For the program's influence on the tracked project (Attribution Factor B) financial incentives usually account for much of the influence in terms of reducing payback periods and therefore we want to measure things like acceleration effects. However, with participant spillover the influence is less tangible and more likely to be general positive experience with a new energy-efficient technology and the energy savings it produces. We believe that using a Likert scale question will better capture the less tangible character of this type of influence.

Avoiding double counting of energy savings

Once a participant has identified a subsequent project that is attributable – e.g. one where Attribution Factor A and Attribution Factor B are both greater than zero -- then we will conduct some additional checks to insure that the subsequent project is not also a tracked project. Some of these checks will occur in the survey itself. For example, we will ask the participants if they recall receiving financial incentives from an energy efficiency program for the subsequent projects. We will also examine the program tracking data to make sure that the subsequent project is not in the tracking program data for future years. For example, if we interview a 2013 participant and they identify a subsequent project in 2014 we will look at the 2014-2015 program tracking data (we will look at both program years in case their memory of the project timing was faulty) to see if we can find that project. If we do find the subsequent project in program tracking data, then we will remove that project as a candidate for spillover energy savings since the savings for that project has already been claimed by the program.

Estimating energy savings for participant spillover measures


Once a project has been identified as having spillover energy savings (it is program attributable and we could not locate it in the program tracking data) the final step will be to estimate its energy savings. To

estimate the annual energy savings for participant spillover measures, we plan to have engineers conduct follow-up interviews with the persons identified in the CATI surveys as being most familiar with the spillover projects. The engineers will have some basic project information collected from the CATI survey as well as some information about deemed savings algorithms for that measure which will allow them to prepare ahead of time the types of questions they will need to ask (e.g., about baseline measures, hours-of-use, etc.). Once they have conducted the interview and collected the necessary information they will calculate the first-year savings and EUL for the measure. If a deemed savings algorithm exists for that measure they will use that as a default. If none exists then they will use their best professional judgment to estimate the energy savings. This process will work equally well for both like and unlike spillover.

Spillover decision trees


The initial participant IDI and participant CATI each include a spillover module that produces a list of potential spillover projects for each participant. The first part of the module (Figure 8-21) generates a list of changes to energy using equipment at the same location as the original measure and another list of changes to equipment at other locations.

Figure 8-21. Spillover module Part 1: identify subsequent projects



The second part of the module (Figure 8-22) loops through the list of subsequent projects to eliminate projects that received utility incentives and to establish program influence. The projects identified that were program influenced are referred to as potential spillover and will receive a follow up engineering interview to quantify savings.


Figure 8-22. Spillover module Part 2: subsequent project loop



72

Potential spillover projects that are not found in program tracking databases will receive a call from a DNV GL engineer. If the customer refuses the interview or the evaluation engineer is not able to find a contact who can answer technical questions, the spillover will be quantified in one of two ways (Figure 8-23). If the project is like spillover we will use the savings of the original program measure as the basis for the savings estimate. If the project is unlike spillover we will use the average of other sites with unlike spillover for the estimate.

Figure 8-23. Spillover callback high-level process



APPENDIX M. SAMPLE EXPANSION AND RATIO ESTIMATION

Sample weights

this appendix describes how we calculate the sample weights for each stratum. In lay terms the weight is simply the number of units in the sample frame (N) divided by the number of completed units in the sample (n). The interpretation of the weight is that each completed sample unit represents N/n units in the population (sample frame).

Notation:

N_x = number of units of analysis in stratum X

n_x = number of completed sample units of analysis in stratum X

The weight W_x is calculated as

$$W_x = N_x / n_x$$

We can understand the weight as meaning the response for one sampled unit in stratum X is representative of W_x units in the population. Table 2 shows a simple example. In the example, we completed 2 surveys with participants in the "North" and 10 surveys with participants in the "South." The weight for the "Northerners" is greater than that of the "Southerners," but because we completed more surveys with "Southerners" the combined weight of the "South" will be in proportion to its share of the population (both the population and sum of weights is 20).

Table 2: Example Sample Weights

Stratum Definition	Sample Frame (N)	Sample Completes (n)	Weight (W)	Interpretation
North	10	2	$5 = 10/2$	Each response represents 5 Northern participants
South	20	10	$2 = 20/10$	Each response represents 2 Southern participants

Without sample weights, the data collected from the "North" would be 17% (2/12) of the final result, while with weights, the "North" is 33% (10/30). The un-weighted result would be less accurate than the weighted result if the measured value differs along North/South lines. For example, if the "North" is more conservative than the "South" then political surveys without sample weights would end up with inaccurate results. If responding to surveys is negatively correlated with conservatism, then the weights help correct for the systemic bias in response rates.

The sample weight associated with an observation is consistent regardless of the segmentation of the data that we report by (reporting domains). This means that we can segment the data multiple ways in the report, with the final overall results consistent no matter the domain.

Special cases


There are some special cases where the sample weight for a project needs to be set to 1 in order to use the data collected without biasing the result. Our sample design targets measures within a site and sample weights are developed at that level as well. When we collect data from a customer we will collect data on all of a customer's measures in a single IDI or site visit. This maximizes the data collected on each customer contact, but requires special handling to ensure that extra data collected does not bias the sample. To eliminate the potential bias of over representing multiple measure sites, we first identify units that were completed as an add-on when another measure was selected for a site.

For each stratum in our sample design the units are randomly ordered for selection in a list. If seven units are targeted for the stratum then the first seven units on the list are the primary sample and the rest of the list comprises the full backup sample (when we request project documentation we will restrict the backup sample for the request in order to reduce burden on utility staff). If a site has two measures in different strata and one is selected in the primary sample, we will request documents on both measures and ask about both, regardless of whether the second measure is in the primary or backup sample in its stratum. After collecting data on both measures we will assess whether the second measure was selected in its stratum based on how far down the list we had to go to complete our target. If the second measure's spot on the list was selected, then the measure will be counted as a normal complete and included in the stratum's N/n weight calculation. If the measure's spot on the list did not come up, the data collected for the measure will be used, but the measure will not be included in the N/n weight for its strata. Instead it will be given a weight of 1 so that it represents itself and no other measures. For variance estimates, the measure will remain in its sampled stratum.

Table 8-88 provides an example. Both site A and Site B were had measures in Stratum X selected in the sample. Each responded to our interview. Both sites also had a measure in Stratum Y. The evaluation completed data collection for both measures for each site. Due to where each of the sites' second measures were on the original priority list in stratum Y, the second measure for each site received different weights despite being in the same stratum.

Table 8-88: Determining non-randomly selected measures

Strata	Priority	Site	Measure	Survey Status	Selection Type	Weight
X	1	A	A1	Complete	Random	3/2
X	2	B	B1	Complete	Random	3/2
X	3	C	C1	live		
Y	1	D	D1	Complete	Random	8/3
Y	2	E	E1	Refused		
Y	3	A	A2	Complete	Random	8/3
Y	4	F	F1	Complete	Random	8/3
Y	5	G	G1	live		
Y	6	B	B2	Complete	Not Random	1/1
Y	7	H	H1	live		
Y	8	I	I1	live		
Y	9	J	J1	live		



The measures in Stratum X each were selected randomly. Measure A1 was first on the priority list and measure B1 was second. Because both A1 and B1 were completed and the target was 2 for the strata, site C was not called. Because site C was not called, measure C1 had a final survey status of “live.” In the case of stratum X, there were 3 measures and 2 were completed. This resulted in a sample weight of 3/2 for each of the two completed measures.

In stratum Y four measures were completed. In this example the target for the stratum was achieved prior to calling site G. The evaluation attempted data collection for the first 4 measures on the list. Site E refused the survey or otherwise did not respond. Sites D, A, F and G completed the survey, but B did not come up in the priority list until after site G (the first “live” site in the list). In this case measure B2 was not selected randomly and needs to be treated as a special case. Measure B2 is removed from the stratum Y weight calculation, so the three measures that were completed receive a weight of 8/3 (once measure B3 is removed there are eight measures in the frame, and 3 completed measures). Measure B2 receives a weight of 1.

Ratio estimation

The calculation of the adjustment factors for tracking system gross and net savings uses appropriate case weights corresponding to the sampling rate as discussed above. The energy saving estimates (tracking savings, installed savings, verified savings or net savings) of the sampled units (measures, projects, sites) are present in both the numerator and the denominator of the ratios, when combined with the sample weights the ratio estimation method produces unbiased, savings weighted adjustment factors.


Collecting data on verified and net savings for the same set of measures provides a more accurate estimate of net savings. Integrating the two allows the evaluation to calculate net savings for a measure as a function of verified savings rather than tracking savings. This means that projects carry the weight of their specific verified savings in the net-to-gross ratio rather than tracking savings or a broader estimate of verified savings. Large verification adjustments can have a large effect on the relative weight of specific projects in the NTG.

For an individual measure:

- Installed savings are a function of the tracking savings. When the measure is installed the installed savings equal tracking savings and when the measure is not installed, then installed savings are zero.
- Verified savings are calculated independent of the tracking savings by evaluation engineers using the best available methods and information.
- Net savings are a function of verified savings. Attribution for the measure multiplied times verified savings plus spillover savings associated with the measure.

Individual measure results are expanded to the estimate population savings (circles) using ratios (diamonds), as shown in Figure 8-24. Ratios are applied for each of the primary reporting domains and then summed to calculate the total for the program overall.

Figure 8-24: Ratios used to estimate verified and net savings



Two general ratio calculation approaches are employed: directly calculated and combined. The description of the process is easiest to understand through an example. The example below has three directly calculated adjustment factors: the installation rate, the engineering adjustment, and the net-to-gross factor. Each of these is calculated as a ratio estimator over the sample of interest (Cochran, 1977, p.165). The formulas for these factors are given below.

Notation: The following terms are used in calculating the adjustment factors:

- G_{Tj} = tracking estimate of gross savings for measure j
- G_{Ij} = tracking estimate of gross savings for measure j , adjusted for non-installation
- G_{Vj} = engineer verified estimate of gross savings for measure j ,
- N_{Vj} = Net verified estimate of gross savings for measure j ,
- W_{Vj} = weighting factor for measure j used to expand the CPSV sample to the full population
- W_{Nj} = weighting factor for measure j used to expand the FR sample to the full population

The installation rate R_I is calculated using the CPSV sample as

$$R_I = \frac{\sum_{j \in A} G_{Ij} W_{Vj}}{\sum_{j \in A} G_{Tj} W_{Vj}}$$

The Engineering Adjustment R_E is calculated from the CPSV sample as

$$R_E = \frac{\sum_{j \in V} G_{Ej} W_{Vj}}{\sum_{j \in V} G_{Ij} W_{Vj}}$$

The Attribution ratio R_A is calculated from the FR sample as³⁷

$$R_A = \frac{\sum_{j \in N} N_{Vj} W_{Nj}}{\sum_{j \in N} G_{Vj} W_{Nj}}$$

The procedure used for calculating ratio estimation by domains provides the correct standard error of the estimate for each domain and overall. The procedure also takes into account defined clusters of observations (customers) and stratification. The standard error is calculated using two methods.

The first method recognizes the sample as drawn from a finite population: the measures completed within the analysis period with associated energy impacts in the program-tracking database. This calculation uses the Finite Population Correction (FPC) factor. This factor is a reduction to the calculated variance that accounts for the fact that a relatively large fraction of the population of interest has been observed directly and is not subject to uncertainty. It is appropriate to apply precision statistics, such as confidence intervals, based on the standard error calculated in this manner when quantifying the results of the program during the study period only. The FPC factor reduces the calculated sampling error around the estimate more for smaller populations than for large.

The second calculation treats the population of interest as essentially infinite. Thus, the measures completed to date and the sample selected from them is regarded as random instances of a virtually infinite number of measures that could have been completed under the program. In this case, the FPC is not included. It is appropriate to apply standard errors calculated in this manner when applying the verification factors developed from this study to tracked savings from other years to estimate verified savings in those years.

The Gross RR, R_V , is calculated by chaining together the installation rate and the calculation adjustment:

$$R_V = R_I R_E = \left[\frac{\sum_{j \in V} G_{Ij} W_{Vj}}{\sum_{j \in V} G_{Tj} W_{Vj}} \right] \left[\frac{\sum_{j \in V} G_{Cj} W_{Vj}}{\sum_{j \in V} G_{Ij} W_{Vj}} \right]$$

This is an example of a chained ratio estimator using a nested sample. The standard error for the chained ratio is approximated by the formula:

$$SE(AB) \cong AB \sqrt{\left[\left(\frac{SE(A)}{A} \right)^2 + \left(\frac{SE(B)}{B} \right)^2 \right]}$$

(This formula overstates the standard error, because it ignores the correlation between the numerator of R_I and the denominator of R_E , which reduces the variance of the product.)

³⁷ For the net-to-gross ratio, the verified gross savings for measures in the FR only sample (G_{Vj}) were estimated based on the gross RRs found for measures of the same measure type in the CPSV sample.

Likewise, the Net RR, R_N , is calculated by chaining together the gross realization rate and the net-to-gross ratio:

$$R_N = R_V R_A$$

The same standard error approximation formula allows (an over-estimate of) the standard errors of each of the realization rates to be calculated from the two separate standard errors.

Ratio estimation example

This section provides an example of the ratio estimation procedure. The results in this section are for explanatory purposes only.

The installed savings, and engineering verified savings, are calculated at the measure level and summed to the Measure Type level for each customer in the sample that completed a survey. Attribution is collected at the measure type level and is a function of the verified measure type savings for the customer. The sample weights are applied to the measure type level savings which is the unit of analysis. Table 8-89 shows the reported, installed and verified savings and NTG for Example Customer A's four measures reported in the program tracking database.

Table 8-89: Example Customer A in CPSV and NTG sample

Measures	Measure Type	Reported m3	Installed m3	Verified m3	NTG
Space Heat Boiler 1	Space Heat	80,000	80,000	100,000	100%
Space Heat Boiler 2	Space Heat	56,000	56,000	55,000	
Process Heat	Process Heat	150,000	150,000	120,000	80%
Steam Trap Repair	Maintenance	12,000	12,000	14,000	20%

DNV GL engineers confirmed the customer installed all of the measures that were reported by the program; therefore, installed savings are equal to the reported savings. If a measure was initially reported as not installed, a second DNV GL engineer would contact the customer to verify this result. The engineering review produced adjustments to the installed savings for the first three of Customer A's reported measures, resulting in differences between the verified gross savings and installed savings for those measures.

The attribution rate is calculated for each measure type using the customer and supplier survey, if applicable, for Example Customer A using the methods that will be provided with the survey instruments. The measure type level attribution rates are then applied to the aggregated measure type level verified gross savings to estimate measure level net savings. Example Customer A received 100% attribution for the two space heat measures, 80% attribution for the process heat measure, and 20% attribution for the maintenance measure. Table 8-90 shows the verified gross and net savings for Example Customer A.

Table 8-90: Example Customer A net savings

Measure Type	Verified m3	NTG	Net m3
Space Heat	155,000	100%	155,000
Process Heat	120,000	80%	96,000
Maintenance	14,000	20%	2,800

Similar estimates are created for each customer in the sample. For this example, we assume Example Customers A to F comprise the Industrial Sector sample. Table 8-91 shows the un-weighted customer and commercial sector savings results.

Table 8-91: Example industrial sector measure-type-level sample

Customer	Measure Type	Reported m3	Installed m3	Verified m3	Net m3
A	Space Heat	136,000	136,000	155,000	155,000
A	Process Heat	150,000	150,000	120,000	96,000
A	Maintenance	12,000	12,000	14,000	2,800
B	Process Heat	250,000	250,000	180,000	180,000
B	Maintenance	20,000	20,000	14,000	0
C	Space Heat	150,000	150,000	140,000	35,000
D	Process Heat	80,000	80,000	81,000	81,000
E	Space Heat	70,000	70,000	70,000	0
F	Space Heat	14,000	14,000	13,000	0

Each customer in the sample frame is assigned to a sampling stratum as described in the sampling plan. Each customer in the sample is assigned a sampling weight based on the sample design and the number of completed sample points in each stratum. Assume that Example Customers A and C each have a space heat measure in a stratum that has four measures in the sample frame. The sampling weight for the space heat measures for Customers A and C is equal to the number of customers in the sample frame stratum divided by the number of stratum customers in the sample, or $4/2 = 2$. The weighted savings for each customer is equal to the weight times the savings value. Table 4 shows the weights and savings (un-weighted and weighted) for each customer in the Example Industrial Sector if we assume the measure type weights shown.

Table 8-92: Example industrial sector measure-type-level weighted savings

Customer	Measure Type	Weight	Reported m3		Installed m3		Verified m3		Net m3	
			unweighted	weighted	unweighted	weighted	unweighted	weighted	unweighted	weighted
A	Space Heat	2	136,000	272,000	136,000	272,000	155,000	310,000	155,000	310,000
A	Process Heat	3.5	150,000	525,000	150,000	525,000	120,000	420,000	96,000	336,000
A	Maintenance	20	12,000	240,000	12,000	240,000	14,000	280,000	2,800	56,000
B	Process Heat	1	250,000	250,000	250,000	250,000	180,000	180,000	180,000	180,000
B	Maintenance	18	20,000	360,000	20,000	360,000	14,000	252,000	0	0
C	Space Heat	2	150,000	300,000	150,000	300,000	140,000	280,000	35,000	70,000
D	Process Heat	3.5	80,000	280,000	80,000	280,000	81,000	283,500	81,000	283,500
E	Space Heat	15	70,000	1,050,000	70,000	1,050,000	70,000	1,050,000	0	0
F	Space Heat	25	14,000	350,000	14,000	350,000	13,000	325,000	0	0

The next step is to determine program overall adjustment factors. For kWh the Industrial Sector the installation rate, engineering verification factor, and attribution adjustment factor are:

- $3,627,000 \text{ weighted installed m}^3 / 3,627,000 \text{ weighted reported m}^3 = 100\% \text{ installation rate}$
- $3,380,500 \text{ weighted verified gross m}^3 / 3,627,000 \text{ weighted installed m}^3 = 93.2\% \text{ eng. verification factor}$
- $1,235,500 \text{ weighted net m}^3 / 3,380,500 \text{ weighted verified gross m}^3 = 36.5\% \text{ attribution adjustment.}$

The verified gross RR is the product of the installation rate and the engineering verification factor, or 100% times 93.2%= 93.2% for this example. The net RR is the product of the verified gross RR and the attribution adjustment, or 93.2% times 36.5% = 34.018% for this example.

The same principle can be applied to each Measure Type to get the Measure Type level adjustment factors. With the unit of analysis remaining the same (at the measure type level), the same process can be used to produce adjustment factors for any domain that we are able to define for the whole sample.

Applying ratios to domains

Ratio application refers to multiplying the gross RR and net RR times the program tracking savings to produce the total verified and net savings results for a program.

The general formula for total verified gross savings is:



The general formula for total net savings is:



The body of the report discusses how to calculate the population adjustment factors, which are based on a finite, fixed distribution of projects. You can also calculate for subsets, called domains. Viewing domain-level results allows for insights into program performance that can lead to program improvements. Domain-level ratios can also be used to apply ratios and calculate overall program savings totals. The ratio results will be generated for each of the domains of interest (subsets of the population that stakeholders agree are important) and overall for each of the utilities' programs.

The level at which one applies the ratios has an effect on the overall verified and net savings estimate for each program. There are two basic approaches that we take. The first is to apply the overall program ratio. This is appropriate to retrospective evaluation where the population that the applied ratio is the same as the population of study and is static.

The second is to apply the ratio at the domain level. This is appropriate for all uses and recommended for estimating savings for programs or program years that are not the same as the population of study. Another approach is to apply the ratio at the stratum level. This is really a subset of the domain application approach where the domain used is the sample strata.

We recommend applying ratios by domains in most cases in order to improve accuracy. Assuming a sufficient sample size in each domain, domain-level precisions are usually sufficient for the approach. While 90/10 relative precision is typically the threshold targeted for an overall result, precisions usually have lower threshold for domain-level application as the resulting precision of the overall result will be better than the component parts.

If one domain has an extreme adjustment, the accuracy of the overall result is improved if domain level ratios are applied to the domain level savings. Table 8-93 shows an example where we apply the gross RR and net RR directly and by domains. The sample weighted savings in the example closely match the population savings: one domain, process heat, is 3.2% different, while the other domains are each within 3% and overall the difference is less than 1%. The ratios and resulting savings are also similar, within one% of one another. Though the results in the example are similar, the final net savings are more accurate when calculated by domains. In the example, both space heat and maintenance measures had very different attributions from process heat and each were slightly over-represented in the weighted sample savings, which resulted in lower net savings when we applied the overall ratio directly.

Table 8-93: Example of ratios applied overall vs. by domains

Measure Type	A	B	C	D	Verified Gross Savings (A*C)	Net Savings (A*D)
	Population m3	Sample Weighted m3	Gross RR	Net RR		
Space Heat	1,950,000	1,972,000	99.6%	19.3%	1,943,078	375,761
Process Heat	1,090,000	1,055,000	83.7%	75.8%	912,810	826,024
Maintenance	585,000	600,000	88.7%	9.3%	518,700	54,600
Overall - Ratios Applied Directly	3,625,000	3,627,000	93.2%	34.1%	3,378,636	1,234,819
Overall - Ratios Applied by Domains and Summed	3,625,000		93.1%	34.7%	3,374,589	1,256,384
Difference			0.1%	-0.6%	4,047	-21,566

Neither applying the overall ratio directly nor by domains has an inherent systemic bias, but when the differences among the domain ratios are significant, applying by domains results in improved accuracy.

The choice between how to apply the ratios does not affect whether or which domains are reported. There is a large inherent value in looking at program results by multiple domains in order to better understand where the program is doing well and what areas have room for improvement.

Criteria for selecting domains for reporting and application

DNV GL will select the domains that are reported and those that will be applied to estimate gross and net savings for the programs.


Table 8-94: Relevant statistics.

Term	Definition
Ratio/Adjustment factor	A point estimate of the evaluation findings expressed as a percent.
+/- or Absolute Precision	If the evaluation were repeated several times selecting samples from the same population, 90% ³⁸ of the time the ratio would be within this range of the ratio
Confidence interval	The upper bound is defined by the ratio plus the absolute precision. the lower bound is defined by the ratio minus the absolute precision.
Relative Precision	The relative precision is calculated as the absolute precision divided by the ratio itself. By convention, relative precisions are the statistic that are targeted in sampling (i.e., 90/10 is a relative precision metric)
Finite population correction (FPC)	FPC is a factor that reduces the measured error of samples drawn from small populations (less than 300). FPC applies when the ratio is applied to the same population from which the sample was drawn.

Figure 51 shows an example:

- the adjustment factor (ratio) as a blue point
- the 90% confidence interval *with finite population correction* (blue)
- the 90% confidence interval *without finite population correction* (green)

Figure 8-25: Ratio diagram example




The plus/minus (\pm) error (%) indicated at the 90% confidence interval is the absolute difference between the estimated percentage and the upper or lower confidence bound. For example, in Figure 51, the ratio is 94% and the non-FPC 90% confidence interval is ± 5 percentage points (i.e., $94\% \pm 5\%$).³⁹ Another way of

³⁸ 90% is the confidence limit that we are using.

³⁹ The critical value for calculating the confidence interval \pm for each adjustment factor is determined using Student's t-distribution and n-1 for the degrees of freedom, where n is the sample size. The critical value for the gross savings adjustment factor is determined using the degrees of

saying this is that there is a 90% probability that the actual ratio for the next year's program lies between 89 and 99%. Figure 8-26 demonstrates this concept by showing twenty hypothetical confidence intervals calculated from twenty different samples of the same population. Eighteen out of twenty (90%) include the true population ratio

Figure 8-26. Ninety Percent Confidence Interval



Note: Each horizontal line represents a confidence interval. Yellow confidence intervals do not include the actual ratio.

The relative precision of the ratio is calculated as $5\%/94\% = 5.3\%$.


For low ratios, relative precisions may be quite high, even when the confidence interval around the ratio is quite narrow. Consider a ratio of 40% with the same 5% absolute precision as in the above example. While the absolute precisions are the same, the latter ratio (40%) has a relative precision of $5\%/40\% = 12.5\%$.

Because relative precisions can over-represent error for low ratios (and under-represent errors for ratios above 100%), we prefer to set thresholds for reporting and application based on the absolute precision rather than the relative precision.

For determining which ratios to report and apply we will use the following rules:

- The minimum sample size for a reporting or application domain will be five.
- The absolute precision threshold for reporting ratio for a domain will be +/- 20% at 90% confidence with FPC-on.
- The absolute precision threshold for applying ratio for a domain will be +/- 15% at 90% confidence with FPC-on for retrospective application.
- The absolute precision threshold for applying ratio for a domain will be +/- 20% at 90% confidence with FPC-off for prospective application.

freedom based on the minimum sample size for the components of the adjustment factor. The gross savings adjustment factor is a product of the installation rate and the engineering verification factor. For 2-tailed estimates (ratios that could be above or below 100%) the appropriate t-stat used to calculate precision from the standard error is close to 1.645.



Reporting domains will be defined as combinations of the following categorizations where sample sizes and precisions allow:

- Stratification segments
- NTG Category (for FR and SO)
- CPSV Category (for Gross results)
- Measure types (shown in later tables)

Table 8-95 and Table 8-97 present the maximum number of reporting domains for the NTG results and Table 8-98 and Table 8-99 present the maximum number of reporting domains for the CPSV results.

There will be cases where some of the groups defined by a categorization have sufficient precision, while others do not. In these cases, we will combine the groups that do not meet reporting thresholds into an “other” group. For example, we may have sufficient precision to report separate ratios for Enbridge Commercial Controls, Heat Recovery and HVAC, but not enough to report the ratios for the other six measure types. In this case, we will report the three groups that we have sufficient precision for and group the rest into a “Balance of commercial/Other” group. Table 8-96 provides an example of how the Enbridge NTG domains presented in Table 8-95 could potentially be collapsed during ratio estimation.

No results will be reported that blend Union and Enbridge samples. Large Volume and RunitRight will also not be combined with other programs segments due to their different designs.

For application of CPSV results our initial list of application domains will be within stratification segment with separate domains for each CPSV category and measure type (as shown in the tables below). Those domains that meet the pre-defined precision and sample size criteria, described above, will have results applied at this level. For the rest of the list we will combine domains in the most logical manner appropriate to the ratio in order to achieve combinations that meet criteria and where possible are a meaningful grouping of measures. For example, we will combine CPSV categories within measure types and combine measure types within CPSV categories as is most reasonable given the estimation approaches used (i.e. if there is little difference in simple vs complex measures in the calculation method for building shell measures we would combine the simple and complex building shell first rather than simple building shell into a “simple-other” domain).

For application of NTG results the same process will be used as for CPSV, but with the NTG category substituting for the CPSV category.

Table 8-95. Enbridge NTG domains

Utility	Program	NTG Category	Measure Type
Enbridge	Commercial	Action	Operational Improvements
Enbridge	Commercial	Equipment	Building Shell
Enbridge	Commercial	Equipment	Controls
Enbridge	Commercial	Equipment	HVAC
Enbridge	Commercial	Equipment	Heat Recovery
Enbridge	Commercial	Equipment	Steam and Hot Water
Enbridge	Industrial	Action	Operational Improvements
Enbridge	Industrial	Equipment	Building Shell
Enbridge	Industrial	Equipment	Controls
Enbridge	Industrial	Equipment	Greenhouse
Enbridge	Industrial	Equipment	HVAC
Enbridge	Industrial	Equipment	Heat Recovery
Enbridge	Industrial	Equipment	Other Equipment
Enbridge	Industrial	Equipment	Process Heat
Enbridge	Industrial	Equipment	Steam and Hot Water
Enbridge	Multi-Residential	All	Controls
Enbridge	Multi-Residential	All	HVAC
Enbridge	Multi-Residential	All	Heat Recovery
Enbridge	Multi-Residential	All	Operational Improvements
Enbridge	Multi-Residential	All	Steam and Hot Water
Enbridge	RunitRight	Action	RunitRight

Table 8-96. Example of potential Enbridge NTG domain collapsing

Utility	Program	NTG Category	Measure Type
Enbridge	Commercial & Multi-Residential	Equipment	Controls
Enbridge	Commercial & Multi-Residential	Equipment	HVAC
Enbridge	Commercial & Multi-Residential	Equipment	Steam and Hot Water
Enbridge	Commercial	Equipment	Other Commercial Equipment
Enbridge	Industrial	Action	Operational Improvements
Enbridge	Industrial	Equipment	Controls
Enbridge	Industrial	Equipment	Heat Recovery
Enbridge	Industrial	Equipment	Other Industrial Equipment
Enbridge	Multi-Residential	All	Multi-Residential Other
Enbridge	RunitRight	Action	RunitRight

Table 8-97. Union NTG domains

Utility	Program	NTG Category	Measure Type
Union	Commercial	Action	Controls
Union	Commercial	Action	Maintenance
Union	Commercial	Action	Optimization
Union	Commercial	Action	Steam and Hot Water
Union	Commercial	Equipment	Building Shell
Union	Commercial	Equipment	Controls
Union	Commercial	Equipment	HVAC
Union	Commercial	Equipment	Heat Recovery
Union	Commercial	Equipment	New Construction
Union	Commercial	Equipment	Other Equipment
Union	Commercial	Equipment	Steam and Hot Water
Union	Industrial	Action	Controls
Union	Industrial	Action	HVAC
Union	Industrial	Action	Maintenance
Union	Industrial	Action	Optimization
Union	Industrial	Action	Steam and Hot Water
Union	Industrial	Equipment	Ag and Greenhouse
Union	Industrial	Equipment	Building Shell
Union	Industrial	Equipment	Controls
Union	Industrial	Equipment	HVAC
Union	Industrial	Equipment	Heat Recovery
Union	Industrial	Equipment	Other Equipment
Union	Industrial	Equipment	Process Heat
Union	Industrial	Equipment	Steam and Hot Water
Union	Large Volume	Action	HVAC
Union	Large Volume	Action	Heat Recovery
Union	Large Volume	Action	Maintenance
Union	Large Volume	Action	Optimization
Union	Large Volume	Action	Other Equipment
Union	Large Volume	Equipment	Ag and Greenhouse
Union	Large Volume	Equipment	Building Shell
Union	Large Volume	Equipment	Controls
Union	Large Volume	Equipment	HVAC
Union	Large Volume	Equipment	Heat Recovery
Union	Large Volume	Equipment	New Construction
Union	Large Volume	Equipment	Other Equipment
Union	Large Volume	Equipment	Steam and Hot Water
Union	Multi-Family	All	Controls
Union	Multi-Family	All	New Construction
Union	Multi-Family	All	Steam and Hot Water

Table 8-98. Enbridge CPSV domains

Utility	Program	CPSV Category	Measure Type
Enbridge	Commercial	Complex	Building Shell
Enbridge	Commercial	Complex	Controls
Enbridge	Commercial	Complex	HVAC
Enbridge	Commercial	Complex	Heat Recovery
Enbridge	Commercial	Complex	Operational Improvements
Enbridge	Commercial	Complex	Steam and Hot Water
Enbridge	Commercial	Simple	Building Shell
Enbridge	Commercial	Simple	Controls
Enbridge	Commercial	Simple	HVAC
Enbridge	Commercial	Simple	Heat Recovery
Enbridge	Commercial	Simple	Operational Improvements
Enbridge	Commercial	Simple	Steam and Hot Water
Enbridge	Industrial	Complex	Building Shell
Enbridge	Industrial	Complex	Controls
Enbridge	Industrial	Complex	Greenhouse
Enbridge	Industrial	Complex	HVAC
Enbridge	Industrial	Complex	Heat Recovery
Enbridge	Industrial	Complex	Operational Improvements
Enbridge	Industrial	Complex	Other Equipment
Enbridge	Industrial	Complex	Steam and Hot Water
Enbridge	Industrial	Simple	Building Shell
Enbridge	Industrial	Simple	Greenhouse
Enbridge	Industrial	Simple	HVAC
Enbridge	Industrial	Simple	Heat Recovery
Enbridge	Industrial	Simple	Operational Improvements
Enbridge	Industrial	Simple	Other Equipment
Enbridge	Industrial	Simple	Process Heat
Enbridge	Industrial	Simple	Steam and Hot Water
Enbridge	Multi-Residential	Complex	Controls
Enbridge	Multi-Residential	Complex	HVAC
Enbridge	Multi-Residential	Complex	Heat Recovery
Enbridge	Multi-Residential	Complex	Steam and Hot Water
Enbridge	Multi-Residential	Simple	Controls
Enbridge	Multi-Residential	Simple	HVAC
Enbridge	Multi-Residential	Simple	Heat Recovery
Enbridge	Multi-Residential	Simple	Operational Improvements
Enbridge	Multi-Residential	Simple	Steam and Hot Water

Table 8-99. Union CPSV domains

Utility	Program	CPSV Category	Measure Type
Union	Commercial	Complex	Building Shell
Union	Commercial	Complex	Controls
Union	Commercial	Complex	HVAC
Union	Commercial	Complex	Heat Recovery
Union	Commercial	Complex	Maintenance
Union	Commercial	Complex	New Construction
Union	Commercial	Complex	Optimization
Union	Commercial	Complex	Other Equipment
Union	Commercial	Complex	Steam and Hot Water
Union	Commercial	Simple	Building Shell
Union	Commercial	Simple	Controls
Union	Commercial	Simple	HVAC
Union	Commercial	Simple	Heat Recovery
Union	Commercial	Simple	Maintenance
Union	Commercial	Simple	Optimization
Union	Commercial	Simple	Other Equipment
Union	Commercial	Simple	Steam and Hot Water
Union	Industrial	Complex	Ag and Greenhouse
Union	Industrial	Complex	Building Shell
Union	Industrial	Complex	Controls
Union	Industrial	Complex	HVAC
Union	Industrial	Complex	Heat Recovery
Union	Industrial	Complex	Maintenance
Union	Industrial	Complex	Optimization
Union	Industrial	Complex	Other Equipment
Union	Industrial	Complex	Process Heat
Union	Industrial	Complex	Steam and Hot Water
Union	Industrial	Simple	Ag and Greenhouse
Union	Industrial	Simple	Building Shell
Union	Industrial	Simple	Controls
Union	Industrial	Simple	HVAC
Union	Industrial	Simple	Heat Recovery
Union	Industrial	Simple	Maintenance
Union	Industrial	Simple	Optimization
Union	Industrial	Simple	Process Heat
Union	Industrial	Simple	Steam and Hot Water
Union	Large Volume	Complex	Ag and Greenhouse
Union	Large Volume	Complex	Building Shell
Union	Large Volume	Complex	Controls
Union	Large Volume	Complex	HVAC
Union	Large Volume	Complex	Heat Recovery
Union	Large Volume	Complex	Maintenance
Union	Large Volume	Complex	New Construction
Union	Large Volume	Complex	Optimization
Union	Large Volume	Complex	Other Equipment
Union	Large Volume	Complex	Steam and Hot Water
Union	Multi-family	Complex	Controls
Union	Multi-family	Complex	Heat Recovery
Union	Multi-family	Complex	New Construction
Union	Multi-family	Complex	Other Equipment
Union	Multi-family	Simple	Building Shell
Union	Multi-family	Simple	Controls
Union	Multi-family	Simple	HVAC
Union	Multi-family	Simple	Steam and Hot Water

APPENDIX N. DATA COLLECTION INSTRUMENTS

The embedded documents below are the interview guides used for participant and vendor data collection for the NTG portion of the evaluation.



Participant IDI



Vendor IDI

APPENDIX O. FREE-RIDERSHIP SURVEY DATA QUALITY CONTROL

This appendix includes summaries of survey questions used to QC the attribution results. The QC process involves comparison of scored question responses to question responses in the same interview. Interviews with potentially conflicting responses are reviewed by the PM, who reads the entire interview before determining if an adjustment to a score is required. In total, 29 measure free ridership scores were adjusted through this process and five measures were dropped. Table 8-100 provides the count of measures adjusted for each utility and whether the adjustment increased (Inc) or decreased (Dec) attribution for that measure.

Table 8-100. PM Quality Assurance Adjustments.

PM Quality Assurance Status		Union			Enbridge			Overall			
		Inc	Dec	Total	Inc	Dec	Total	Inc	Dec	Total	
Total Measures Completed from FR IDIs				281			177			458	
Not Adjusted				260			164			424	
PM Adjustments from QA	Dropped			4			1			5	
	Assign DNK Attribution, but unclear amount.	Timing	1	0	1	0	0	0	1	0	1
		Efficiency	3	0	3	7	0	7	10	0	10
		Quantity/Size	2	0	2	1	0	1	3	0	3
	Adjust Score Attribution Clear based on open, conflicted with scored response	Timing	1	0	1	1	1	2	2	1	3
		Efficiency	3	1	4	1	0	1	3	2	5
		Quantity/Size	0	1	1	0	0	0		1	1
Gross Baseline Efficiency Adjustment		3	2	5	0	1	1	3	3	6	

The attribution results used to create the following tables also include the vendor component of attribution. Consequently, the attribution bin may be higher than reported by the customer alone. This section includes the following tables:

- PF8 responses by overall attribution bin
- PF9 responses by overall attribution bin.
- Dat0 responses versus overall attribution bin
- Dat6 responses versus overall attribution bin
- Dat6 responses versus overall spa bin

Union Commercial and Industrial Programs

Table 8-101. PF8 and Attribution Bin, Union Custom C&I programs*

PF8. For the project, did you become aware of utility program incentives and services...?					
Attribution Bin	PF8	Customers	Units of Analysis	Measures	Percent Savings
Full	Before starting the project	16	31	43	18%
	As soon as you began exploring equipment options	*	*	*	<1%
	While exploring equipment options, but before making equipment decision	*	*	*	5%
	After making an equipment decision	0	0	0	0%
	After installing the equipment	*	*	*	<1%
	Don't Know/ Refused	0	0	0	0%
Partial	Before starting the project	26	46	64	23%
	As soon as you began exploring equipment options	6	7	10	4%
	While exploring equipment options, but before making equipment decision	*	*	*	<1%
	After making an equipment decision	0	0	0	0%
	After installing the equipment	0	0	0	0%
	Don't Know/ Refused	*	*	7	9%
None	Before starting the project	26	35	45	27%
	As soon as you began exploring equipment options	*	*	5	5%
	While exploring equipment options, but before making equipment decision	*	*	*	2%
	After making an equipment decision	5	6	6	3%
	After installing the equipment	*	5	5	4%
	Don't Know/ Refused	*	*	*	<1%

For confidentiality reasons the numbers of customers, units of analysis and measures less than 5 are not displayed.

*Attribution includes both a customer and a vendor component when the customer indicated that the vendor was influential in their decision. Consequently, the attribution bin may be higher for a measure than indicated by the customer.

Table 8-102. PF9 and Attribution Bin, Union Custom C&I programs*

PF9. When did the utility first get involved in this project? Was it...					
Attribution Bin	PF9	Customers	Units of Analysis	Measures	Percent Savings
Full	Before starting the project	12	24	31	15%
	As soon as you began exploring equipment options	*	7	13	3%
	While exploring equipment options, but before making equipment decision	*	*	*	5%
	After making an equipment decision	*	*	*	<1%
	After installing the equipment	*	*	*	<1%
	Don't Know/ Refused	0	0	0	0%
Partial	Before starting the project	16	30	42	16%
	As soon as you began exploring equipment options	12	20	32	12%
	While exploring equipment options, but before making equipment decision	5	5	5	8%
	After making an equipment decision	0	0	0	0%
	After installing the equipment	0	0	0	0%
	Don't Know/ Refused	*	*	*	1%
None	Before starting the project	13	19	25	20%
	As soon as you began exploring equipment options	7	8	11	5%
	While exploring equipment options, but before making equipment decision	*	5	5	2%
	After making an equipment decision	8	9	9	5%
	After installing the equipment	*	7	9	7%
	Don't Know/ Refused	6	6	6	<1%

For confidentiality reasons the numbers of customers, units of analysis and measures less than 5 are not displayed.

*Attribution includes both a customer and a vendor component when the customer indicated that the vendor was influential in their decision. Consequently, the attribution bin may be higher for a measure than indicated by the customer.

Table 8-103. DatO and Attribution Bin, Union Custom C&I programs*

DATO. Without the program, would you say the likelihood of [installing / performing] the project was...?					
Attribution Bin	DatO	Customers	Units of Analysis	Measures	Percent Savings
Full	Very likely	*	*	6	2%
	Somewhat likely	*	*	5	3%
	Not very likely	6	7	8	3%
	Very unlikely	10	21	30	14%
	Don't Know/ Refused	0	0	0	0%
Partial	Very likely	12	13	15	11%
	Somewhat likely	17	19	25	13%
	Not very likely	7	20	34	11%
	Very unlikely	*	*	*	1%
	Don't Know/ Refused	*	*	6	1%
None	Very likely	33	41	46	30%
	Somewhat likely	9	10	16	11%
	Not very likely	*	*	*	<1%
	Very unlikely	0	0	0	0%
	Don't Know/ Refused	*	*	*	<1%

For confidentiality reasons the numbers of customers, units of analysis and measures less than 5 are not displayed.

*Attribution includes both a customer and a vendor component when the customer indicated that the vendor was influential in their decision. Consequently, the attribution bin may be higher for a measure than indicated by the customer.

Table 8-104. Dat6 and Attribution Bin, Union Custom C&I programs*

Dat6. Without any utility assistance for this or any other projects in the past, what is the percent likelihood that you would have done this project? (0% means no chance and 100% means definitely completed without assistance)					
Attribution Bin	Dat6	Customers	Units of Analysis	Measures	Percent Savings
Full	0%	8	18	25	15%
	1% to 25%	6	8	12	<1%
	26% to 50%	*	*	*	2%
	51% to 75%	*	*	*	2%
	76% to 99%	0	0	0	0%
	100%	*	*	5	3%
	Don't Know/ Refused	*	*	*	<1%
Partial	0%	*	*	*	<1%
	1% to 25%	*	*	*	<1%
	26% to 50%	*	*	*	3%
	51% to 75%	*	*	*	3%
	76% to 99%	*	*	7	3%
	100%	31	41	49	32%
	Don't Know/ Refused	*	*	*	<1%
None	0%	*	*	*	<1%
	1% to 25%	9	12	26	12%
	26% to 50%	6	19	21	9%
	51% to 75%	*	*	8	2%
	76% to 99%	6	6	6	3%
	100%	11	15	19	11%
	Don't Know/ Refused	*	*	*	<1%

For confidentiality reasons the numbers of customers, units of analysis and measures less than 5 are not displayed.

*Attribution includes both a customer and a vendor component when the customer indicated that the vendor was influential in their decision. Consequently, the attribution bin may be higher for a measure than indicated by the customer.

Table 8-105. Dat6 and SPA Bin, Union Custom C&I programs

Dat6. Without any utility assistance for this or any other projects in the past, what is the percent likelihood that you would have done this project? (0% means no chance and 100% means definitely completed without assistance)					
SPA Bin	Dat6	Customers	Units of Analysis	Measures	Percent Savings
Full	0%	8	18	25	15%
	1% to 25%	6	8	12	<1%
	26% to 50%	*	*	*	2%
	51% to 75%	*	*	*	2%
	76% to 99%	0	0	0	0%
	100%	*	*	5	3%
	Don't Know/ Refused	*	*	*	<1%
Partial	0%	*	*	*	<1%
	1% to 25%	7	8	15	5%
	26% to 50%	*	*	*	3%
	51% to 75%	*	5	5	3%
	76% to 99%	6	6	9	3%
	100%	38	53	63	40%
	Don't Know/ Refused	*	*	*	<1%
None	0%	0	0	0	0%
	1% to 25%	5	5	12	7%
	26% to 50%	6	19	21	9%
	51% to 75%	*	*	7	2%
	76% to 99%	*	*	*	3%
	100%	*	*	5	3%
	Don't Know/ Refused	0	0	0	0%

Union Large Volume

Table 8-106. PF8 and Attribution Bin, Union Large Volume*

PF8. For the project, did you become aware of utility program incentives and services...?					
Attribution Bin	PF8	Customers	Units of Analysis	Measures	Percent Savings
Full	Before starting the project	*	*	*	<1%
	As soon as you began exploring equipment options	*	*	*	<1%
	While exploring equipment options, but before making equipment decision	0	0	0	0%
	After making an equipment decision	0	0	0	0%
	After installing the equipment	0	0	0	0%
	Don't Know/ Refused	0	0	0	0%
Partial	Before starting the project	9	16	28	24%
	As soon as you began exploring equipment options	0	0	0	0%
	While exploring equipment options, but before making equipment decision	0	0	0	0%
	After making an equipment decision	0	0	0	0%
	After installing the equipment	0	0	0	0%
	Don't Know/ Refused	0	0	0	0%
None	Before starting the project	12	21	37	64%
	As soon as you began exploring equipment options	*	*	*	<1%
	While exploring equipment options, but before making equipment decision	0	0	0	0%
	After making an equipment decision	*	*	*	<1%
	After installing the equipment	*	6	9	9%
	Don't Know/ Refused	*	*	5	2%

For confidentiality reasons the numbers of customers, units of analysis and measures less than 5 are not displayed.

*Attribution includes both a customer and a vendor component when the customer indicated that the vendor was influential in their decision. Consequently, the attribution bin may be higher for a measure than indicated by the customer.

Table 8-107. PF9 and Attribution Bin, Union Large Volume*

PF9. When did the utility first get involved in this project? Was it...					
Attribution Bin	PF9	Customers	Units of Analysis	Measures	Percent Savings
Full	Before starting the project	*	*	*	<1%
	As soon as you began exploring equipment options	0	0	0	0%
	While exploring equipment options, but before making equipment decision	*	*	*	<1%
	After making an equipment decision	0	0	0	0%
	After installing the equipment	0	0	0	0%
	Don't Know/ Refused	0	0	0	0%
Partial	Before starting the project	6	12	24	21%
	As soon as you began exploring equipment options	*	*	*	2%
	While exploring equipment options, but before making equipment decision	*	*	*	1%
	After making an equipment decision	0	0	0	0%
	After installing the equipment	0	0	0	0%
	Don't Know/ Refused	0	0	0	0%
None	Before starting the project	6	14	21	46%
	As soon as you began exploring equipment options	7	7	10	8%
	While exploring equipment options, but before making equipment decision	*	*	*	2%
	After making an equipment decision	*	*	8	9%
	After installing the equipment	*	6	9	9%
	Don't Know/ Refused	*	*	*	1%

For confidentiality reasons the numbers of customers, units of analysis and measures less than 5 are not displayed.

*Attribution includes both a customer and a vendor component when the customer indicated that the vendor was influential in their decision. Consequently, the attribution bin may be higher for a measure than indicated by the customer.

Table 8-108. Dat0 and Attribution Bin, Union Large Volume*

DAT0. Without the program, would you say the likelihood of [installing / performing] the project was...?					
Attribution Bin	Dat0	Customers	Units of Analysis	Measures	Percent Savings
Full	Very likely	0	0	0	0%
	Somewhat likely	*	*	*	<1%
	Not very likely	*	*	*	<1%
	Very unlikely	*	*	*	<1%
	Don't Know/ Refused	0	0	0	0%
Partial	Very likely	*	6	14	11%
	Somewhat likely	*	8	12	9%
	Not very likely	*	*	*	3%
	Very unlikely	*	*	*	1%
	Don't Know/ Refused	0	0	0	0%
None	Very likely	19	31	51	70%
	Somewhat likely	*	*	*	5%
	Not very likely	0	0	0	0%
	Very unlikely	0	0	0	0%
	Don't Know/ Refused	0	0	0	0%

For confidentiality reasons the numbers of customers, units of analysis and measures less than 5 are not displayed.

*Attribution includes both a customer and a vendor component when the customer indicated that the vendor was influential in their decision. Consequently, the attribution bin may be higher for a measure than indicated by the customer.

Table 8-109. Dat6 and Attribution Bin, Union Large Volume*

Dat6. Without any utility assistance for this or any other projects in the past, what is the percent likelihood that you would have done this project? (0% means no chance and 100% means definitely completed without assistance)					
Attribution Bin	Dat6	Customers	Units of Analysis	Measures	Percent Savings
Full	0%	0	0	0	0%
	1% to 25%	*	*	*	<1%
	26% to 50%	*	*	*	<1%
	51% to 75%	0	0	0	0%
	76% to 99%	0	0	0	0%
	100%	*	*	*	<1%
	Don't Know/ Refused	0	0	0	0%
Partial	0%	0	0	0	0%
	1% to 25%	*	*	*	3%
	26% to 50%	0	0	0	0%
	51% to 75%	0	0	0	0%
	76% to 99%	*	*	6	7%
	100%	16	29	46	64%
	Don't Know/ Refused	0	0	0	0%
None	0%	0	0	0	0%
	1% to 25%	0	0	0	0%
	26% to 50%	*	*	*	<1%
	51% to 75%	*	*	*	4%
	76% to 99%	*	*	*	3%
	100%	6	9	19	17%
	Don't Know/ Refused	0	0	0	0%

For confidentiality reasons the numbers of customers, units of analysis and measures less than 5 are not displayed.

*Attribution includes both a customer and a vendor component when the customer indicated that the vendor was influential in their decision. Consequently, the attribution bin may be higher for a measure than indicated by the customer.

Table 8-110. Dat6 and SPA Bin, Union Large Volume*

Dat6. Without any utility assistance for this or any other projects in the past, what is the percent likelihood that you would have done this project? (0% means no chance and 100% means definitely completed without assistance)					
SPA Bin	Dat6	Customers	Units of Analysis	Measures	Percent Savings
Full	0%	0	0	0	0%
	1% to 25%	*	*	*	<1%
	26% to 50%	*	*	*	<1%
	51% to 75%	0	0	0	0%
	76% to 99%	0	0	0	0%
	100%	*	*	*	<1%
	Don't Know/ Refused	0	0	0	0%
Partial	0%	0	0	0	0%
	1% to 25%	*	*	*	3%
	26% to 50%	0	0	0	0%
	51% to 75%	*	*	*	4%
	76% to 99%	*	5	7	9%
	100%	18	34	54	69%
	Don't Know/ Refused	0	0	0	0%
None	0%	0	0	0	0%
	1% to 25%	0	0	0	0%
	26% to 50%	*	*	*	<1%
	51% to 75%	0	0	0	0%
	76% to 99%	*	*	*	<1%
	100%	*	*	11	13%
	Don't Know/ Refused	0	0	0	0%

Enbridge Commercial and Industrial Programs

Table 8-111. PF8 and Attribution Bin, Enbridge Custom C&I programs*

PF8. For the project, did you become aware of utility program incentives and services...?					
Attribution Bin	PF8	Customers	Units of Analysis	Measures	Percent Savings
Full	Before starting the project	11	16	22	12%
	As soon as you began exploring equipment options	*	*	*	<1%
	While exploring equipment options, but before making equipment decision	*	*	*	<1%
	After making an equipment decision	0	0	0	0%
	After installing the equipment	0	0	0	0%
	Don't Know/ Refused	*	*	*	4%
Partial	Before starting the project	33	47	60	31%
	As soon as you began exploring equipment options	8	9	11	14%
	While exploring equipment options, but before making equipment decision	*	*	*	<1%
	After making an equipment decision	0	0	0	0%
	After installing the equipment	0	0	0	0%
	Don't Know/ Refused	*	*	*	1%
None	Before starting the project	31	42	47	28%
	As soon as you began exploring equipment options	6	7	8	3%
	While exploring equipment options, but before making equipment decision	0	0	0	0%
	After making an equipment decision	*	*	*	2%
	After installing the equipment	0	0	0	0%
	Don't Know/ Refused	*	*	*	3%

For confidentiality reasons the numbers of customers, units of analysis and measures less than 5 are not displayed.

*Attribution includes both a customer and a vendor component when the customer indicated that the vendor was influential in their decision. Consequently, the attribution bin may be higher for a measure than indicated by the customer.

Table 8-112. PF9 and Attribution Bin, Enbridge Custom C&I programs*

PF9. When did the utility first get involved in this project? Was it...					
Attribution Bin	PF9	Customers	Units of Analysis	Measures	Percent Savings
Full	Before starting the project	7	12	17	9%
	As soon as you began exploring equipment options	*	*	*	1%
	While exploring equipment options, but before making equipment decision	*	*	*	1%
	After making an equipment decision	0	0	0	0%
	After installing the equipment	0	0	0	0%
	Don't Know/ Refused	*	5	5	5%
Partial	Before starting the project	15	21	22	19%
	As soon as you began exploring equipment options	10	12	13	10%
	While exploring equipment options, but before making equipment decision	*	*	12	3%
	After making an equipment decision	*	*	*	4%
	After installing the equipment	*	*	*	3%
	Don't Know/ Refused	15	21	26	9%
None	Before starting the project	8	11	13	7%
	As soon as you began exploring equipment options	7	8	8	5%
	While exploring equipment options, but before making equipment decision	7	8	8	9%
	After making an equipment decision	9	11	12	6%
	After installing the equipment	0	0	0	0%
	Don't Know/ Refused	12	16	19	8%

For confidentiality reasons the numbers of customers, units of analysis and measures less than 5 are not displayed.

*Attribution includes both a customer and a vendor component when the customer indicated that the vendor was influential in their decision. Consequently, the attribution bin may be higher for a measure than indicated by the customer.

Table 8-113. DatO and Attribution Bin, Enbridge Custom C&I programs*

DATO. Without the program, would you say the likelihood of [installing / performing] the project was...?					
Attribution Bin	DatO	Customers	Units of Analysis	Measures	Percent Savings
Full	Very likely	*	*	*	<1%
	Somewhat likely	*	*	*	3%
	Not very likely	7	12	15	9%
	Very unlikely	6	6	6	5%
	Don't Know/ Refused	0	0	0	0%
Partial	Very likely	13	16	17	10%
	Somewhat likely	19	22	31	27%
	Not very likely	14	20	25	10%
	Very unlikely	*	*	*	<1%
	Don't Know/ Refused	*	*	*	<1%
None	Very likely	33	40	46	28%
	Somewhat likely	10	14	14	8%
	Not very likely	0	0	0	0%
	Very unlikely	0	0	0	0%
	Don't Know/ Refused	0	0	0	0%

For confidentiality reasons the numbers of customers, units of analysis and measures less than 5 are not displayed.

*Attribution includes both a customer and a vendor component when the customer indicated that the vendor was influential in their decision. Consequently, the attribution bin may be higher for a measure than indicated by the customer.

Table 8-114. Dat6 and Attribution Bin, Enbridge Custom C&I programs*

Dat6. Without <i>any</i> utility assistance for this or any other projects in the past, what is the percent likelihood that you would have done this project? (0% means no chance and 100% means definitely completed without assistance)					
Attribution Bin	Dat6	Customers	Units of Analysis	Measures	Percent Savings
Full	0%	5	10	12	9%
	1% to 25%	*	*	*	2%
	26% to 50%	*	*	7	5%
	51% to 75%	0	0	0	0%
	76% to 99%	0	0	0	0%
	100%	*	*	*	1%
	Don't Know/ Refused	0	0	0	0%
Partial	0%	0	0	0	0%
	1% to 25%	0	0	0	0%
	26% to 50%	*	*	*	<1%
	51% to 75%	*	*	*	3%
	76% to 99%	5	7	7	3%
	100%	31	37	41	29%
	Don't Know/ Refused	*	5	7	<1%
None	0%	*	*	*	<1%
	1% to 25%	*	5	5	2%
	26% to 50%	12	18	23	12%
	51% to 75%	5	7	7	5%
	76% to 99%	9	10	18	6%
	100%	13	16	18	18%
	Don't Know/ Refused	*	*	*	3%

For confidentiality reasons the numbers of customers, units of analysis and measures less than 5 are not displayed.

*Attribution includes both a customer and a vendor component when the customer indicated that the vendor was influential in their decision. Consequently, the attribution bin may be higher for a measure than indicated by the customer.

Table 8-115. Dat6 and SPA Bin, Enbridge Custom C&I programs*

Dat6. Without any utility assistance for this or any other projects in the past, what is the percent likelihood that you would have done this project? (0% means no chance and 100% means definitely completed without assistance)					
SPA Bin	Dat6	Customers	Units of Analysis	Measures	Percent Savings
Full	0%	5	10	12	9%
	1% to 25%	*	*	*	2%
	26% to 50%	*	*	7	5%
	51% to 75%	0	0	0	0%
	76% to 99%	0	0	0	0%
	100%	*	*	*	1%
	Don't Know/ Refused	0	0	0	0%
Partial	0%	*	*	*	<1%
	1% to 25%	*	*	*	2%
	26% to 50%	10	14	19	10%
	51% to 75%	*	5	5	5%
	76% to 99%	8	11	19	6%
	100%	39	47	53	42%
	Don't Know/ Refused	*	5	7	<1%
None	0%	0	0	0	0%
	1% to 25%	*	*	*	<1%
	26% to 50%	6	6	6	3%
	51% to 75%	*	5	5	4%
	76% to 99%	5	6	6	3%
	100%	*	6	6	5%
	Don't Know/ Refused	*	*	*	3%

RunitRight

Table 8-116. PF8 and Attribution Bin, RunItRight*

PF8. For the project, did you become aware of utility program incentives and services...?					
Attribution Bin	PF8	Customers	Units of Analysis	Measures	Percent Savings
Full	Before starting the project	*	6	6	26%
	As soon as you began exploring equipment options	0	0	0	0%
	While exploring equipment options, but before making equipment decision	0	0	0	0%
	After making an equipment decision	0	0	0	0%
	After installing the equipment	0	0	0	0%
	Don't Know/ Refused	0	0	0	0%
Partial	Before starting the project	5	9	9	66%
	As soon as you began exploring equipment options	0	0	0	0%
	While exploring equipment options, but before making equipment decision	0	0	0	0%
	After making an equipment decision	0	0	0	0%
	After installing the equipment	0	0	0	0%
	Don't Know/ Refused	*	*	*	9%
None	Before starting the project	0	0	0	0%
	As soon as you began exploring equipment options	0	0	0	0%
	While exploring equipment options, but before making equipment decision	0	0	0	0%
	After making an equipment decision	0	0	0	0%
	After installing the equipment	0	0	0	0%
	Don't Know/ Refused	0	0	0	0%

For confidentiality reasons the numbers of customers, units of analysis and measures less than 5 are not displayed.

*Attribution includes both a customer and a vendor component when the customer indicated that the vendor was influential in their decision. Consequently, the attribution bin may be higher for a measure than indicated by the customer.

Table 8-117. PF9 and Attribution Bin, RunItRight*

PF9. When did the utility first get involved in this project? Was it...					
Attribution Bin	PF9	Customers	Units of Analysis	Measures	Percent Savings
Full	Before starting the project	*	6	6	26%
	As soon as you began exploring equipment options	0	0	0	0%
	While exploring equipment options, but before making equipment decision	0	0	0	0%
	After making an equipment decision	0	0	0	0%
	After installing the equipment	0	0	0	0%
	Don't Know/ Refused	0	0	0	0%
Partial	Before starting the project	*	*	*	27%
	As soon as you began exploring equipment options	*	*	*	19%
	While exploring equipment options, but before making equipment decision	0	0	0	0%
	After making an equipment decision	0	0	0	0%
	After installing the equipment	0	0	0	0%
	Don't Know/ Refused	*	5	5	28%
None	Before starting the project	0	0	0	0%
	As soon as you began exploring equipment options	0	0	0	0%
	While exploring equipment options, but before making equipment decision	0	0	0	0%
	After making an equipment decision	0	0	0	0%
	After installing the equipment	0	0	0	0%
	Don't Know/ Refused	0	0	0	0%

For confidentiality reasons the numbers of customers, units of analysis and measures less than 5 are not displayed.

*Attribution includes both a customer and a vendor component when the customer indicated that the vendor was influential in their decision. Consequently, the attribution bin may be higher for a measure than indicated by the customer.

Table 8-118. Dat0 and Attribution Bin, RunItRight*

DAT0. Without the program, would you say the likelihood of [installing / performing] the project was...?					
Attribution Bin	Dat0	Customers	Units of Analysis	Measures	Percent Savings
Full	Very likely	0	0	0	0%
	Somewhat likely	0	0	0	0%
	Not very likely	*	6	6	26%
	Very unlikely	0	0	0	0%
	Don't Know/ Refused	0	0	0	0%
Partial	Very likely	*	5	5	48%
	Somewhat likely	*	*	*	7%
	Not very likely	*	*	*	19%
	Very unlikely	0	0	0	0%
	Don't Know/ Refused	0	0	0	0%
None	Very likely	0	0	0	0%
	Somewhat likely	0	0	0	0%
	Not very likely	0	0	0	0%
	Very unlikely	0	0	0	0%
	Don't Know/ Refused	0	0	0	0%

For confidentiality reasons the numbers of customers, units of analysis and measures less than 5 are not displayed.

*Attribution includes both a customer and a vendor component when the customer indicated that the vendor was influential in their decision. Consequently, the attribution bin may be higher for a measure than indicated by the customer.

Table 8-119. Dat6 and Attribution Bin, RunItRight*

Dat6. Without any utility assistance for this or any other projects in the past, what is the percent likelihood that you would have done this project? (0% means no chance and 100% means definitely completed without assistance)					
Attribution Bin	Dat6	Customers	Units of Analysis	Measures	Percent Savings
Full	0%	0	0	0	0%
	1% to 25%	0	0	0	0%
	26% to 50%	*	6	6	26%
	51% to 75%	0	0	0	0%
	76% to 99%	0	0	0	0%
	100%	0	0	0	0%
	Don't Know/ Refused	0	0	0	0%
Partial	0%	0	0	0	0%
	1% to 25%	0	0	0	0%
	26% to 50%	0	0	0	0%
	51% to 75%	0	0	0	0%
	76% to 99%	0	0	0	0%
	100%	0	0	0	0%
	Don't Know/ Refused	0	0	0	0%
None	0%	0	0	0	0%
	1% to 25%	*	*	*	7%
	26% to 50%	*	*	*	12%
	51% to 75%	0	0	0	0%
	76% to 99%	*	*	*	7%
	100%	*	5	5	48%
	Don't Know/ Refused	0	0	0	0%

For confidentiality reasons the numbers of customers, units of analysis and measures less than 5 are not displayed.

*Attribution includes both a customer and a vendor component when the customer indicated that the vendor was influential in their decision. Consequently, the attribution bin may be higher for a measure than indicated by the customer.

Table 8-120. Dat6 and SPA Bin, RunItRight*

Dat6. Without any utility assistance for this or any other projects in the past, what is the percent likelihood that you would have done this project? (0% means no chance and 100% means definitely completed without assistance)					
SPA Bin	Dat6	Customers	Units of Analysis	Measures	Percent Savings
Full	0%	0	0	0	0%
	1% to 25%	0	0	0	0%
	26% to 50%	*	6	6	26%
	51% to 75%	0	0	0	0%
	76% to 99%	0	0	0	0%
	100%	0	0	0	0%
	Don't Know/ Refused	0	0	0	0%
Partial	0%	0	0	0	0%
	1% to 25%	0	0	0	0%
	26% to 50%	*	*	*	12%
	51% to 75%	0	0	0	0%
	76% to 99%	*	*	*	7%
	100%	*	5	5	48%
	Don't Know/ Refused	0	0	0	0%
None	0%	0	0	0	0%
	1% to 25%	*	*	*	7%
	26% to 50%	0	0	0	0%
	51% to 75%	0	0	0	0%
	76% to 99%	0	0	0	0%
	100%	0	0	0	0%
	Don't Know/ Refused	0	0	0	0%

APPENDIX P. CPSV Details

CPSV data collection

Data collection for the TSER sample will be completed via the IDI as described above. Prior to the TSER IDI the interviewing engineer will review project documents and calculations to identify the specific CPSV questions to include in the interview. Following the interview the engineer will complete the TSER verification report, embedded below. Verification reports completed by DNV GL engineers will be reviewed by an Itron engineer and verification reports completed by Itron engineers will be reviewed by a DNV GL engineer.

On-site sample customers will not have engineering questions asked during the IDI. Instead these customers will be asked permission for a follow up site visit. Customers who agree to the site visit will receive a follow up call from Stantec to schedule the visit. Utility staff will be informed of the scheduled visit and invited to attend. Following the on-site visit, the Stantec engineer will complete the on-site verification report, embedded below. An Itron engineer will review the report.

Appendix F has the template forms that each of the data collection approaches will use for the CPSV.

Completed verification reports will be compiled into a draft report to be reviewed by the OEB and EAC. The steps in the CPSV review process are shown in Table 8-121.

Table 8-121: CPSV steps

Step	Activity
1	NTG/CPSV Evaluation Team reviews project files provided by utilities <ul style="list-style-type: none">Missing or incomplete documentation will be requested from utilities following review (final opportunity for utilities to provide new information).
2	NTG/CPSV Evaluation Team conducts IDI with customers <ul style="list-style-type: none">Collects required CPSV data for TSER sample projects
3	NTG/CPSV Evaluation Team schedules site visits with on-site sample customers, informs utility
4	NTG/CPSV Evaluation Team conducts customer site visit <ul style="list-style-type: none">Collects required CPSV data for On-site sample projects
5	NTG/CPSV Evaluation Team drafts project verification reports <ul style="list-style-type: none">Contacts utility staff/customer to clarify any site/operational details if needed.
6	EC Team conducts internal review of individual project verification reports <ul style="list-style-type: none">Itron reviews projects verified by Stantec and DNV GLDNV GL reviews projects verified by Itron
7	EC Team shares draft report, including all site verification reports, with OEB for quality control, redacted as necessary.
8	EC Team (OEB team) shares final draft report with EAC, redacted as necessary
9	EAC provides written comments on final draft report
10	EC Team/OEB hold EAC meeting to discuss comments
11	EC Team finalizes report

Gross realization rate

The gross RR is developed through data collected during the CPSV effort, which will verify program-achieved gross savings for measures at a sample of sites. The two components are the installation rate and the engineering verification factor.

- The installation rate is derived through the participant survey data collection, which confirms that the reported equipment / measure or something like it was installed at the facility. The resulting analysis value is binary; any similar project to the one reported is considered installed. At the individual measure level, the installation rate is either 100% or 0%.
- The engineering verification factor is derived from the data collected during the participant survey data collection for TSER projects and through the on-site visits for other projects. Differences between the reported measure and the “substantially similar” measure installed at the facility are accounted for here. The engineering adjustment factor is the ratio of the evaluator-verified savings to the program-reported savings.

The majority of the CPSV process involves determining the evaluator-verified savings estimate for each measure. The measure-level results are then combined using weights from the sample design to an overall adjustment factor.

To get the evaluation-verified savings for each evaluated measure, the CPSV effort will verify savings based on the applicable standard program baseline and measure life based on the best available information. The formula for estimating measure level verified savings is shown here:

$$VGS_L = VY_L \times VGS_S$$

Where:

VGS_L – Verified Gross Savings versus standard efficiency equipment on the market (lifetime)

VY_L – Verified Estimated Useful Life of the equipment/action

VGS_S – Verified Gross Savings versus standard efficiency equipment on the market (annual)

In the Life-Cycle Net Savings (LCNS) method used for this evaluation, the CPSV will also produce a verified savings estimate for accelerated measures using the pre-existing equipment as the baseline (VGS_E).


Whether or not the measure is accelerated depends on the responses to the attribution survey and will be discussed later. The “versus existing” verified savings will be used in estimating net savings and will not be included in the verified gross savings. The LCNS methodology is further explained in Appendix B.

The CPSV will produce verified values for three required inputs in the Life-Cycle Net Savings (LCNS) attribution:

- **VGS_S** – Verified Gross Savings versus standard efficiency equipment on the market
- **VY_L** – Verified Estimated Useful Life of the equipment/action
- **VGS_E** – Verified Gross Savings versus existing equipment configuration at the time of installation/action: for a sub-set of measures that are accelerated

CPSV site reports will be completed by assigned evaluation engineers and reviewed by an experienced evaluation engineer at another partner firm. Each review will follow the same basic process shown in Figure 8-27.

Figure 8-27: CPSV high-level process



After the initial review and savings calculation, an engineer from a partner firm on the EC team (either DNV GL or Itron) will review the site report, approach, calculation, and verified savings. Following this review the verified savings, verified estimated useful life, reasons for deviation and other pertinent information will be compiled into a single dataset at the unit of analysis level for expansion and integration with the FR analysis.

CPSV rigour levels

The CPSV plan calls for two types of data collection: telephone-supported engineering review (TSER) and on-site. There are adjustments that might entail more or less work at each site. Table 7 details likely engineering effort levels for the standard, increased, and decreased levels. The levels of effort are averages. Some sites may require substantially more effort, while some sites may entail less effort.

Based on the tracking data we have identified the simplest projects as a level of stratification and will use TSER interviews to verify the projects at these sites. The more complex on-site sample will also have varying degrees of effort requirements in order to allow more effort at more complex sites.

Table 8: M&V Description for Proposed Engineering Effort Levels


Effort Level	Description
Telephone-supported engineering review (TSER)	Lower rigour projects. Application desk review, telephone interviews, possible revised engineering calculations; primarily for qualitative assessment.
Standard On-site	Simpler projects. Detailed application review, on-site verification, collection of data on key parameters, revised engineering calculations, billing data analysis, and possible spot measurements.
Higher Rigour On-site	Small, medium and large scale projects that may or may not require monitoring or metering. Detailed application review, on-site verification, collection of data on key parameters, revised engineering calculations, billing data analysis, and possible spot measurements / short term post monitoring.
Very High Rigour On-site	Largest and most complex projects. Detailed application review, on-site verification, collection of data on key parameters, billing/interval data analysis, calibrated simulation models, spot measurements, long-term post monitoring, pre-verification and short-term measurement. May require larger teams, including senior staff and multiple site visits.

Most site-specific impact evaluation efforts for Standard On-site points will fall into the category of lower rigor level of effort. However, there are exceptions and adjustments that might entail more or less work at each site. During the file review adjustments of this sort should be noted and the sites will be reviewed by the engineering team lead (Phani Pagadala) to determine which level of rigour is required. Up to 20 sites (primarily Large Volume) will receive higher rigour on-sites and up to two sites will receive very high rigour on-sites to establish the relative value of increased rigour levels in future evaluation.

Each site will be assigned a single point of contact (POC) for the purposes of communications with the customer, the utility and within CPSV itself. The POC will be a more senior engineering team member who is experienced in the energy efficiency field (preferably a registered professional engineer) and will be responsible for co-ordinating the work of their team, tracking progress on each project review, becoming intimately familiar with the documentation and technical requirements of the work to be performed, ensuring that quality control procedures are implemented, and reporting on project review progress and any issues to the engineering team lead (Phani Pagadala).

Higher rigour sites could involve the addition of elements such as:

- A fully specified regression analysis of consumption information from utility bills with inclusion/adjustment for changes and background variables over the time period of the analysis that could potentially be correlated with the gross energy savings being measured.
- Twelve (12) months post-retrofit consumption data are required.
- Twelve (12) months pre-retrofit consumption data are required, unless program design does not allow pre-retrofit billing data, such as in new construction. In these cases, well-matched control groups and post-retrofit consumption analysis is allowable.

- 
- Sampling must be adequate (in general, a minimum of six data points will be required) for a valid regression-based estimate.
 - Building energy simulation models that are calibrated as described in IPMVP Option D requirements. If appropriate, evaluators may alternatively use an engineering model with calibration.
 - Retrofit isolation engineering models as described in IPMVP Option B requirements.



APPENDIX Q. CPSV DISCREPANCY DETAILS

This appendix includes additional information about the magnitude of and reasons for gross savings adjustments, by program. Sections are broken up into “Annual savings Adjustments,” which refer to adjustments that do not relate to measure life, and “Measure Life Savings Adjustments” which relate only to measure life but do not affect annual savings. Attempts are made to identify the level of control the program has over each type of adjustment and provide context and opportunities for improvement. Table 8-122 and Table 8-123 show the “Reasons for Discrepancies” which are used throughout this appendix.

Table 8-122: Descriptions of Annual savings Adjustments

Reason for Discrepancy	Level of Program Control	Description	Explanation	Recommendation (where possible, do the following:)
Measured Usage	Low	Customer provided metered or measured data that differs from what the program used.	This usually stems from the evaluation having a longer metering period to work with than the ex ante engineering team.	Attempt to use a longer post-installation data collection period if possible.
Efficient Equipment Operating Conditions	Low	On-site conditions differed from that claimed by documentation.	These can reflect a change in the operation of the facility since the measure was installed, but also can be due to information that was either not communicated or communicated differently to program engineering staff.	Document any observations or assumptions made with emails, on-site forms, photos, and conversation notes. When evaluators don't have evidence of a value, they have to determine their own value.
Operating Hours	Low	Customer reported different operating hours from those reported in ex ante documentation, but no other operational changes.		
Change to Calculation Method	Medium	Evaluator used a different calculation method.	This stems from the lack of a live calculation tool or the choice to use a different tool (often because the ex ante tool is not able to accommodate all the information obtained on-site).	Maintain and provide live calculation tools with practical instructions on their use and supporting documentation for their methods and assumptions. Seek to avoid using calculation methods which use too many assumptions or rely on theoretical assumptions rather than metered data.
Baseline	Medium	Customer stated or the evaluator determined that a different baseline should be used.	This happens when the program does not clearly document their baseline sources, and a different site contact has different ideas about the baseline, or the evaluator that the baseline is not industry standard practice. In other cases, the appropriate code may be misidentified.	Follow the policy decisions made during EAC evaluation discussions. Document any observations or assumptions made with emails, on-site forms, photos, and conversation notes. Include documentation of permit dates (such as email from customer or copy of paperwork etc.).
Efficient Equipment Specifications	High	Equipment specifications differed from ex ante documentation.	This can occur when there was a misunderstanding of how the equipment operated or the meaning of a specification, such as input vs. output boiler efficiency.	Collect photographs, invoices, and cut sheets to document the sources of equipment specifications.
Data Entry Error	High	Tracking savings or calculation tool contained an error.	This most often reflects tracking savings not matching documentation, but can also be a mistake in recording some building characteristic.	Check tracking savings against documentation before finalizing, particularly for large projects.

Table 8-123: Descriptions of Measure Life Savings Adjustments

Reason for Discrepancy	Level of Program Control	Description	Explanation	Recommendation (where possible, do the following:)
RUL limitation	Medium	The EUL is limited by the RUL of the existing equipment.	Evaluation determined that the equipment in question will not be reused after the host equipment reaches its RUL.	Provide evidence that add-on equipment can be reused after host equipment is removed. Provide a program estimate of RUL.
No Savings	Medium	The existing equipment had reached the end of its useful life and was replaced with Industry Standard Practice equipment.	Sometimes the customer says that equipment replaced through the program had only a few months of useful life remaining, and that they considered the equipment installed to be "standard efficiency."	Document the source of post-ER baseline equipment, as well as a sourced estimate for RUL.
Reported Maintenance Schedule	Medium	Customer reported that they perform maintenance at a scheduled frequency.	If a customer does specific maintenance, for example, every three years, then a rebate for that maintenance activity cannot have a measure life longer than this.	Document customer maintenance practices.
Customer reported replacement schedule	Medium	Customer reported that they replace equipment on a set schedule.	Some facilities replace furnaces, boilers, and other equipment on a recurring schedule. The measure life or RUL cannot be longer than this.	Document customer replacement practices, or the reasons why the equipment in question is an exception.
Lack of Ex Ante Doc	High	Program did not include any evidence or reasoning behind the EUL selection.	In the absence of a clear OEB Measure Life Guide category or justification for another value, the evaluators determined measure life independently.	Provide justification for the measure life selected, especially when the category selected is unclear or one does not exist.
Average of Measures	High	Project included multiple measures with different measure lives.	When multiple measures are used in a single project, evaluation will combine the measure lives as a savings-weighted average or another appropriate value depending on the situation.	Use and document a savings-weighted average of measure lives, or other appropriate value.
Added post-ER period	High	Dual baseline project, with post-early replacement not claimed by program.	The program claimed only early replacement or post-early replacement savings, multiplying this value by the EUL.	Calculate dual baseline savings and document the reasons for selecting the chosen baselines.
Steam Trap	High	Adjustment made to steam traps EUL in the OEB Measure Life Guide.	The two utilities used a different EUL value for steam traps, which is a common installed measure. Evaluation performed research and selected a value to use across programs.	Use the evaluation-selected value, or provide steam-trap-specific (site, trap type, and application specific) evidence for another value.

The following sections provide results in detail for each program. All adjustments shown in this section are unweighted. Adjustments in tables are absolute values, and are the total of positive and negative adjustments. Values shown in figures are identified with regard to the magnitude of positive or negative adjustments (greater or less than 100%). Union’s influence adjustments are removed from ex ante results, so the adjustments shown here do not include their removal.

Enbridge Commercial, Industrial and Multi-Family

Annual savings adjustments

The absolute value of total annual savings adjustments for the Enbridge Commercial, Industrial, and Multi-family programs are 1,793,030 m³ of natural gas, or 6% of the total first year sample tracking savings of 30,679,909 m³.

This section shows annual savings only, which is an attempt to isolate the effects of gross savings adjustments outside of measure life. Annual savings can occur during the early replacement or post-early replacement periods, depending on the situation. Ex-post annual savings are typically better comparable with the program's ex ante savings estimate than other first year metrics such as average annual savings, early replacement period savings, or post-early replacement period savings.

Table 8-124 shows the percent of total annual savings adjustments associated with each Reason for Adjustment. The table also indicates the level of control that the program has over that discrepancy through improved calculations or improved documentation, as discussed in Table 8-122. For example, "Measured Usage" represents 24% of first year discrepancies, and the program has a limited ("Low") ability to prevent this kind of adjustment. 92% of first year discrepancies fall into the "Low" category.

Table 8-124: Summary of annual savings adjustments (m³ Natural Gas)

Reason For Adjustment	Percent of First Year Discrepancy	Level of Program Control	Percent of First Year Discrepancy
Measured Usage	24%	Low	92%
Efficient Equipment Operating Conditions	30%		
Operating Hours	38%		
Change to Calculation Method	0%	Medium	2%
Baseline	2%		
Efficient Equipment Specifications	6%	High	6%
Data Entry Error	0%		
Overall	100%		100%

Figure 8-28 distributes the annual savings adjustments by realization rate bin, showing the positive and negative impacts of each adjustment on first year program savings. For example, focusing on projects with 40-60% realization rates, about 2/3 of the savings adjustments resulted from Operating Hours changes and about 1/3 from Efficient Equipment Operating Conditions changes. Overall, about 15% of total annual savings adjustments result from projects in the 40-60% gross savings realization rate bin.

Figure 8-28: Annual savings Adjustments by Magnitude of Adjustment (m³ Natural Gas)





Figure 8-29 shows the level of program control over the adjustments shown in Figure 8-28. For example, the program has a “Low” level of control over all the adjustments which resulted in first year gross savings realization rates of 40-60%.

Figure 8-29: Program Control Over Annual savings Adjustments by Magnitude of Adjustment (m³ Natural Gas)



Measure life adjustments

The absolute value of the total measure life-driven cumulative savings adjustments for Enbridge are 10,983,754 CCM of natural gas, or 2% of the total cumulative sample tracking savings of 471,326,160 CCM. These are cumulative lifetime savings⁴⁰ and should not be compared to annual savings adjustments.

Table 8-125 shows the percent of total measure life-driven adjustments associated with each specific Reason for Adjustment. The table also indicates the level of control that the program has over that discrepancy through improved calculations or improved documentation, as discussed in Table 8-123. For example, "RUL Limitation" represents 25% of measure life adjustments, and the program has a moderate ("Medium") ability to prevent this kind of adjustment. Thirty-five percent of measure life adjustments fall into the "Medium" category. The program likely has a high degree of control over almost two-thirds of the EUL adjustments, which indicates that better documentation of EULs could significantly reduce the risk of adjustments in the future.

Note that the measure life adjustments shown here are inexact. Because they result from changes to both RUL and EUL, there is no way to directly compare the impacts of measure life changes on savings in

⁴⁰ To provide comparable values, the cumulative savings adjustments are calculated as ex ante annual savings times ex post EUL minus ex ante annual savings times ex ante EUL.

isolation from other effects. This section is an attempt to isolate those effects to the extent possible, in order to provide useful information for program planning.

Table 8-125: Summary of Measure Life Driven of Annual savings Adjustments (CCM Natural Gas)

Reason For Adjustment	Percent of Measure Life Driven Adjustments	Level of Program Control	Percent of Measure Life Driven Adjustments
RUL limitation	25%	Medium	35%
No Savings	10%		
Reported Maintenance Schedule	0%		
Customer Reported Replacement Schedule	0%		
Lack of Ex Ante Doc	48%	High	65%
Average of Measures	7%		
Added post-ER period	2%		
Steam Trap	8%		
Overall	100%		100%

Figure 8-30 distributes the measure life adjustments by realization rate bin, showing the positive and negative impacts of each kind of adjustment on cumulative savings overall. For example, focusing on projects with 100-120% measure life driven adjustments, about 2/3 of the savings adjustments result from a Lack of Ex Ante Documentation, with the rest stemming from RUL Limitations, Average of Measures, and No Savings adjustments. Overall, about 72% of total measure life savings adjustments result from projects in the 100-120% adjustment bin. In other words, most EUL adjustments for this program resulted in small increases.

Figure 8-30: EUL Adjustments by Magnitude of Adjustment (CCM Natural Gas)





Figure 8-31 shows the level of program control over the adjustments shown in Figure 8-30. For example, the program has a “High” level of control over most reasons which resulted in adjustments of 100-120%.

Figure 8-31: Program Control Over Measure Life Driven Savings Adjustments by Magnitude of Adjustment (CCM Natural Gas)



Union Commercial, Industrial and Multi-Family

Annual savings adjustments

The total absolute value of the annual savings adjustments (engineering adjustment) for Union Custom Programs are 2,652,557 m³ of natural gas, or 3% of the total first year sample tracking savings of 85,649,059 m³. The engineering adjustment represents the differences in ex post and ex ante savings that are not a result of the influence correction. These changes are due to differences in calculation methods, EUL, calculation parameters, or other engineering-related adjustments.

Table 8-126 shows the percent of total annual savings adjustments associated with each Reason for Adjustment. The table also indicates the level of control that the program has over that discrepancy through improved calculations or improved documentation, as discussed in Table 8-122. For example, "Efficient Equipment Operating Conditions" represents 75% of first year discrepancies, and the program has a limited ("Low") ability to prevent this kind of adjustment. The table shows that 90% of adjustments to Union' Custom programs were issues that the program likely has a low ability to control.

Table 8-126: Summary of Annual savings Adjustments

Reason For Adjustment	Percent of First Year Discrepancy	Level of Program Control	Percent of First Year Discrepancy
Measured Usage	0%	Low	90%
Efficient Equipment Operating Conditions	75%		
Operating Hours	15%		
Change to Calculation Method	3%	Medium	4%
Baseline	1%		
Efficient Equipment Specifications	1%	High	6%
Data Entry Error	4%		
Overall	100%		100%

Figure 8-32 distributes the annual savings adjustments by realization rate bin, showing the positive and negative impacts of each adjustment on first year program savings. Overall, adjustments were mostly because of changes to Efficient Equipment Operating Conditions and Operating Hours.

Figure 8-32: Annual savings Adjustments by Magnitude of Adjustment (m³ Natural Gas)





Figure 8-33 shows the level of program control over the adjustments shown in Figure 8-32. Almost all first-year savings discrepancies were in categories that the program has a low degree of control over.

Figure 8-33: Program Control Over Annual savings Adjustments by Magnitude of Adjustment (m³ Natural Gas)



Measure life adjustments

Total absolute value measure life driven cumulative savings adjustments for Union Custom Programs are 31,801,957 CCM of natural gas, or 2% of the total cumulative sample tracking savings of 1,277,857,163 CCM. These are cumulative lifetime savings⁴¹ and should not be compared to annual savings adjustments.

Table 8-127 shows the percent of total measure life-driven adjustments associated with each specific Reason for Adjustment. The table also indicates the level of control that the program has over that discrepancy through improved calculations or improved documentation, as discussed in Table 8-123. The table shows that 85% of EUL adjustments were due to categories that the program has a high degree of control over. However, this effect is likely overstated because weighting EUL adjustments by ex ante savings may overstate some changes. For example, many Union sites received significant EUL adjustments for early replacement projects that installed ISP technologies. Although the total EUL was greatly increased, the post-ER savings were zero. Using the ex post savings to weight those measures would likely result in a different distribution.

Note that measure life adjustments shown here are inexact. Because they result from changes to both RUL and EUL, there is no way to directly compare the impacts of measure life changes on savings in isolation

⁴¹ To provide comparable values, the cumulative savings adjustments are calculated as ex ante annual savings times ex post EUL minus ex ante annual savings times ex ante EUL.

from other effects. This section is an attempt to isolate those effects to the extent possible, in order to provide useful information for program planning.

Table 8-127: Summary of Measure Life Driven of Annual savings Adjustments (CCM Natural Gas)

Reason For Adjustment	Percent of Measure Life Driven Adjustments	Level of Program Control	Percent of Measure Life Driven Adjustments
RUL limitation	15%	Medium	15%
No Savings	0%		
Reported Maintenance Schedule	0%		
Customer Reported Replacement Schedule	0%		
Lack of Ex Ante Doc	34%	High	85%
Average of Measures	0%		
Added post-ER period	49%		
Steam Trap	1%		
Overall	100%		100.0%

Figure 8-34 distributes the measure life adjustments by realization rate bin, showing the positive and negative impacts of each kind of adjustment on cumulative savings overall. The figure shows that most of the EUL adjustments were small and positive, while a few were strongly negative.

Figure 8-34: Measure Life Driven Savings Adjustments by Magnitude of Adjustment (CCM Natural Gas)





Figure 8-35 shows the level of program control over the adjustments shown in Figure 8-34. For example, the program has a “High” level of control over most reasons which resulted in adjustments of 100-120%.

Figure 8-35: Program Control Over Measure Life Driven Savings Adjustments by Magnitude of Adjustment (CCM Natural Gas)



Union Large Volume

Annual savings adjustments

Total absolute value annual savings adjustments (engineering adjustment) for Union Large Volume are 54,809,839 m³ of natural gas, or 74% of the total first year sample tracking savings of 73,711,036 m³. The engineering adjustment represents the differences in ex post and ex ante savings that are not a result of the influence correction.

Table 8-128 shows the percent of total annual savings adjustments associated with each Reason for Adjustment. The table also indicates the level of control that the program has over that discrepancy through improved calculations or improved documentation, as discussed in Table 8-122. For example, “Efficient Equipment Operating Conditions” represents 57% of first year discrepancies, and the program has a limited (“Low”) ability to prevent this kind of adjustment. The table shows that discrepancies classified as data entry errors had a significant effect on adjustments. Seven sites had adjustments of this type, with three of them being caused by transfer of values from the project workbook to the tracking database. These are separate from the Influence Adjustments applied by Union to some projects, which are removed from ex ante savings and not considered here.

Table 8-128: Summary of Annual savings Adjustments

Reason For Adjustment	Percent of First Year Discrepancy	Level of Program Control	Percent of First Year Discrepancy
Measured Usage	5%	Low	66%
Efficient Equipment Operating Conditions	57%		
Operating Hours	4%		
Change to Calculation Method	0%	Medium	1%
Baseline	1%		
Efficient Equipment Specifications	0%	High	33%
Data Entry Error	33%		
Overall	100%		100%

Figure 8-36 distributes the annual savings adjustments by realization rate bin, showing the positive and negative impacts of each adjustment on first year program savings. The figure shows that most of the annual savings adjustments were large and positive.

Figure 8-36: Annual savings Adjustments by Magnitude of Adjustment (m³ Natural Gas)





Figure 8-37 shows the level of program control over the adjustments shown in Figure 8-36. As with previous programs, almost all annual savings discrepancies are in areas the program has low control over.

Figure 8-37: Program Control Over Annual savings Adjustments by Magnitude of Adjustment (m³ Natural Gas)



Measure life adjustments

Total measure life driven cumulative savings adjustments for Union Large Volume are 384,999,510 CCM of natural gas, or 45% of the total first year sample tracking savings of 856,320,533 CCM. These are cumulative lifetime savings⁴² and should not be compared to annual savings adjustments.

Table 8-129 shows the percent of total measure life-driven adjustments associated with each specific Reason for Adjustment. The table also indicates the level of control that the program has over that discrepancy through improved calculations or improved documentation, as discussed in Table 8-123. The table shows that 65% of the adjustments made to measure life for the Large Volume program are in areas of high program control. However, this effect is likely overstated because weighting EUL adjustments by ex ante savings may overstate some changes. For example, many Union sites received significant EUL adjustments for early replacement projects that installed ISP technologies. Although the total EUL was greatly increased, the post-ER savings were zero. Using the ex post savings to weight those measures would likely result in a different distribution.

Note that measure life adjustments shown here are inexact. Because they result from changes to both RUL and EUL, there is no way to directly compare the impacts of measure life changes on savings in isolation.

⁴² To provide comparable values, the cumulative savings adjustments are calculated as ex ante annual savings times ex post EUL minus ex ante annual savings times ex ante EUL.

from other effects. This section is an attempt to isolate those effects to the extent possible, in order to provide useful information for program planning.

Table 8-129: Summary of measure-life-driven annual savings adjustments (CCM natural gas)

Reason for Adjustment	Percent of Measure Life Driven Adjustments	Level of Program Control	Percent of Measure Life Driven Adjustments
RUL limitation	10%	Medium	35%
No Savings	9%		
Reported Maintenance Schedule	<1%		
Customer Reported Replacement Schedule	16%		
Lack of Ex Ante Doc	10%	High	65%
Average of Measures	0%		
Added post-ER period	54%		
Steam Trap	<1%		
Overall	100%		100%

Figure 8-38 distributes the measure life adjustments by realization rate bin, showing the positive and negative impacts of each kind of adjustment on cumulative savings overall. The figure shows that most of the EUL adjustments were small and positive while a few were extremely positive or extremely negative.

Figure 8-38: Measure-life-driven savings adjustments by magnitude of adjustment (CCM natural gas)





Figure 8-39 shows the level of program control over the adjustments shown in Figure 8-38. For example, the program has a “High” level of control over most reasons which resulted in adjustments of 100-120%.

Figure 8-39: Program control over measure-life-driven savings adjustments by magnitude of adjustment (CCM Natural Gas)





About DNV GL

Driven by our purpose of safeguarding life, property and the environment, DNV GL enables organizations to advance the safety and sustainability of their business. We provide classification and technical assurance along with software and independent expert advisory services to the maritime, oil and gas, and energy industries. We also provide certification services to customers across a wide range of industries. Operating in more than 100 countries, our 16,000 professionals are dedicated to helping our customers make the world safer, smarter and greener.