



Andrew Mandyam  
Director Regulatory Affairs  
& Financial Performance

tel 416-495-5499  
fax 416-495-6072  
EGDRegulatoryProceedings@enbridge.com

Enbridge Gas Distribution  
500 Consumers Road  
North York, Ontario M2J 1P8  
Canada

March 26, 2018

**VIA RESS, EMAIL and COURIER**

Kirsten Walli  
Board Secretary  
Ontario Energy Board  
2300 Yonge Street  
Suite 2700  
Toronto, ON M4P 1E4

Dear Ms. Walli:

**Re: Enbridge Gas Distribution Inc. (the “Company” or “Enbridge”)  
Ontario Energy Board File: EB-2017-0324  
Application for 2015 Demand Side Management (“DSM”) Clearance of  
Variance Accounts – Updated Evidence**

Enbridge has identified a minor mathematical error (\$760.00) in the calculation of the 2015 LRAM that was provided in the evidence dated December 19, 2017. The LRAM value provided in the December 19, 2017 evidence was \$28,976. Enbridge is correcting that value to \$28,216 with this filing. This is the only change.

As a result of this minor correction, Enbridge is resubmitting the following pages of evidence:

- Exhibit A, Tab 1 Schedule 2, Page 1 of 3
- Exhibit A, Tab 1, Schedule 3, Page 2 of 48
- Exhibit A, Tab 1, Schedule 3, Page 4 of 48
- Exhibit A, Tab 1, Schedule 3, Page 48 of 48
- Exhibit B, Tab 1, Schedule 1, Page 9 of 117
- Exhibit B, Tab 1, Schedule 1, Page 21 of 117
- Exhibit B, Tab 1, Schedule 1, Page 104 of 117
- Exhibit B, Tab 1, Schedule 1, Page 114 of 117
- Exhibit B, Tab 2, Schedule 1, Page 3 of 3

Please contact the undersigned if you have any questions concerning this application and evidence.

March 26, 2018  
Ms. Kirsten Walli  
Page 2

Yours truly,

(Original Signed)

Andrew Mandyam  
Director, Regulatory Affairs

cc: Dennis O'Leary, Aird & Berlis LLP  
Interested parties in EB-2017-0324