



Brandon Ott
Technical Manager
Regulatory Applications

Tel: 416-495-7468
EGIRegulatoryProceedings@enbridge.com

Enbridge Gas Inc.
500 Consumers Road
North York, Ontario M2J 1P8
Canada

VIA RESS, EMAIL and COURIER

June 17, 2019

Ms. Kirsten Walli
Board Secretary
Ontario Energy Board
2300 Yonge Street, 27th Floor
Toronto, Ontario
M4P 1E4

Dear Ms. Walli:

**Re: EB-2019-0155 – Enbridge Gas Inc. – July 1, 2019
Quarterly Rate Adjustment Mechanism (“QRAM”) Application**

Further to Enbridge Gas Inc.’s (“Enbridge Gas”) QRAM application submitted June 11, 2019, Enbridge Gas has identified an error specific to the true-up of prospective clearance amounts for the gas in inventory re-evaluation component of the Enbridge Gas Distribution (“EGD”) rate zone Purchased Gas Variance Account (“PGVA”). The error can be found in Exhibit C, Tab 1, Schedule 3, page 2, column 5, lines 7 and 9. Enbridge Gas inadvertently did not update lines 7 and 9, resulting in an under collection from ratepayers of approximately \$0.64 million via Rider C (Gas Cost Adjustment Rider). Enbridge Gas estimates that correcting the error will result in an increase of approximately \$0.19 to the annual bill of a typical residential customer on system gas within the EGD rate zone.

In order to ensure review and approval of Enbridge Gas’s QRAM application in time for rates to be implemented July 1, 2019, and given the impact of the error is not material, Enbridge Gas proposes to correct this error in its next QRAM application setting rates for October 1, 2019.

Should you have any questions on this matter please contact me at 416-495-7468.

Sincerely,

(Original Signed)

Brandon Ott
Technical Manager, Regulatory Applications

Cc: Tania Persad, Enbridge Gas
All Interested Parties EB-2008-0106, EB-2017-0086 & EB-2017-0087