



Ms. Christine Long Board Secretary Ontario Energy Board P.O. Box 2319, 27th Floor 2300 Yonge Street Toronto, ON M4P 1E4

April 6, 2020

Re: EB-2020-0074 Enbridge 2020 Storage Enhancement Project Pollution Probe Response Letter

Dear Ms. Long:

Pollution Probe is in receipt of Enbridge's March 31, 2020 letter highlighting their concerns regarding the potential scope of this proceeding. Enbridge indicates that issues raised by Pollution Probe may be opposed to the Board's decision in the NGEIR decision. More specifically, Pollution Probe's first and third issues relate to the incremental capacity achieved by the proposed operating pressure increase.

Pollution Probe believes that all the issues it has identified are relevant to this proceeding. The Enbridge letter includes details beyond those in Enbridge's original filing and in Pollution Probe's view the clarity of those details provide value to the public record in this proceeding since they are related to the request.

Aside from Enbridge's NGEIR concern raised by Enbridge, Pollution Probe believes that issues two, four and five from its request letter continue to remain relevant. Based on Pollution Probe's review of the evidence filed by Enbridge, it appears that there could be Ratepayer impacts due to the project, despite the indication that project costs will be entirely at the shareholders expense. Pollution Probe included this issue in its intervention request and believes that they are still relevant. Pollution Probe will follow any direction the Board may have related to a restricted scope for the proceeding and reiterates its request for intervenor status in this proceeding.

Respectfully submitted on behalf of Pollution Probe.

Michael Brophy, P.Eng., M.Eng., MBA

Michael Brophy Consulting Inc. Consultant to Pollution Probe

Phone: 647-330-1217

Email: Michael.brophy@rogers.com

cc: Rakesh Torul Enbridge. (via EGIRegulatoryProceedings@enbridge.com)

Tania Persad, Enbridge Legal (via email) Richard Carlson, Pollution Probe (via email)