

From: [seasonalrateclass](#)
To: [REDACTED]
Subject: CM: Letter of Comment - EB-2020-0246
Date: Friday, March 12, 2021 11:40:55 AM

From: Webmaster <Webmaster@oeb.ca>
Sent: Wednesday, March 3, 2021 7:00 PM
To: registrar <registrar@oeb.ca>
Subject: Letter of Comment - [REDACTED]

The Ontario Energy Board

-- Comment date --
2021-03-03

-- Case Number --
EB-2020-0246

-- Name --
John garth (Jack) Brownscombe

-- Phone --
[REDACTED]

-- Company --

-- Address --
[REDACTED]

-- Comments --

I am writing to comment on the notice of proposed rate changes as it effects property i own, listed as [REDACTED]
[REDACTED] I was notified that as a seasonal residence, it is proposed that the property be classified as low density. In a follow up call with a Hydro One account representative, i was told that it was classified that way, despite being adjacent to a medium density area, as the property was considered to be an island. The property is 0.2 kilometers away from many residences that are classed medium density, and taken together with my property (including the 0.2 kilometer distance under water cable), would include over 15 cottages in a one kilometer line distance.

I would ask that relief be given to include low density residences separated by short distances of underwater cable, to be included in the per 15 residences per kilometer line qualifier for medium density, thereby reclassifying the above property as medium density. A reasonable test would include underwater cable as part of the qualifying lineage to determine medium density inclusion, thereby yielding this result for the above mentioned property.

-- Attachment --