



Dave Janisse
Technical Manager
Leave to Construct
Applications
Regulatory Affairs

Tel: (519) 436-5442
Email: EGRegulatoryProceedings@enbridge.com

Enbridge Gas Inc.
50 Keil Drive
Chatham, Ontario, N7M 5M1
Canada

December 15, 2021

BY RESS AND EMAIL

Christine Long
Registrar
Ontario Energy Board
2300 Yonge Street, 27th Floor
Toronto, ON M4P 1E4

Dear Christine Long:

**Re: Enbridge Gas Inc. (Enbridge Gas)
Ontario Energy Board (OEB) File No. EB-2021-0248
Coveny and Kimball-Colinville Well Drilling Project (Project)
Request for Confidential Treatment re Indigenous Consultation Log**

Further to the application and evidence filed by Enbridge Gas under separate cover on December 14, 2021 (main filing) and in accordance with Rule 10 of the OEB's *Rules of Practice and Procedure*, Enbridge Gas hereby requests that the OEB hold in confidence the redacted information in Exhibit H-1-1, Attachment 6 (Indigenous Consultation Log and attachments).¹ We enclose one redacted copy and one confidential copy of this evidence for the OEB's consideration of this request. Also redacted in both copies consistent with the main filing is the personal information as required pursuant to the OEB's *Practice Direction on Confidential Filings*.

Enbridge Gas has redacted the subject information in the Indigenous Consultation Log and attachments on the basis that the information is commercially sensitive and its disclosure will prejudice the competitive position of Enbridge Gas in its negotiations with Indigenous groups. Enbridge Gas has been consistent in treating this information confidentially and the OEB accepted these same redactions recently in the 2022 Storage Enhancement Project proceeding (EB-2021-0078). Enbridge Gas submits that the redacted information is not required for the OEB to make a decision or for the Ministry of Energy to issue a sufficiency letter for the Project.

If you have any questions, please contact the undersigned.

Sincerely,

Dave Janisse
Technical Manager, Leave to Construct Application

¹ Pages 51, 62, 66, 83, 87, and 90