

April 8, 2022

VIA EMAIL and RESS

Nancy Marconi
Registrar
Ontario Energy Board
2300 Yonge Street, 27th Floor
Toronto, ON M4P 1E4

Dear Nancy Marconi:

**Re: Enbridge Gas Inc. (Enbridge Gas)
Ontario Energy Board (OEB) File: EB-2021-0002
Multi-Year Demand Side Management Plan (2022-2027)
Oral Hearing March 29 – March 31 Transcript Corrections, and Presentation
Day Transcript Corrections**

Further to the hearing which commenced on March 28, 2022 in the above noted proceeding, Enbridge Gas has reviewed the transcript for March 29 to March 31 and notes the following corrections.

Transcript Volume 2 – March 29

As Stated	Correction
Page 17, Line 2 – done the maths	Page 17, Line 2 – done the math
Page 19, Line 5 – again the P3	Page 19, Line 5 – again the part
Page 19, Line – accrue to customers	Page 19, Line – accrue to participants
Page 32, Line 11 – 98	Page 32, Line 11 - 90
Page 32, Line 12 – percent plus of participants for completing	Page 32, Line 12 – percent of participants (delete plus) were completing
Page 32, Line 14 – air ceiling	Page 32, Line 14 – air sealing
Page 47, Line 3 – of a wide of array	Page 47, Line 3 – of a wide array (delete of)
Page 54, Line 12 – that most of our were Energy Start	Page 54, Line 12 – that most were Energy Start (delete of our)
Page 54, Line 23 - views	Page 54, Line 23 - reviews
Page 54, Line 26 – our future service	Page 54, Line 26 – our food service
Page 66, Line 23 – done it in relating	Page 66, Line 23 – done it in lighting and
Page 87, Line 11 - experts,	Page 87, Line 11 – experts,
Page 88, Line 2 – very much focused	Page 88, Line 2 – very much focus
Page 92, Line 19 – absolutely low	Page 92, Line 19 –low (delete absolutely)
Page 117, Line 4 – Mr. Moore	Page 117, Line 4 – Mr. Murray
Page 146, Line 7 – Mr. (inaudible)	Page 146, Line 7 – Mr. Chernik

Page 159, Line 12 – achieve the things	Page 159, Line 12 – achieve things (delete the)
Page 182, Line 18 – we do find be	Page 182, Line 18 – we do find to be

Transcript Volume 3 – March 30

As Stated	Correction
Index of Proceeding – J. Dustan	Index of Proceeding – J. Dunstan
Page 4, Line 4 – Greener Home	Page 4, Line 4 – Greener Homes
Page 7, Line 18 - well	Page 7, Line 18 - wall
Page 16, Line 16/17 – is in point 2	Page 16, Line 16/17 – is a point to
Page 40, Line 16 – like online forums like Best Buy online, ECOB	Page 40, Line 16 – like Best Buy online, ECOB (delete online forums like)
Page 46, Line 12 – (inaudible)	Page 46, Line 12 – with the EAC
Page 101, Line 2 – objectives producing	Page 101, Line 2 – objectives reducing
Page 103, Line 18 - CHPA	Page 103, Line 18 - CHBA
Page 103, Line 26 – C Line	Page 103, Line 26 – SeeLine
Page 155, Line 14/15 – has amassed a set	Page 155, Line 14/15 – has a massive set
Page 159, Line 14 - our valuator	Page 159, Line 14 – our evaluator
Page 161, Line 6 – I should saw	Page 161, Line 6 – I should say
Page 161, Line 16 – that that difference was they were	Page 161, Line 16 – what that difference was nor were
Page 181, Line 15 – Mr. Shipley	Page 181, Line 15 – Mr. Shepherd

Transcript Volume 4 – March 31, 2022

As Stated	Correction
Throughout – should be Greener Homes Grant (capitalized and Home should be Homes)	
Page 6, Line 5 – their post -retrofit	Page 6, Line 5 – their pre -retrofit
Page 32, Line 20 – kind of I am implies	Page 32, Line 20 – kind of implies

In addition Enbridge Gas notes the following corrections from Presentation Day which are in addition to those corrections filed on March 29, 2022.

Presentation Day Transcript – March 24

As Stated	Correction
Page 92, Line 21 – only count rows	Page 92, Line 21 – only count gross
Page 94, Line 20 – They should be from top down	Page 94, Line 20 – They shouldn't be set from top down

April 8, 2022
Page 3

Please contact the undersigned if you have any questions.

Yours truly,

Asha Patel
Technical Manager Regulatory Applications

cc: D. O'Leary, Aird & Berlis – VIA email
EB-2021-0002 Intervenors – Via email