

**Ministry of Heritage, Sport, Tourism, and
Culture Industries**

Archaeology Program Unit
Programs and Services Branch
Heritage, Tourism and Culture Division
5th Floor, 400 University Ave.
Toronto ON M7A 2R9
Tel.: (437) 339-9197
Email: Andrea.Williams@ontario.ca

**Ministère des Industries du patrimoine, du sport, du
tourisme et de la culture**

Unité des programme d'archéologie
Direction des programmes et des services
Division du patrimoine, du tourisme et de la culture
5e étage, 400 ave. University
Toronto ON M7A 2R9
Tél. : (437) 339-9197
Email: Andrea.Williams@ontario.ca



Jan 11, 2022

Matthew Beaudoin (P324)
Timmins Martelle Heritage Consultants Inc.
105 - 1108 Dundas London ON N5W 3A7

**RE: Review and Entry into the Ontario Public Register of Archaeological Reports:
Archaeological Assessment Report Entitled, "Stage 1 Archaeological Assessment
Sun-Canadian Pipe Line NPS12 Pipeline Replacement (E16M) Part of Lot 4,
Concessions 7 and 8 New Survey Geographic Township of Trafalgar (North) Now
the Town of Milton Regional Municipality of Halton, Ontario", Dated Jan 7, 2021,
Filed with MHSTCI Toronto Office on Jan 20, 2021, MHSTCI Project Information
Form Number P324-0571-2020, MHSTCI File Number 0012270**

Dear Dr. Beaudoin:

This office has reviewed the above-mentioned report, which has been submitted to this ministry as a condition of licensing in accordance with Part VI of the *Ontario Heritage Act*, R.S.O. 1990, c 0.18.¹ This review has been carried out in order to determine whether the licensed professional consultant archaeologist has met the terms and conditions of their licence, that the licensee assessed the property and documented archaeological resources using a process that accords with the 2011 *Standards and Guidelines for Consultant Archaeologists* set by the ministry, and that the archaeological fieldwork and report recommendations are consistent with the conservation, protection and preservation of the cultural heritage of Ontario.

The report documents the assessment of the study area as depicted in Map 12 of the above titled report and recommends the following:

Based on the information compiled in the background study and property inspection, the following recommendations are made:

- 1) The areas of woodlot, the tree farm and the manicured lawns have archaeological potential and require Stage 2 archaeological assessment (55.5%; 0.837 ha). In keeping with provincial standards, these unploughable areas are recommended for test pit survey using a 5 m transect interval.
- 2) The sloped areas (1.0%; 0.015 ha), low-lying and wet areas (0.8%; 0.016 ha), and the obviously disturbed areas (27.6%; 0.416 ha) are considered to be of low archaeological potential and were photo-documented and no further work is recommended.
- 3) The Trafalgar Road ROW and the Project area to the east of Trafalgar Road have been previously

assessed and no further work is recommended (15.1%; 0.227 ha).

4) If the Project area is changed to incorporate lands not included in this report, additional archaeological assessment may be required.

These recommendations are subject to the conditions laid out in Section 7.0 of this report and to the Ministry of Heritage, Sport, Tourism and Culture Industries' review and acceptance of this report into the provincial register.

Based on the information contained in the report, the ministry is satisfied that the fieldwork and reporting for the archaeological assessment are consistent with the ministry's 2011 *Standards and Guidelines for Consultant Archaeologists* and the terms and conditions for archaeological licences. This report has been entered into the Ontario Public Register of Archaeological Reports. Please note that the ministry makes no representation or warranty as to the completeness, accuracy or quality of reports in the register.

Should you require any further information regarding this matter, please feel free to contact me.

Sincerely,

Andrea Williams
Archaeology Review Officer

cc. Archaeology Licensing Officer
Susan Jackson, Sun-Canadian Pipe Line
Susan Jackson, Sun-Canadian Pipe Line

¹ *In no way will the ministry be liable for any harm, damages, costs, expenses, losses, claims or actions that may result: (a) if the Report(s) or its recommendations are discovered to be inaccurate, incomplete, misleading or fraudulent; or (b) from the issuance of this letter. Further measures may need to be taken in the event that additional artifacts or archaeological sites are identified or the Report(s) is otherwise found to be inaccurate, incomplete, misleading or fraudulent.*

**Ministry of Heritage, Sport, Tourism, and
Culture Industries**

Archaeology Program Unit
Programs and Services Branch
Heritage, Tourism and Culture Division
401 Bay Street, Suite 1700
Toronto ON M7A 0A7
Tel.: (416) 314-7137
Email: Jessica.Marr@ontario.ca

**Ministère des Industries du patrimoine, du sport, du
tourisme et de la culture**

Unité des programme d'archéologie
Direction des programmes et des services
Division du patrimoine, du tourisme et de la culture
401, rue Bay, bureau 1700
Toronto ON M7A 0A7
Tél. : (416) 314-7137
Email: Jessica.Marr@ontario.ca



Jul 16, 2021

Matthew Beaudoin (P324)
Timmins Martelle Heritage Consultants Inc.
1600 Attawandaron London ON N6G 3M6

RE: Entry into the Ontario Public Register of Archaeological Reports: Archaeological Assessment Report Entitled, "Stage 2 Archaeological Assessment Sun-Canadian Pipe Line NPS12 Pipeline Replacement (E16M) Part of Lot 4, Concessions 7 and 8 New Survey Geographic Township of Trafalgar (North) Now the Town of Milton Regional Municipality of Halton, Ontario", Dated Jul 13, 2021, Filed with MHSTCI Toronto Office on N/A, MHSTCI Project Information Form Number P324-0576-2020, MHSTCI File Number 0012270

Dear Dr. Beaudoin:

The above-mentioned report, which has been submitted to this ministry as a condition of licensing in accordance with Part VI of the *Ontario Heritage Act*, R.S.O. 1990, c 0.18, has been entered into the Ontario Public Register of Archaeological Reports without technical review.¹

Please note that the ministry makes no representation or warranty as to the completeness, accuracy or quality of reports in the register.

Should you require further information, please do not hesitate to send your inquiry to Archaeology@Ontario.ca

cc. Archaeology Licensing Officer
Susan Jackson, Sun-Canadian Pipe Line
Susan Jackson, Sun-Canadian Pipe Line

¹In no way will the ministry be liable for any harm, damages, costs, expenses, losses, claims or actions that may result: (a) if the Report(s) or its recommendations are discovered to be inaccurate, incomplete, misleading or fraudulent; or (b) from the issuance of this letter. Further measures may need to be taken in the event that additional artifacts or archaeological sites are identified or the Report(s) is otherwise found to be inaccurate, incomplete, misleading or fraudulent.