

Sent via email – registrat@oeb.ca

November 8, 2022

Ontario Energy Board 2300 Young Street, 27th Floor Toronto, ON M4P 1E4 Attn: Nancy Marconi, Registrar

Dear Ms. Marconi:

Re: Enbridge Gas Inc. ("Enbridge")

Application for Renewal of Franchise Agreement

The Corporation of the Municipality of Leamington ("Leamington")

Ontario Energy Board File No. EB-2022-0201

I enclose herein:

1) Evidence of the Municipality of Leamington; and

2) Correspondence to Enbridge Gas Inc. serving the Evidence.

The Evidence is being filed in accordance with Procedural Order 1.

Should you have any questions or require additional information, please do not hesitate to contact the undersigned.

Matthew Todd

Matthew Todd, LL.B.

Lawyer Legal Services

T: 519-326-5761 ext. 1105 E: mtodd@leamington.ca

cc. Patrick McMahon – <u>patrick.mcmahon@enbridge.com</u> Ruth Orton – Director, Legal & Legislative Services Brenda Percy - Clerk ONTARIO ENERGY BOARD FILE NO. EB-2022-0201

EVIDENCE OF THE MUNICIPALITY OF LEAMINGTON ("Leamington")

AFFIDAVIT OF LU-ANNE MARENTETTE

I, Lu-Ann Marentette of the Town of Lakeshore, in the County of Essex and Province of

Ontario, MAKE OATH AND SAY AS FOLLOWS:

1. I am a Drainage Superintendent employed by, The Corporation of the Municipality of

Leamington (hereinafter the "Municipality"), and as such have knowledge of the matters to

which I hereinafter depose. In instances where I have acquired knowledge from a third party. I

have stated the source of that information and verily believe it to be true.

2. I am aware of the application filed by Enbridge Gas Inc (hereinafter "Enbridge") before

the Ontario Energy Board (hereinafter "OEB") with respect to the request of Enbridge to renew

its Franchise Agreement with the Municipality.

3. I have worked in the Drainage Department as a Superintendent for 17 years. I am familiar

with the drainage system in Leamington and have knowledge of drainage works in general, across

the Province of Ontario.

The Municipality is home to 445 municipal drains, covering 436 kilometers. Attached 4.

hereto and marked as Exhibit "A" to this my affidavit is a map showing the various drainage

systems in the Municipality, taken from the Municipality's GIS mapping system. Further attached hereto and marked as Exhibit "B" to this my affidavit is a map showing the various drainage systems in the Municipality, taken from the Municipality's GIS mapping system, which includes concession roads.

- 5. The drainage systems in the Municipality are unique.
- 6. The Municipality, like much of Essex County, is very flat. There is little topographic relief.

 Outside of the Municipality and Essex County, the land topography has a rolling landscape with ample drainage to provide sufficient drainage for lands and roads.
- 7. In addition to having very flat topography, Leamington also has a large majority of its municipal drains along roadways and within the right of way. With drains being located in the right of way and along roadways, it creates conflicts with various utilities including gas. Attached hereto and marked as Exhibit "C" to this my affidavit is a map depiction taken from the Municipality's GIS mapping system along Mersea Road 6 and Highway 77 showing the conflict between the gas main and the municipal drain.
- 8. Given the flat lands that exist in the Municipality, there is limited flexibility with available depths and grades to satisfactorily drain lands contributing to a particular drain, whether it is an open or covered drain. As such, these depths and grades are typically fixed and cannot be adjusted without significant and costly improvements to the drainage such as by adding pumps or diversion.

- 9. Further complicating the Municipality's drainage system is the fact that a portion of the Municipality (located in the South East) is approximately 1.79 meters below sea level. As such, the Municipality has to employ the use of 10 pump stations. These 10 pump stations contain a total of 7 electric powered pumps and 7 diesel powered pumps, which range in size from 24" to 48". These pump stations are necessary to drain approximately 22.8 square km's of the Municipality.
- I make this affidavit in support of the Municipality's response to the Enbridge application 10. to renew the Franchise Agreement and for no other or improper purpose.

SWORN BEFORE ME)
at the Municipality of Leamington,)
in the County of Essex and Province)
of Ontario, the day of November 2022)


A Commissioner for taking Affidavits


Matthew Todd

LU-ANN MARENTETTE

THIS IS EXHIBIT "A" REFERRED TO IN THE AFFIDAVIT OF LU-ANN MARENTETTE SWORN BEFORE ME THIS 8TH DAY OF NOVEMBER, 2022


A Commissioner, etc.





THIS IS EXHIBIT "B" REFERRED TO IN THE AFFIDAVIT OF LU-ANN MARENTETTE SWORN BEFORE ME THIS 8TH DAY OF NOVEMBER, 2022

A Commissioner, etc.



THIS IS EXHIBIT "C" REFERRED TO IN THE AFFIDAVIT OF LU-ANN MARENTETTE SWORN BEFORE ME THIS 8TH DAY OF NOVEMBER, 2022

A Commissioner, etc.

