

Panel 1: Distribution Capital & Maintenance

Exhibit 1A and 1B		Exhibit 2A and 3	Exhibit 2B							Exhibit 4, 6, 7 and 9
1A-CCC-6	1B-CCC-41	2A-Staff-104	2B-Staff-117	2B-Staff-169	2B-Staff-221	2B-AMPCO-28	2B-ED-7	2B-PP-33	2B-SEC-47	4-Staff-289
1A-CCC-7	1B-CCC-42	2A-Staff-105	2B-Staff-118	2B-Staff-170	2B-Staff-222	2B-AMPCO-30	2B-ED-8	2B-PP-34	2B-SEC-48	4-Staff-291
1A-PP-1	1B-CCC-43	2A-Staff-106	2B-Staff-119	2B-Staff-171	2B-Staff-223	2B-AMPCO-31	2B-ED-9	2B-PP-35	2B-SEC-49	4-Staff-292
1A-PP-3	1B-CCC-44	2A-Staff-108	2B-Staff-120	2B-Staff-172	2B-Staff-224	2B-AMPCO-32	2B-ED-10	2B-PP-36	2B-SEC-50	4-Staff-293
1A-PP-4	1B-CCC-45	2A-Staff-109	2B-Staff-121	2B-Staff-173	2B-Staff-225	2B-AMPCO-33	2B-ED-11	2B-PP-37	2B-SEC-53	4-Staff-309
1B-Staff-4	1B-CCC-48	2A-Staff-110	2B-Staff-122	2B-Staff-174	2B-Staff-226	2B-AMPCO-34	2B-ED-12	2B-PP-38	2B-SEC-54	4-AMPCO-75
1B-Staff-6	1B-CCMBC-2	2A-Staff-111	2B-Staff-123	2B-Staff-175	2B-Staff-227	2B-AMPCO-35	2B-ED-13	2B-PP-39	2B-SEC-56	4-AMPCO-76
1B-Staff-7	1B-DRC-2	2A-Staff-112	2B-Staff-124	2B-Staff-176	2B-Staff-228	2B-AMPCO-36	2B-ED-14	2B-PWU-1	2B-SEC-57	4-AMPCO-77
1B-Staff-9	1B-DRC-3	2A-Staff-113	2B-Staff-126	2B-Staff-178	2B-Staff-229	2B-AMPCO-37	2B-ED-15	2B-PWU-2	2B-SEC-58	4-AMPCO-79
1B-Staff-15	1B-DRC-5	2A-Staff-114	2B-Staff-128	2B-Staff-179	2B-Staff-230	2B-AMPCO-38	2B-ED-16	2B-PWU-3	2B-SEC-59	4-AMPCO-91
1B-Staff-16	1B-DRC-06	2A-Staff-115	2B-Staff-129	2B-Staff-180	2B-Staff-231	2B-AMPCO-39	2B-ED-17	2B-PWU-4	2B-SEC-60	4-AMPCO-93
1B-Staff-43	1B-ED-4	2A-AMPCO-13	2B-Staff-130	2B-Staff-181	2B-Staff-232	2B-AMPCO-40	2B-ED-18	2B-PWU-5	2B-SEC-61	4-AMPCO-94
1B-Staff-46	1B-ED-5	2A-AMPCO-14	2B-Staff-131	2B-Staff-182	2B-Staff-233	2B-AMPCO-41	2B-ED-19	2B-PWU-6	2B-SEC-62	4-AMPCO-97
1B-Staff-47	1B-ED-6	2A-CCC-51	2B-Staff-132	2B-Staff-183	2B-Staff-234	2B-AMPCO-42	2B-ED-20	2B-PWU-7	2B-SEC-63	4-CCMBC-15
1B-Staff-50	1B-EP-2	2A-CCC-52	2B-Staff-133	2B-Staff-184	2B-Staff-235	2B-AMPCO-43	2B-ED-21	2B-PWU-8	2B-SEC-65	4-CCMBC-16
1B-Staff-62	1B-EP-3	2A-CCC-53	2B-Staff-134	2B-Staff-185	2B-Staff-236	2B-AMPCO-44	2B-ED-22	2B-PWU-9	2B-SEC-66	4-EP-33
1B-Staff-73	1B-EP-4	2A-PP-24	2B-Staff-135	2B-Staff-186	2B-Staff-237	2B-AMPCO-45	2B-ED-23	2B-PWU-10	2B-SEC-67	4-SEC-93
1B-Staff-74	1B-EP-5	2A-PP-25	2B-Staff-136	2B-Staff-187	2B-Staff-238	2B-AMPCO-46	2B-ED-24	2B-PWU-11	2B-SEC-68	4-SEC-94
1B-Staff-79	1B-EP-8	2A-PP-26	2B-Staff-137	2B-Staff-189	2B-Staff-239	2B-AMPCO-47	2B-ED-25	2B-PWU-12	2B-SEC-69	4-SEC-95
1B-Staff-85	1B-EP-9	2A-SEC-30	2B-Staff-138	2B-Staff-190	2B-Staff-240	2B-AMPCO-49	2B-ED-26	2B-PWU-13	2B-SEC-70	4-SEC-96
1B-Staff-86	1B-EP-10	3-CCMBC-10	2B-Staff-139	2B-Staff-191	2B-Staff-241	2B-AMPCO-50	2B-ED-28	2B-PWU-14	2B-SEC-71	4-SEC-103
1B-Staff-87	1B-EP-12	3-DRC-14	2B-Staff-140	2B-Staff-192	2B-Staff-242	2B-AMPCO-51	2B-ED-29	2B-PWU-15	2B-SEC-72	4-VECC-63
1B-Staff-88	1B-EP-15	3-PP-40	2B-Staff-141	2B-Staff-193	2B-Staff-243	2B-AMPCO-52	2B-ED-30	2B-PWU-16	2B-SEC-73	4-VECC -67
1B-Staff-89	1B-PP-5	3-PP-41	2B-Staff-142	2B-Staff-196	2B-Staff-244	2B-AMPCO-53	2B-ED-31	2B-PWU-17	2B-SEC-74	4-VECC-69
1B-Staff-90	1B-PP-6	3-SEC-82	2B-Staff-143	2B-Staff-197	2B-Staff-245	2B-AMPCO-54	2B-ED-32	2B-PWU-18	2B-SEC-75	6-CCC-63
1B-Staff-91	1B-PP-7	3-VECC-23	2B-Staff-145	2B-Staff-198	2B-Staff-246	2B-AMPCO-55	2B-ED-33	2B-PWU-19	2B-VECC-12	7-Staff-324
1B-Staff-98	1B-PP-9	3-VECC-43	2B-Staff-146	2B-Staff-199	2B-Staff-247	2B-AMPCO-56	2B-ED-34	2B-PWU-20	2B-VECC-14	7-EP-45
1B-Staff-99	1B-PP-11	3-VECC-44	2B-Staff-147	2B-Staff-200	2B-Staff-248	2B-AMPCO-57	2B-ED-35	2B-PWU-21	2B-VECC-15	8-Staff-333
1B-Staff-100	1B-PP-14	3-VECC-48	2B-Staff-148	2B-Staff-201	2B-Staff-249	2B-AMPCO-58	2B-ED-36	2B-PWU-22	2B-VECC-16	9-Staff-338
1B-AMPCO-1	1B-SEC-01	3-VECC-50	2B-Staff-149	2B-Staff-202	2B-Staff-250	2B-AMPCO-59	2B-ED-37	2B-PWU-23	2B-VECC-17	9-Staff-339
1B-AMPCO-2	1B-SEC-15	3-VECC-52	2B-Staff-150	2B-Staff-203	2B-Staff-251	2B-AMPCO-60	2B-ED-38	2B-PWU-24	2B-VECC-18	9-Staff-343
1B-AMPCO-3	1B-SEC-20		2B-Staff-151	2B-Staff-204	2B-Staff-252	2B-AMPCO-61	2B-ED-39	2B-PWU-25	2B-VECC-19	9-Staff-346
1B-AMPCO-5	1B-SEC-21		2B-Staff-152	2B-Staff-205	2B-Staff-253	2B-AMPCO-62	2B-ED-40	2B-PWU-26		9-Staff-348
1B-AMPCO-7	1B-SEC-22		2B-Staff-153	2B-Staff-206	2B-Staff-254	2B-AMPCO-63	2B-ED-41	2B-PWU-27		9-SEC-129
1B-AMPCO-8	1B-SEC-29		2B-Staff-154	2B-Staff-207	2B-Staff-255	2B-BOMA-1	2B-ED-42	2B-SEC-31		9-SEC-131
1B-AMPCO-10	1B-VECC-1		2B-Staff-155	2B-Staff-208	2B-Staff-256	2B-CCMBC-4.1	2B-ED-43	2B-SEC-32		
1B-AMPCO-11	1B-VECC-2		2B-Staff-156	2B-Staff-209	2B-AMPCO-15	2B-CCMBC-4.2	2B-ED-44	2B-SEC-33		
1B-CCC-8	1B-VECC-5		2B-Staff-157	2B-Staff-210	2B-AMPCO-16	2B-CCMBC-4.3	2B-EP-25	2B-SEC-34		
1B-CCC-9	1B-VECC-6		2B-Staff-158	2B-Staff-211	2B-AMPCO-17	2B-CCMBC-4.4	2B-EP-26	2B-SEC-35		
1B-CCC-10			2B-Staff-159	2B-Staff-212	2B-AMPCO-18	2B-CCMBC-5	2B-EP-27	2B-SEC-36		
1B-CCC-11			2B-Staff-160	2B-Staff-213	2B-AMPCO-19	2B-CCMBC-6	2B-EP-28	2B-SEC-38		
1B-CCC-13			2B-Staff-161	2B-Staff-214	2B-AMPCO-20	2B-CCMBC-7	2B-EP-29	2B-SEC-40		
1B-CCC-20			2B-Staff-162	2B-Staff-215	2B-AMPCO-21	2B-CCMBC-8	2B-PP-27	2B-SEC-41		
1B-CCC-24			2B-Staff-163	2B-Staff-216	2B-AMPCO-22	2B-DRC-7	2B-PP-28	2B-SEC-42		
1B-CCC-29			2B-Staff-164	2B-Staff-217	2B-AMPCO-24	2B-DRC-10	2B-PP-29	2B-SEC-43		
1B-CCC-30			2B-Staff-165	2B-Staff-218	2B-AMPCO-25	2B-DRC-11	2B-PP-30	2B-SEC-44		
1B-CCC-31			2B-Staff-167	2B-Staff-219	2B-AMPCO-26	2B-DRC-12	2B-PP-31	2B-SEC-45		
1B-CCC-37			2B-Staff-168	2B-Staff-220	2B-AMPCO-27	2B-DRC-13	2B-PP-32	2B-SEC-46		

Panel 2: General Plant and Operations

Exhibit 1B	Exhibit 2B	Exhibit 4	Exhibit 7, 8 and 9
1B-Staff-9	2B-Staff-125	4-Staff-290	7-VECC-82
1B-Staff-16	2B-Staff-127	4-Staff-294	8-CCMBC-21
1B-Staff-27	2B-Staff-144	4-Staff-295	9-Staff-337
1B-Staff-46	2B-Staff-166	4-Staff-296	9-EP-36
1B-Staff-47	2B-Staff-188	4-Staff-297	9-SEC-128
1B-Staff-55	2B-Staff-194	4-Staff-298	9-VECC-100
1B-Staff-56	2B-Staff-195	4-AMPCO-78	
1B-Staff-63	2B-Staff-257	4-AMPCO-92	
1B-Staff-82	2B-Staff-258	4-CCMBC-12	
1B-Staff-83	2B-Staff-259	4-CCMBC-15	
1B-Staff-85	2B-Staff-260	4-CCMBC-17	
1B-Staff-97	2B-Staff-261	4-SEC-91	
1B-AMPCO-2	2B-Staff-262	4-SEC-97	
1B-AMPCO-3	2B-Staff-263	4-SEC-98	
1B-AMPCO-7	2B-Staff-264	4-SEC-99	
1B-AMPCO-9	2B-Staff-265	4-SEC-100	
1B-AMPCO-12	2B-Staff-266	4-SEC-101	
1B-CCC-12	2B-Staff-267	4-SEC-102	
1B-CCC-16	2B-Staff-268	4-SEC-104	
1B-CCC-24	2B-Staff-269	4-SEC-105	
1B-CCC-42	2B-Staff-270	4-SEC-106	
1B-CCC-43	2B-Staff-271	4-SEC-109	
1B-CCC-49	2B-Staff-272	4-VECC-59	
1B-CCMBC-1	2B-Staff-273	4-VECC-62	
1B-ED-3	2B-AMPCO-23	4-VECC-64	
1B-PP-15	2B-AMPCO-26	4-VECC-65	
1B-PP-17	2B-AMPCO-29	4-VECC-68	
1B-SEC-20	2B-AMPCO-48	4-VECC-70	
1B-SEC-21	2B-AMPCO-64	4-VECC-71	
1B-SEC-26	2B-AMPCO-65		
1B-VECC-6	2B-AMPCO-66		
1B-VECC-8	2B-AMPCO-67		
1B-VECC-9	2B-DRC-8		
1B-VECC-10	2B-DRC-9		
	2B-ED-27		
	2B-EP-24		
	2B-SEC-37		
	2B-SEC-52		
	2B-SEC-55		
	2B-SEC-64		
	2B-SEC-76		
	2B-SEC-77		
	2B-SEC-78		
	2B-VECC-13		
	2B-VECC-20		

Panel 3: Regulatory, Finance and Human Resources

Exhibit 1A, 2A and 2B	Exhibit 1B			Exhibit 3		Exhibit 4		Exhibit 5 and 6	Exhibit 8 and 9
1A-Staff-1	1B-Staff-3	1B-Staff-94	1B-EP-10	3-PP-41	3-VECC-36	4-Staff-288	4-SEC-88	5-Staff-305	8-Staff-330
1A-Staff-2	1B-Staff-4	1B-Staff-95	1B-EP-11	3-SEC-79	3-VECC-37	4-Staff-299	4-SEC-89	5-Staff-312	8-Staff-331
1A-CCC-1	1B-Staff-5	1B-Staff-96	1B-EP-12	3-Staff-274	3-VECC-38	4-Staff-300	4-SEC-90	5-Staff-313	8-Staff-332
1A-CCC-2	1B-Staff-8	1B-Staff-99	1B-EP-14	3-Staff-275	3-VECC-39	4-Staff-301	4-SEC-92	5-Staff-314	8-Staff-333
1A-CCC-3	1B-Staff-9	1B-AMPCO-4	1B-EP-16	3-Staff-276	3-VECC-40	4-Staff-302	4-SEC-107	5-Staff-315	8-Staff-334
1A-CCC-4	1B-Staff-10	1B-AMPCO-6	1B-EP-17	3-Staff-277	3-VECC-41	4-Staff-303	4-SEC-108	5-Staff-316	8-Staff-335
1A-CCC-5	1B-Staff-11	1B-AMPCO-7	1B-EP-18	3-Staff-278	3-VECC-42	4-Staff-304	4-SEC-110	5-EP-34	8-BOMA-5
1A-PP-2	1B-Staff-12	1B-CCC-14	1B-EP-19	3-Staff-279	3-VECC-46	4-Staff-305	4-SEC-111	5-CCC-62	8-CCMBC-21
2A-Staff-107	1B-Staff-13	1B-CCC-15	1B-EP-20	3-Staff-280	3-VECC-53	4-Staff-306	4-SEC-112	5-SEC-117	8-ED-45
2A-Staff-116	1B-Staff-14	1B-CCC-16	1B-EP-21	3-Staff-281	3-VECC-54	4-Staff-307	4-SEC-113	5-SEC-118	8-SEC-123
2B-Staff-177	1B-Staff-15	1B-CCC-18	1B-EP-22	3-Staff-282	3-VECC-55	4-Staff-308	4-SEC-114	5-SEC-119	8-SEC-124
2B-AMPCO-26	1B-Staff-16	1B-CCC-19	1B-PP-8	3-Staff-283	3-VECC-56	4-Staff-309	4-VECC-57	5-VECC-76	8-SEC-125
2B-AMPCO-46	1B-Staff-17	1B-CCC-21	1B-PP-10	3-Staff-284		4-Staff-310	4-VECC-58	5-VECC-77	8-VECC-91
2B-BOMA-2	1B-Staff-18	1B-CCC-22	1B-PP-13	3-Staff-285		4-Staff-311	4-VECC-59	6-Staff-317	8-VECC-92
2B-SEC-32	1B-Staff-26	1B-CCC-23	1B-PP-16	3-Staff-286		4-AMPCO-68	4-VECC-60	6-Staff-318	8-VECC-93
2B-SEC-33	1B-Staff-27	1B-CCC-24	1B-PP-18	3-Staff-287		4-AMPCO-69	4-VECC-61	6-Staff-319	8-VECC-94
2B-SEC-39	1B-Staff-28	1B-CCC-25	1B-PP-20	3-BOMA-3		4-AMPCO-70	4-VECC-66	6-Staff-320	8-VECC-95
2B-SEC-51	1B-Staff-29	1B-CCC-26	1B-PP-21	3-BOMA-4		4-AMPCO-71	4-VECC-71	6-Staff-321	8-VECC-96
2B-SEC-54	1B-Staff-30	1B-CCC-27	1B-SEC-1	3-CCC-54		4-AMPCO-72	4-VECC -72	6-SEC-120	9-Staff-336
	1B-Staff-31	1B-CCC-28	1B-SEC-2	3-CCC-55		4-AMPCO-73	4-VECC-73	6-SEC-121	9-Staff-340
	1B-Staff-32	1B-CCC-32	1B-SEC-3	3-CCMBC-10		4-AMPCO-74	4-VECC-74	7-Staff-325	9-Staff-341
	1B-Staff-33	1B-CCC-33	1B-SEC-4	3-EP-30		4-AMPCO-80	4-VECC-75	7-Staff-326	9-Staff-342
	1B-Staff-35	1B-CCC-34	1B-SEC-5	3-EP-31		4-AMPCO-81		7-Staff-327	9-Staff-343
	1B-Staff-36	1B-CCC-35	1B-SEC-6	3-PP-43		4-AMPCO-82		7-Staff-328	9-Staff-344
	1B-Staff-37	1B-CCC-36	1B-SEC-7	3-PP-44		4-AMPCO-83		7-Staff-329	9-Staff-345
	1B-Staff-38	1B-CCC-37	1B-SEC-8	3-SEC-79		4-AMPCO-84		7-EP-35	9-Staff-347
	1B-Staff-39	1B-CCC-38	1B-SEC-9	3-SEC-80		4-AMPCO-85		7-SEC-122	9-Staff-349
	1B-Staff-40	1B-CCC-39	1B-SEC-10	3-SEC-81		4-AMPCO-86		7-VECC-78	9-Staff-350
	1B-Staff-41	1B-CCC-40	1B-SEC-11	3-SEC-84		4-AMPCO-87		7-VECC-79	9-Staff-351
	1B-Staff-42	1B-CCC-42	1B-SEC-12	3-SEC-85		4-AMPCO-88		7-VECC-80	9-Staff-352
	1B-Staff-44	1B-CCC-43	1B-SEC-13	3-SEC-86		4-AMPCO-89		7-VECC-81	9-Staff-353
	1B-Staff-45	1B-CCC-46	1B-SEC-14	3-SEC-87		4-AMPCO-90		7-VECC-83	9-Staff-354
	1B-Staff-46	1B-CCC-47	1B-SEC-15	3-VECC -21		4-AMPCO-95		7-VECC-84	9-Staff-355
	1B-Staff-47	1B-CCC-48	1B-SEC-16	3-VECC -22		4-AMPCO-96		7-VECC-85	9-CCC-64
	1B-Staff-48	1B-CCC-49	1B-SEC-17	3-VECC -23		4-CCC-56		7-VECC-86	9-CCC-65
	1B-Staff-49	1B-CCC-50	1B-SEC-20	3-VECC-24		4-CCC-57		7-VECC-87	9-PP-50
	1B-Staff-51	1B-CCMBC-3	1B-SEC-23	3-VECC -25		4-CCC-58		7-VECC-88	9-PP-51
	1B-Staff-52	1B-DRC-1	1B-SEC-24	3-VECC-26		4-CCC-59		7-VECC-89	9-SEC-126
	1B-Staff-53	1B-DRC-2	1B-SEC-25	3-VECC -27		4-CCC-60		7-VECC-90	9-SEC-127
	1B-Staff-54	1B-DRC-3	1B-SEC-29	3-VECC-28		4-CCC-61			9-SEC-130
	1B-Staff-57	1B-DRC-4	1B-VECC-1	3-VECC-29		4-CCMBC-13			9-VECC-97
	1B-Staff-65	1B-DRC-6	1B-VECC-3	3-VECC-30		4-CCMBC-14			9-VECC-98
	1B-Staff-84	1B-ED-1	1B-VECC-4	3-VECC-31		4-CCMBC-18			9 -VECC -99
	1B-Staff-85	1B-ED-2	1B-VECC-5	3-VECC-32		4-PP-47			
	1B-Staff-86	1B-EP-1	1B-VECC-6	3-VECC-33		4-PP-48			
	1B-Staff-92	1B-EP-6	1B-VECC-7	3-VECC-34		4-PP-49			
	1B-Staff-93	1B-EP-7		3-VECC-35		4-PWU-28			

Panel 4: Experts (Clearspring)

Exhibit 1B	Exhibit 3 and 7
1B-Staff-58	3-CCMBC-9
1B-Staff-59	3-CCMBC-11
1B-Staff-60	3-CCMBC-09
1B-Staff-61	3-DRC-14
1B-Staff-62	3-EP-31
1B-Staff-64	3-EP-32
1B-Staff-66	3-PP-42
1B-Staff-67	3-PP-43
1B-Staff-68	3-PP-45
1B-Staff-69	3-PP-46
1B-Staff-70	3-SEC-82
1B-Staff-71	3-SEC-82
1B-Staff-72	3-SEC-83
1B-Staff-73	3-VECC-44
1B-Staff-74	3-VECC-45
1B-Staff-75	3-VECC-46
1B-Staff-76	3-VECC-47
1B-Staff-77	3-VECC-49
1B-Staff-78	3-VECC-50
1B-Staff-79	3-VECC-51
1B-Staff-80	7-VECC-86
1B-Staff-81	
1B-Staff-102	
1B-Staff-103	
1B-SEC-27	
1B-VECC-11	