

May 23, 2025

**VIA EMAIL and RESS**

Nancy Marconi  
Registrar  
Ontario Energy Board  
2300 Yonge Street, Suite 2700  
Toronto, Ontario, M4P 1E4

Dear Nancy Marconi:

**Re: Enbridge Gas Inc. (“Enbridge Gas”)  
Ontario Energy Board (“OEB”) File No.: EB-2022-0086  
Dawn to Corunna Replacement Project (“Project”)**

---

On November 3, 2022, the OEB issued its Decision and Order for the above noted proceeding which included, as Schedule B, several Conditions of Approval.

Per Condition of Approval 6 and 7 (b) in the Decision and Order, Enbridge Gas is to provide the OEB with a post construction financial report concurrent with the final monitoring report referred to in Condition of Approval 7 (b) no later than fifteen months after the in-service date, or, where the deadline falls between December 1 and May 31, the following June 1. Please find an enclosed copy of the Final Monitoring Report.

Please note that the Post Construction Financial Report for the Project has been filed with the OEB as part of Enbridge Gas’s 2024 Rebasings and IRM Phase 2 Evidence<sup>1</sup> on April 26, 2024.

Please contact me if you have any questions.

Yours truly,

*Olatunbosun Ishola*

Olatunbosun Ishola,  
Advisor, Regulatory Applications – Leave to Construct

---

<sup>1</sup> EB-2024-0111, Phase 2 Exhibit 1, Tab 13, Schedule 4, Attachment 2.

**EB-2022-0086: DAWN TO CORUNNA  
REPLACEMENT PROJECT**

**FINAL MONITORING REPORT**

**Prepared By: Enbridge Gas Inc.  
Environment  
May 2025**

# TABLE OF CONTENTS

## EB-2022-0086: Dawn to Corunna Replacement Project Final Monitoring Report

|  |    |
|--|----|
| 1.0 Introduction .....                     | 1  |
| 2.0 Background .....                       | 2  |
| 3.0 Potential Impacts and Mitigation ..... | 3  |
| 3.1 Condition 1 .....                      | 3  |
| 3.2 Condition 3 .....                      | 4  |
| 3.3 Condition 4 .....                      | 5  |
| 3.4 Condition 5 .....                      | 5  |
| 3.5 Condition 7 .....                      | 6  |
| 4.0 Summary .....                          | 12 |

**Table 1 – Potential Impacts and Mitigation Measures**

**Table 2 – Complaint Tracking System**

**Appendix A – Project Mapping**

**Appendix B – Conditions of Approval**

**Appendix C – Change Requests and Approvals**

**Appendix D – Executive Certifications**

**Appendix E – Photograph Inventory**

## **1.0 INTRODUCTION**

This Final Monitoring Report is provided pursuant to the Ontario Energy Board (OEB) Decision and Order for the EB-2022-0086 proceeding. In that Decision and Order (dated November 3, 2022), the OEB granted Enbridge Gas Inc. (Enbridge Gas) leave, pursuant to section 90(1) of the OEB Act, to construct approximately 20 kilometres of 36-inch natural gas pipeline from its Dawn Operations Centre in the Township of Dawn-Euphemia to its Corunna Compressor Station in St. Clair Township and station work to tie in the new pipeline at the Dawn Operations Centre and the Corunna Compressor Station (the Project). The Project was necessary to replace the equivalent capacity of seven compressors at the Corunna Compressor Station that Enbridge Gas proposed to retire and abandon.

The new pipeline commenced at the Dawn Operations Centre and paralleled existing natural gas pipeline easements in a north-west direction, with a deviation away from existing easements at the Black Creek crossing, to the Corunna Compressor Station. Enbridge Gas acquired both the new permanent and temporary land rights necessary for the construction of the Project from individual landowners. Please see Appendix A of this report for a map of the entire pipeline route.

The requirements for and details of this Final Monitoring Report are outlined in the specific conditions issued by the OEB in its EB-2022-0086 Decision and Order as listed below. The complete Conditions of Approval (COA) can be found in Appendix B of this report. The COA addressed in this report are as follows:

1. Enbridge Gas Inc. shall construct the facilities and restore the land in accordance with the OEB's Decision and Order in EB-2022-0086 and these Conditions of Approval.
3. Enbridge Gas Inc. shall obtain all necessary approvals, permits, licences, certificates, agreements and rights required to construct, operate and maintain the Project.
4. Enbridge Gas Inc. shall implement all the recommendations of the Environmental Report filed in the proceeding, and all the recommendations and directives identified by the Ontario Pipeline Coordinating Committee review.
5. Enbridge Gas Inc. shall advise the OEB of any proposed change to OEB-approved construction or restoration procedures. Except in an emergency, Enbridge Gas Inc.

shall not make any such change without prior notice to and written approval of the OEB. In the event of an emergency, the OEB shall be informed immediately after the fact.

7. Both during and after construction, Enbridge Gas Inc. shall monitor the impacts of construction, and shall file with the OEB one electronic (searchable PDF) version of each of the following reports:
  - a. A post construction report, within three months of the in-service date, which shall:
    - i. provide a certification, by a senior executive of the company, of Enbridge Gas's adherence to Condition 1
    - ii. describe any impacts and outstanding concerns identified during construction
    - iii. describe the actions taken or planned to be taken to prevent or mitigate any identified impacts of construction
    - iv. include a log of all complaints received by Enbridge Gas Inc., including the date/time the complaint was received, a description of the complaint, any actions taken to address the complaint, the rationale for taking such actions
    - v. provide a certification, by a senior executive of the company, that the company has obtained all other approvals, permits, licenses, and certificates required to construct, operate and maintain the proposed project
  - b. A final monitoring report, no later than fifteen months after the in-service date, or, where the deadline falls between December 1 and May 31, the following June 1, which shall:
    - i. provide a certification, by a senior executive of the company, of Enbridge Gas's adherence to Condition 4
    - ii. describe the condition of any rehabilitated land
    - iii. describe the effectiveness of any actions taken to prevent or mitigate any identified impacts of construction
    - iv. include the results of analyses and monitoring programs and any recommendations arising therefrom
    - v. include a log of all complaints received by Enbridge Gas Inc., including the date/time the complaint was received; a description of the complaint; any actions taken to address the complaint; and the rationale for taking such actions

## **2.0 BACKGROUND**

Ontario's underground natural gas storage facilities (namely the Dawn Hub) provide ratepayers access to affordable and reliable natural gas supply. This access has become

increasingly important due to the increased frequency and severity of extreme weather events experienced across North America in recent years. To date, Enbridge Gas customers have been sheltered from significant short-term price increases and interruption of services due to their access to natural gas storage facilities at the Dawn Hub.

Enbridge Gas recognizes its obligation to meet the firm demands of its customers and as a result, assets are continually evaluated to identify hazards and to assess risks in order to ensure that they remain reliable, suitable, and fit for continued service. As a result of various studies and assessments to identify such hazards and risks,<sup>1</sup> Enbridge Gas determined that the proposed Project would enable the Company to retire 7 compressor units at the Corunna Compressor Station to address known obsolescence, reliability and safety risks while maintaining equivalent capacity and deliverability.

Enbridge Gas applied to the OEB under section 90(1) of the *Ontario Energy Board Act, 1998* for an order granting leave to construct the Project on March 21, 2022. The OEB granted leave to construct for the Project on November 3, 2022.

Construction was initiated on June 1, 2023, and was placed into service on November 30, 2023. Clean-up and land restoration in 2023 was completed on November 25, 2023. Clean-up and land restoration continued in 2024, commencing on May 15, 2024, with mainline restorations ceasing on December 12, 2024, and work in the stations ceasing on December 21, 2024. Except for agricultural tiling repair, mainline land restorations were completed. Agricultural tile repair was suspended in 2024 due to wet soils conditions and will be completed in 2025 when soils conditions are appropriate.

### **3.0 POTENTIAL IMPACTS AND MITIGATION**

#### **3.1 Condition 1**

*Enbridge Gas Inc. shall construct the facilities and restore the land in accordance with the OEB's Decision and Order in EB-2022-0086 and these Conditions of Approval.*

---

<sup>1</sup> Described in EB-2022-0086, Exhibit B, Tab 1, Schedule 1.

Enbridge Gas constructed the facilities and restored the land in accordance with the OEB's Decision and Order in EB-2022-0086 and these Conditions of Approval. With the exception for agricultural tiling, Enbridge Gas completed restoration of the land in 2024 in accordance with the OEB's Decision and Order in the EB-2022-0086 proceeding and the Conditions of Approval. Enbridge Gas will complete the outstanding agricultural tiling repairs/installation and address any outstanding issues in 2025.

### **3.2 Condition 3**

*Enbridge Gas Inc. shall obtain all necessary approvals, permits, licences, certificates, agreements and rights required to construct, operate and maintain the Project.*

Enbridge Gas obtained all necessary approvals, permits, licences, certificates, agreements, and rights required to construct, operate, and maintain the Project.

Enbridge Gas obtained the following environmental permits for construction:

#### **Ministry of Citizenship and Multiculturalism (MCM)**

- Archaeology clearances and Cultural Heritage Screening Report acceptances under the MCM File Number 0014068.

#### **Ministry of the Environment, Conservation and Parks (MECP)**

- A Permit to Take Water for the mainline and two (2) Environmental Activity Sector Registries, for the works at Dawn Station and Corunna Station, respectively, were issued by the MECP for construction dewatering.
- A permit (SW-C-002-23) under subsection 17(1) in accordance with the criteria in clause 17(2)(c) of the Endangered Species Act, commonly referred to as an Overall Benefit Permit was issued by the MECP. The Overall Benefit Permit was required for the Black Creek watercourse crossing that was known to support the Endangered Lilliput mussel and its habitat.

### **Fisheries and Ocean Canada (DFO)**

- A *Letter of Advice* was received from DFO for the various temporary culverts and watercourse crossings.
- Species At Risk Act Permit (22-HCAA-02504) for the capture and relocation of Lilliput at the Black Creek watercourse crossing.

### **Environment and Climate Change Canada (ECCC)**

- Two (2) Damage or Danger Permits issued under the Migratory Birds Convention Act were received from ECCC for the relocation for two American Robin nests within the active construction area at the Dawn Station.

### **St. Clair Region Conservation Authority (SCRCA)**

- Ten (10) permits under Ontario Regulation No. 171/06 were issued by SCRCA in support of the Project. These permits were related to the various watercourse crossings and construction within lands regulated by SCRCA.

## **3.3 Condition 4**

*Enbridge Gas Inc. shall implement all the recommendations of the Environmental Report filed in the proceeding, and all the recommendations and directives identified by the Ontario Pipeline Coordinating Committee review.*

Enbridge Gas implemented all the recommendations of the Environmental Report filed in the proceeding, and all the recommendations and directives identified by the Ontario Pipeline Coordinating review.

## **3.4 Condition 5**

*Enbridge Gas Inc. shall advise the OEB of any proposed change to OEB-approved construction or restoration procedures. Except in an emergency, Enbridge Gas Inc. shall not make any such change without prior notice to and written approval of the OEB. In the event of an emergency, the OEB shall be informed immediately after the fact.*

Enbridge Gas advised the OEB of one (1) change to OEB-approved construction or restoration procedures on June 8, 2023. Enbridge Gas received OEB approval for the change request on June 14, 2023. Enbridge Gas's change request and OEB approval are provided in Appendix C of this report.

### 3.5 **Condition 7**

*Both during and after construction, Enbridge Gas Inc. shall monitor the impacts of construction, and shall file with the OEB one electronic (searchable PDF) version of each of the following reports:*

- a. A post construction report, within three months of the in-service date, which shall:
  - i. provide a certification, by a senior executive of the company, of Enbridge Gas's adherence to Condition 1*
  - ii. describe any impacts and outstanding concerns identified during construction*
  - iii. describe the actions taken or planned to be taken to prevent or mitigate any identified impacts of construction*
  - iv. include a log of all complaints received by Enbridge Gas Inc., including the date/time the complaint was received, a description of the complaint, any actions taken to address the complaint, the rationale for taking such actions*
  - v. provide a certification, by a senior executive of the company, that the company has obtained all other approvals, permits, licenses, and certificates required to construct, operate and maintain the proposed project**

A Post Construction Report which satisfied the above conditions was filed with the OEB on February 15, 2024.

- b. A final monitoring report, no later than fifteen months after the in-service date, or, where the deadline falls between December 1 and May 31, the following June 1, which shall:*

- i. provide a certification, by a senior executive of the company, of Enbridge Gas's adherence to Condition 4*

This Final Monitoring Report is being filed with the OEB and is certified by Abdi Hussein, Director, Projects, that Enbridge Gas implemented all the recommendations of the Environmental Report filed in the proceeding, and all the recommendations and directives identified by the Ontario Pipeline Coordinating Committee review. This certification is provided in Appendix D of this report.

- ii. describe the condition of any rehabilitated land*

Due to wet soil conditions and the impact on the construction schedule in 2023 land rehabilitation occurred in 2024. All temporary watercourse crossings were removed and restored in accordance with permit and approval requirements. Agricultural lands were restored including topsoil replacement and decompaction. Post-construction agricultural tiling was started in 2024 but was suspended in November due to wet soil conditions. Post-construction tiling on the five remaining properties will be completed in 2025 during appropriate soil conditions. Please see Appendix E for a photo log of the restored land.

- iii. describe the effectiveness of any actions taken to prevent or mitigate any identified impacts of construction*

The entire right of way (ROW) was walked in spring 2024 to document and confirm the status of the land and identify property specific remedial requirements to be completed during the 2024 restoration program. The results of the walk identified locations with subsidence over the trench line, locations to install temporary French drains to assist with draining the ROW, properties with excess subsoil to be removed, locations to install matted ROW crossings for agricultural equipment and areas with excessive weed growth. Additionally, areas in proximity to watercourses and wetlands were checked for stability, vegetation re-

establishment and subsidence. The watercourse avoided by the Horizontal Directional Drilling (HDD) crossing (Bear Creek) remain in its original state undisturbed by construction. All other watercourse crossings were inspected and identified to be stable and in good condition, the erosion matting, and seeding has performed well at all locations.

The restoration of agricultural lands started in the summer of 2024, and similarly to 2023, July and August were abnormally wet. As a result, remediation activities during this time were largely restricted to weed management (spraying topsoil piles) and dewatering the ROW to promote drying. Dewatering was completed by a combination of active pumping and the installation of temporary French drains.

A full time Soils Inspector was on site to monitor site conditions, recommend wet weather shutdowns and provide direction on soil remediation activities. The focus of the soil restoration activities was to remediate subsoil compaction and the replacement of topsoil. Several meetings were held with the Canadian Association of Energy and Pipeline Landowner Associations (CAEPLA) to discuss issues and provide input on potential solutions, focusing again on wet soil conditions and concerns about soil compaction.

September and October were drier than historical averages and permitted the restoration of all agricultural lands to the satisfaction of the CAELPA landowner committee and non-CAEPLA landowners. Due to the significant rainfall in July and August a portion of the post construction agricultural tiling was not completed due to unsuitable soil condition in the late fall. All remaining post construction tiling will be complete in 2025.

Additional potential impacts and the implemented mitigation measures are presented in Table 1. These measures were found to be effective in reducing the potential impacts of the Project on the environment.

- iv. include the results of analyses and monitoring programs and any recommendations arising therefrom*

### **Monitoring Programs**

#### **Watercourse Monitoring**

It was necessary to cross numerous watercourses as part of the Project. All watercourse crossings were reviewed and approved by DFO and SCRCA following the Enbridge Gas / DFO Agreement.

All watercourse crossings except for Bear Creek were completed using an isolated “Dam and Pump” method. Bear Creek was completed by HDD. All watercourse crossings were performed in accordance to permits and approvals.

Watercourses were protected prior to, during and following construction with sediment fencing. Immediately following pipeline crossings, disturbed areas adjacent to the watercourses were seeded and protected with erosion control blankets and approved materials. Temporary access removals were all completed and restored during the 2024 clean-up.

All watercourse crossings were monitored during construction by an Environmental Inspector and were inspected in the spring of 2024 to ensure bank stability, vegetation re-establishment is restored. The 2024 monitoring identified excessive dieback of the Black Creek vegetation plantings that were required as per the MECP Endangered Species Act permit. Replacement planting was completed in the fall 2024 and no additional deficiencies were identified in 2024.

#### **Species at Risk**

Prior to construction, Stantec completed detailed habitat assessments and field surveys to confirm Species at Risk (SAR) habitat and species occurrences in the Project Area. The surveys identified potential habitat for the following species:

- Butler's Gartersnake
- Little Brown Bat
- Tri-coloured Bat
- Bobolink
- Eastern Meadowlark
- Barn Swallow
- Lilliput
- Fawnsfoot
- Threehorn Wartyback
- Pugnose Minnow

The MECP, and DFO where appropriate, determined with the application of appropriate avoidance and mitigation measures, negative impacts to all but Lilliput to be unlikely and no additional approvals were required. Provincial Endangered Species Act (MECP) and federal Species at Risk Act (DFO) permits were issued for Lilliput associated with the Black Creek Watercourse Crossing. No Lilliput or other SAR species were captured or identified during the Black Creek watercourse crossing.

Various site-specific mitigation and restoration actions were completed at the Black Creek watercourse crossing. Prior to the initiation of in-water works a mussel relocation program was completed to remove, innumerate, identify, measure, weight and relocate all mussels (both SAR and non-SAR). The graded south bank was restored following an engineered geotechnical slope restoration plan to ensure short- and long-term slope stability. The slope restoration plan included the use of geogrid, erosion control blankets, native tree and shrub planting,

seeding and that included the use of an organic soil compound to promote germination and early growth. As a requirement of permitting, a two-year monitoring program for the restoration of Black Creek was required, and the program will be completed spring 2025 with reporting submitted to MECP. To date, the Black Creek monitoring program identified excess dieback of the planted trees and shrubs. Additional plantings to replace dieback was completed in fall 2024 to meet the conditions of the MECP Endangered Species Act permit.

### **Tree Removal**

Tree removal was completed in March of 2023 to avoid avian nesting and bat maternity roosting windows. A tree replacement program will be completed within three years to plant woodland at a ratio of 3:1 per area removed by the Project, planting roughly 12 hectares of trees within the SCRCA watershed. The planted trees will be maintained and monitored for a period of two years following planting.

As of December 2024, SCRCA planted 4 hectares (out of the required 12) within the watershed. The remaining 8 hectares will be planted in 2025 and 2026.

### **Sediment and Erosion Control Monitoring**

All sediment and erosion controls in active and inactive workspaces were inspected regularly. Weekly inspections were completed throughout the project to identify and address any controls that required maintenance. Full site inspections on all sediment and erosion controls following any significant rain event or severe snow melt.

### **Soils Inspection**

A full time Soils Inspector was on site for all project activities from winter tree clearing, throughout construction and the restoration of agricultural lands. The duties of the Enbridge Gas Soils Inspector are as follows:

- Monitoring topsoil stripping to ensure proper topsoil/subsoil separation and storage.
- Inspection and monitoring of equipment wash stations to limit risk of spreading Soyabean Cyst Nematode (SCN) from positive fields to negative fields.
- Monitoring precipitation and providing input on soil conditions as to whether they would be considered wet.
- Provide recommendation on soil treatment and mitigation measure e.g. drainage gaps in soil piles, dewatering locations, ramps and matting, input on topsoil stripping and handling methods.
- Overseeing soils restoration process, drainage tile repairs and completing soils compaction testing.

### **Environmental Inspection**

For the duration of the project a full time Environmental Inspector was onsite daily. The duties of the Enbridge Gas Environmental Inspector are as follows.

- Monitoring compliance with environmental commitments.
- Confirming approvals are in place and that approval conditions are followed.
- Recommending additional or alternative mitigation measures.
- Noting potential adverse environmental effects.
- Identifying site-specific issues.
- Documenting any pre-existing environmental issues.
- Determining the status of the environmental issues following construction.

### **Soils and Crop Monitoring**

Enbridge Gas has committed to completing a 5-year Soil and Crop Monitoring program to investigate the agronomic capabilities on the Dawn-Corunna ROW after construction. The program will conduct sampling in 2025, 2027 and 2029.

#### **4.0 SUMMARY**

This Final Monitoring Report has been prepared pursuant to the Conditions of Approval contained in the OEB Decision and Order for the EB-2022-0086 proceeding. This report provides confirmation that Enbridge Gas has implemented all the recommendations of the Environmental Report filed in the proceeding, and all the recommendations and directives identified by the Ontario Pipeline Coordinating Committee review. This report also provides a description of the condition of any rehabilitated land, describes the effectiveness of any actions taken to prevent or mitigate any identified impacts of construction, and the results of analyses and monitoring programs and any recommendations arising therefrom. Lastly, this report details all complaints received by Enbridge Gas and the actions taken to address such complaints. All outstanding post construction tiling on agricultural lands will be completed in appropriate soil conditions in 2025.

It is anticipated that the actions taken by Enbridge Gas to mitigate identified impacts of construction will effectively eliminate long-term impacts to the environment.

## **Table 1**

# **Potential Impacts and Mitigation Measures**

| <b>Activity/Component</b>    | <b>Potential Impacts/Concerns</b>  | <b>Mitigation Measures</b>  |
|------------------------------|--|---|
| a) Pre-pipeline Construction | <ul style="list-style-type: none"> <li>• Pipeline construction may be disruptive to landowners.</li> </ul>   | <ul style="list-style-type: none"> <li>• Prior to pipeline construction, the Lands Relations Agent and Construction Superintendent met with all directly affected landowners to discuss construction and identify any concerns that may need to be addressed.</li> </ul>  |
| b) Surveying                 | <ul style="list-style-type: none"> <li>• Surveying may be disruptive to the landowners.</li> </ul>   | <ul style="list-style-type: none"> <li>• Landowners and tenants were notified of intent to enter their property.</li> </ul>   |
| c) Accesses                  | <ul style="list-style-type: none"> <li>• Crossing of watercourses.</li> <li>• Vehicular traffic may cause soil rutting, compaction or mixing.</li> </ul> | <ul style="list-style-type: none"> <li>• Permits and approvals from the St. Clair Region Conservation Authority (SCRCA), Fisheries and Ocean Canada (DFO) and the Ministry of the Environment, Conservation and Parks (MECP) were obtained, and the conditions were followed prior to construction of accesses across watercourses.</li> <li>• Culverts and clear span bridges were utilized in the construction of accesses to ensure existing drainage patterns were maintained.</li> <li>• Sediment fencing, erosion control matting, and vegetative covers (i.e., grasses) were used alongside watercourses to minimize run-off and erosion.</li> <li>• Geotextile fabric was used where required for new temporary access roads to provide additional stability, minimize compaction, and</li> </ul> |

| Activity/Component | Potential Impacts/Concerns   | Mitigation Measures  |
|--------------------|--|--|
|                    |  | <p>minimize topsoil mixing with granular material.</p>   |
| <p>d) Clearing</p> | <ul style="list-style-type: none"> <li>• The removal of trees and vegetation.</li> </ul>   | <ul style="list-style-type: none"> <li>• Landowners were eligible for Tree Replacement.</li> <li>• The harvesting of trees was minimized as much as practical.</li> <li>• All tree clearing was done outside the migratory bird nesting season (April 1 – August 31).</li> <li>• Trees cut from woodlots will be replaced at a 3:1 per area basis.</li> <li>• The tree replacement program will be managed and executed by SCRCA.</li> </ul>   |
| <p>e) Grading</p>  | <ul style="list-style-type: none"> <li>• Grading throughout the project area for construction of access roads and work areas. On agricultural lands, grading has the potential to impact soil productivity by disrupting tile drains and causing soil mixing, rutting and compaction, particularly during wet soil conditions.</li> <li>• Potential for spreading soil born Soyabean Cyst Nematode (SCN) between agricultural properties.</li> </ul> | <ul style="list-style-type: none"> <li>• Grading was not conducted on wet topsoils.</li> <li>• Topsoil was stripped and stockpiled on the edge of the easement.</li> <li>• Topsoil stripping was monitored by a soils inspector to ensure there was adequate separation of topsoil and subsoil.</li> <li>• Prior to construction agricultural properties along the project route were sampled and tested for Soybean Cyst Nematode (SCN). Based on the results equipment wash stations were used during topsoil handling work to reduce the risk of spreading SCN from positive properties to those that tested negative.</li> </ul> |

| Activity/Component     | Potential Impacts/Concerns  | Mitigation Measures   |
|------------------------|---|---|
| f) Stringing           | <ul style="list-style-type: none"> <li>Stringing trucks may impact soil productivity due to soil compaction, rutting, and mixing.</li> </ul>                                | <ul style="list-style-type: none"> <li>Where possible stringing trucks travelled along the path of the trench line to limit potential compaction as the area will be excavated for trenching.</li> <li>Stringing took place on following topsoil striping to prevent the potential for admixing.</li> </ul> |
| g) Trenching           | <ul style="list-style-type: none"> <li>Trenching may cause soil mixing (topsoil and subsoil mixing), which may impact soil productivity.</li> </ul>                         | <ul style="list-style-type: none"> <li>Prior to trenching, topsoil was separated from subsoil to limit the potential for mixing.</li> </ul>   |
| h) Backfilling         | <ul style="list-style-type: none"> <li>Improper backfilling may cause topsoil/subsoil mixing.</li> </ul>  | <ul style="list-style-type: none"> <li>Backfilling was monitored by a soils inspector to ensure the appropriate soils and compaction were used.</li> </ul>  |
| i) Hydrostatic Testing | <ul style="list-style-type: none"> <li>Discharge of hydrostatic test water may cause erosion at the point of discharge and may impact the receiving environment.</li> </ul> | <ul style="list-style-type: none"> <li>Measures were used to prevent erosion at the point of discharge.</li> <li>Water sampling and analysis was completed to ensure that all hydrostatic test water met the applicable water quality standards prior to being released into the environment.</li> </ul>    |
| j) Site Restoration    | <ul style="list-style-type: none"> <li>Improper site restoration may affect soil productivity.</li> </ul>   | <ul style="list-style-type: none"> <li>Watercourse and road crossings were restored back to pre-construction conditions or better through topsoil replacement, re-grading, soil decompaction, seeding, and erosion control where required.</li> </ul>   |

| Activity/Component   | Potential Impacts/Concerns   | Mitigation Measures  |
|--|--|--|
|  |  | <ul style="list-style-type: none"> <li>As described in <i>Section 3.4</i> restoration of agricultural lands occurred in 2024 during appropriate soil conditions. The proposed methods are detailed in <i>Section 3.4</i>.</li> <li>The Lands Relations Agent will continue to work to ensure that the landowners are satisfied with the restoration measures completed on their property.</li> </ul> |
| k) Fuel Storage and Handling   | <ul style="list-style-type: none"> <li>Improper fuel storage and handling may cause spillage and possible contamination of soil.</li> </ul>  | <ul style="list-style-type: none"> <li>Fuel was not stored near watercourses or wetlands (i.e. within 50 m).</li> <li>Fuel was stored within impervious containment.</li> <li>Spill clean-up material (i.e. absorbent pads) was always stored on-site and available.</li> </ul>  |
| l) Liquid and Solid Waste Handling   | <ul style="list-style-type: none"> <li>Liquid waste, solid waste, and lubricants must be properly handled, stored and disposed of to avoid potential contamination of the surrounding area.</li> </ul> | <ul style="list-style-type: none"> <li>Liquid and solid wastes were properly stored, handled, and disposed of at an approved location.</li> <li>The area was cleared of all debris and litter during and after construction.</li> </ul>  |
| m) Fence Removal   | <ul style="list-style-type: none"> <li>Fences were removed during construction.</li> </ul>   | <ul style="list-style-type: none"> <li>Temporary fences were erected during construction and permanent fences and repairs were completed during the 2024 clean-up program.</li> </ul>  |
| n) Archaeology, Cultural Heritage Landscapes, and Built Heritage Resources | <ul style="list-style-type: none"> <li>Disturbance of heritage resources.</li> </ul>   | <ul style="list-style-type: none"> <li>Archaeological Assessments were completed prior to construction.</li> <li>Direction was given to stop construction if an artifact was encountered and to notify the</li> </ul>  |

| Activity/Component       | Potential Impacts/Concerns  | Mitigation Measures  |
|--------------------------|---|--|
|                          |   | <p>Ministry Citizenship and Multiculturalism.</p> <ul style="list-style-type: none"> <li>• A Cultural Heritage consultant was retained to determine if impacts to cultural heritage landscapes and/or built heritage resources were anticipated. The finding of the cultural heritage landscape and built cultural heritage assessment determined that no impacts were anticipated.</li> </ul>   |
| o) Species at Risk       | <ul style="list-style-type: none"> <li>• Impacts to species and their habitat.</li> </ul>                   | <ul style="list-style-type: none"> <li>• Enbridge Gas obtained permits from the MECP and DFO for the isolated open-cut crossing of Black Creek due to Liliput and its habitat.</li> <li>• Additional letters of advice were provided by MECP and DFO that impact to other Species at Risk that may be present in the area was not likely if the mitigation presented was followed.</li> <li>• All recommended avoidance, mitigation, monitoring and reporting has been completed to date.</li> </ul> |
| p) Watercourse Crossings | <ul style="list-style-type: none"> <li>• Impacts to water quality, fish, and bank stabilization.</li> </ul> | <ul style="list-style-type: none"> <li>• Enbridge Gas obtained permits from SCRCA as well as a clearance from Fisheries and Oceans Canada for watercourse crossings.</li> <li>• MECP and DFO issued Endangered Species Act and Species at Risk Act permits for the Black Creek watercourse crossing associated with Liliput and its habitat.</li> <li>• Watercourses were crossed</li> </ul>   |

| Activity/Component           | Potential Impacts/Concerns   | Mitigation Measures  |
|------------------------------|--|--|
|                              |  | <p>following the Enbridge Gas – DFO Agreement.</p> <ul style="list-style-type: none"> <li>• Watercourses were restored back to pre-construction conditions or better. The banks were seeded and covered with erosion control blankets immediately after backfill to ensure bank stabilization/re-vegetation.</li> <li>• Significant effort was made for the restoration of Black Creek which included the implementation of an engineered geotechnical slope restoration, erosion control blankets, native shrub and tree plantings, seeding and the application of an organic soil compound to promote germination and revegetation.</li> </ul> |
| q) Water Wells               | <ul style="list-style-type: none"> <li>• Disruption to water supply.</li> </ul>  | <ul style="list-style-type: none"> <li>• Enbridge Gas implemented its standard voluntary well monitoring program.</li> <li>• The well water monitoring program was offered to well users within the vicinity of the project. No well users chose to participate in the program.</li> <li>• If water quality/quantity concerns occurred as a result of construction activities, the Company would supply potable water until the situation was corrected.</li> <li>• No water well complaints have been received to-date.</li> </ul>  |
| r) General Construction Work | <ul style="list-style-type: none"> <li>• Noise from the pipeline equipment and/or service vehicles may disrupt nearby</li> </ul> | <ul style="list-style-type: none"> <li>• Noise was controlled to the greatest extent possible to minimize the disruption to nearby residents.</li> </ul>   |

| <b>Activity/Component</b> | <b>Potential Impacts/Concerns</b>  | <b>Mitigation Measures</b>  |
|---------------------------|--|---|
|                           | <p>residents.</p> <ul style="list-style-type: none"><li>• Dust from pipeline equipment could be a disturbance to landowners and the public.</li><li>• Pipeline equipment could damage underground utilities.</li></ul> | <ul style="list-style-type: none"><li>• All equipment was properly muffled.</li><li>• Municipal noise by-laws were adhered to.</li><li>• Dust on the right-of-way was controlled with a water truck as required.</li><li>• Locates were obtained from all utilities.</li><li>• Any impacted utility was repaired as soon as possible.</li></ul> |

## **Table 2**

# **Complaint Tracking System**

| DATE      | LANDOWNER CONCERN   | RESOLUTION/MITIGATION   | DATE RESOLVED |
|-----------|---|---|---------------|
| 13-Feb-23 | Landowner stated they did not want tree removed from the property.  | Negotiated to replant trees in a different location. Commitment to be fulfilled prior to project completion.  | 15-Feb-23     |
| 29-Jun-23 | Landowner is concerned with striping the topsoil in wet conditions. | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Followed wet soil shut down policy. Landowner compensated on damage release. Discussed reclamation procedures that will occur during the 2024 reclamation process. Landowner is waiting to see if the 2024 reclamation procedures mitigate their concerns. As of November 2024, the Landowner is satisfied with the reclamation of the ROW. | 8-Jul-23      |
| 29-Jun-23 | Landowner is concerned with striping the topsoil in wet conditions. | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Followed wet soil shut down policy. Landowner compensated on damage release. Discussed reclamation procedures that will occur during the 2024 reclamation process. Landowner is waiting to see if the 2024 reclamation procedures mitigate their concerns. As of November 2024, the Landowner is satisfied with the reclamation of the ROW. | 8-Jul-23      |
| 29-Jun-23 | Landowner is concerned with striping the topsoil in wet conditions. | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Followed wet soil shut down policy. Landowner compensated on damage release. Discussed reclamation procedures that will occur during the 2024 reclamation process. Landowner is waiting to see if the 2024 reclamation procedures mitigate their concerns. As of November 2024, the Landowner is satisfied with the reclamation of the ROW. | 8-Jul-23      |
| 29-Jun-23 | Landowner is concerned with striping the topsoil in wet conditions. | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Followed wet soil shut down policy. Landowner compensated on damage release. Discussed reclamation procedures that will occur during the 2024 reclamation process. Landowner is waiting to see if the 2024 reclamation procedures mitigate their concerns. As of November 2024, the Landowner is satisfied with the reclamation of the ROW. | 8-Jul-23      |
| 2-Jul-23  | Landowner is concerned with striping the topsoil in wet conditions. | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Followed wet soil shut down policy. Landowner compensated on damage release. Discussed reclamation procedures that will occur during the 2024 reclamation process. Landowner is waiting to see if the 2024 reclamation procedures mitigate their concerns. As of November 2024, the Landowner is satisfied with the reclamation of the ROW. | 8-Jul-23      |
| 2-Jul-23  | Landowner is concerned with striping the topsoil in wet conditions. | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Followed wet soil shut down policy. Landowner compensated on damage release. Discussed reclamation procedures that will occur during the 2024 reclamation process. Landowner is waiting to see if the 2024 reclamation procedures mitigate their concerns. As of November 2024, the Landowner is satisfied with the reclamation of the ROW. | 8-Jul-23      |

| DATE     | LANDOWNER CONCERN   | RESOLUTION/MITIGATION   | DATE RESOLVED |
|----------|---|---|---------------|
| 2-Jul-23 | Landowner is concerned with striping the topsoil in wet conditions. | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Followed wet soil shut down policy. Landowner compensated on damage release. Discussed reclamation procedures that will occur during the 2024 reclamation process. Landowner is waiting to see if the 2024 reclamation procedures mitigate their concerns. As of November 2024, the Landowner is satisfied with the reclamation of the ROW. | 8-Jul-23      |
| 2-Jul-23 | Landowner is concerned with striping the topsoil in wet conditions. | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Followed wet soil shut down policy. Landowner compensated on damage release. Discussed reclamation procedures that will occur during the 2024 reclamation process. Landowner is waiting to see if the 2024 reclamation procedures mitigate their concerns. As of November 2024, the Landowner is satisfied with the reclamation of the ROW. | 8-Jul-23      |
| 3-Jul-23 | Landowner is concerned with striping the topsoil in wet conditions. | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Followed wet soil shut down policy. Landowner compensated on damage release. Discussed reclamation procedures that will occur during the 2024 reclamation process. Landowner is waiting to see if the 2024 reclamation procedures mitigate their concerns. As of November 2024, the Landowner is satisfied with the reclamation of the ROW. | 8-Jul-23      |
| 3-Jul-23 | Landowner is concerned with striping the topsoil in wet conditions. | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Followed wet soil shut down policy. Landowner compensated on damage release. Discussed reclamation procedures that will occur during the 2024 reclamation process. Landowner is waiting to see if the 2024 reclamation procedures mitigate their concerns. As of November 2024, the Landowner is satisfied with the reclamation of the ROW. | 8-Jul-23      |
| 3-Jul-23 | Landowner is concerned with striping the topsoil in wet conditions. | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Followed wet soil shut down policy. Landowner compensated on damage release. Discussed reclamation procedures that will occur during the 2024 reclamation process. Landowner is waiting to see if the 2024 reclamation procedures mitigate their concerns. As of November 2024, the Landowner is satisfied with the reclamation of the ROW. | 8-Jul-23      |
| 3-Jul-23 | Landowner is concerned with striping the topsoil in wet conditions. | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Followed wet soil shut down policy. Landowner compensated on damage release. Discussed reclamation procedures that will occur during the 2024 reclamation process. Landowner is waiting to see if the 2024 reclamation procedures mitigate their concerns. As of November 2024, the Landowner is satisfied with the reclamation of the ROW. | 8-Jul-23      |
| 4-Jul-23 | Landowner is concerned with striping the topsoil in wet conditions. | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Followed wet soil shut down policy. Landowner compensated on damage release. Discussed reclamation procedures that will occur during the 2024 reclamation process.  | 8-Jul-23      |

| DATE     | LANDOWNER CONCERN   | RESOLUTION/MITIGATION   | DATE RESOLVED |
|----------|---|---|---------------|
|          |   | Landowner is waiting to see if the 2024 reclamation procedures mitigate their concerns. As of November 2024, the Landowner is satisfied with the reclamation of the ROW.  |               |
| 4-Jul-23 | Landowner is concerned with striping the topsoil in wet conditions. | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Followed wet soil shut down policy. Landowner compensated on damage release. Discussed reclamation procedures that will occur during the 2024 reclamation process. Landowner is waiting to see if the 2024 reclamation procedures mitigate their concerns. As of November 2024, the Landowner is satisfied with the reclamation of the ROW. | 8-Jul-23      |
| 4-Jul-23 | Landowner is concerned with striping the topsoil in wet conditions. | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Followed wet soil shut down policy. Landowner compensated on damage release. Discussed reclamation procedures that will occur during the 2024 reclamation process. Landowner is waiting to see if the 2024 reclamation procedures mitigate their concerns. As of November 2024, the Landowner is satisfied with the reclamation of the ROW. | 8-Jul-23      |
| 4-Jul-23 | Landowner is concerned with striping the topsoil in wet conditions. | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Followed wet soil shut down policy. Landowner compensated on damage release. Discussed reclamation procedures that will occur during the 2024 reclamation process. Landowner is waiting to see if the 2024 reclamation procedures mitigate their concerns. As of November 2024, the Landowner is satisfied with the reclamation of the ROW. | 8-Jul-23      |
| 5-Jul-23 | Landowner is concerned with striping the topsoil in wet conditions. | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Followed wet soil shut down policy. Landowner compensated on damage release. Discussed reclamation procedures that will occur during the 2024 reclamation process. Landowner is waiting to see if the 2024 reclamation procedures mitigate their concerns. As of November 2024, the Landowner is satisfied with the reclamation of the ROW. | 8-Jul-23      |
| 5-Jul-23 | Landowner is concerned with striping the topsoil in wet conditions. | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Followed wet soil shut down policy. Landowner compensated on damage release. Discussed reclamation procedures that will occur during the 2024 reclamation process. Landowner is waiting to see if the 2024 reclamation procedures mitigate their concerns. As of November 2024, the Landowner is satisfied with the reclamation of the ROW. | 8-Jul-23      |
| 5-Jul-23 | Landowner is concerned with striping the topsoil in wet conditions. | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Followed wet soil shut down policy. Landowner compensated on damage release. Discussed reclamation procedures that will occur during the 2024 reclamation process. Landowner is waiting to see if the 2024 reclamation procedures mitigate their concerns. As of November 2024, the Landowner is satisfied with the reclamation of the ROW. | 8-Jul-23      |
| 5-Jul-23 | Landowner is concerned with striping the topsoil in wet conditions. | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Followed wet soil shut down policy. Landowner compensated on damage release.  | 8-Jul-23      |

| DATE     | LANDOWNER CONCERN   | RESOLUTION/MITIGATION   | DATE RESOLVED |
|----------|---|---|---------------|
|          |   | Discussed reclamation procedures that will occur during the 2024 reclamation process. Landowner is waiting to see if the 2024 reclamation procedures mitigate their concerns. As of November 2024, the Landowner is satisfied with the reclamation of the ROW.  |               |
| 6-Jul-23 | Landowner is concerned with striping the topsoil in wet conditions. | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Followed wet soil shut down policy. Landowner compensated on damage release. Discussed reclamation procedures that will occur during the 2024 reclamation process. Landowner is waiting to see if the 2024 reclamation procedures mitigate their concerns. As of November 2024, the Landowner is satisfied with the reclamation of the ROW. | 8-Jul-23      |
| 6-Jul-23 | Landowner is concerned with striping the topsoil in wet conditions. | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Followed wet soil shut down policy. Landowner compensated on damage release. Discussed reclamation procedures that will occur during the 2024 reclamation process. Landowner is waiting to see if the 2024 reclamation procedures mitigate their concerns. As of November 2024, the Landowner is satisfied with the reclamation of the ROW. | 8-Jul-23      |
| 6-Jul-23 | Landowner is concerned with striping the topsoil in wet conditions. | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Followed wet soil shut down policy. Landowner compensated on damage release. Discussed reclamation procedures that will occur during the 2024 reclamation process. Landowner is waiting to see if the 2024 reclamation procedures mitigate their concerns. As of November 2024, the Landowner is satisfied with the reclamation of the ROW. | 8-Jul-23      |
| 6-Jul-23 | Landowner is concerned with striping the topsoil in wet conditions. | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Followed wet soil shut down policy. Landowner compensated on damage release. Discussed reclamation procedures that will occur during the 2024 reclamation process. Landowner is waiting to see if the 2024 reclamation procedures mitigate their concerns. As of November 2024, the Landowner is satisfied with the reclamation of the ROW. | 8-Jul-23      |
| 7-Jul-23 | Landowner is concerned with striping the topsoil in wet conditions. | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Followed wet soil shut down policy. Landowner compensated on damage release. Discussed reclamation procedures that will occur during the 2024 reclamation process. Landowner is waiting to see if the 2024 reclamation procedures mitigate their concerns. As of November 2024, the Landowner is satisfied with the reclamation of the ROW. | 8-Jul-23      |
| 7-Jul-23 | Landowner is concerned with striping the topsoil in wet conditions. | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Followed wet soil shut down policy. Landowner compensated on damage release. Discussed reclamation procedures that will occur during the 2024 reclamation process. Landowner is waiting to see if the 2024 reclamation procedures mitigate their concerns. As of November 2024, the Landowner is satisfied with the reclamation of the ROW. | 8-Jul-23      |

| DATE     | LANDOWNER CONCERN   | RESOLUTION/MITIGATION   | DATE RESOLVED |
|----------|---|---|---------------|
| 7-Jul-23 | Landowner is concerned with striping the topsoil in wet conditions. | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Followed wet soil shut down policy. Landowner compensated on damage release. Discussed reclamation procedures that will occur during the 2024 reclamation process. Landowner is waiting to see if the 2024 reclamation procedures mitigate their concerns. As of November 2024, the Landowner is satisfied with the reclamation of the ROW. | 8-Jul-23      |
| 7-Jul-23 | Landowner is concerned with striping the topsoil in wet conditions. | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Followed wet soil shut down policy. Landowner compensated on damage release. Discussed reclamation procedures that will occur during the 2024 reclamation process. Landowner is waiting to see if the 2024 reclamation procedures mitigate their concerns. As of November 2024, the Landowner is satisfied with the reclamation of the ROW. | 8-Jul-23      |
| 8-Jul-23 | Landowner is concerned with striping the topsoil in wet conditions. | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Followed wet soil shut down policy. Landowner compensated on damage release. Discussed reclamation procedures that will occur during the 2024 reclamation process. Landowner is waiting to see if the 2024 reclamation procedures mitigate their concerns. As of November 2024, the Landowner is satisfied with the reclamation of the ROW. | 8-Jul-23      |
| 8-Jul-23 | Landowner is concerned with striping the topsoil in wet conditions. | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Followed wet soil shut down policy. Landowner compensated on damage release. Discussed reclamation procedures that will occur during the 2024 reclamation process. Landowner is waiting to see if the 2024 reclamation procedures mitigate their concerns. As of November 2024, the Landowner is satisfied with the reclamation of the ROW. | 8-Jul-23      |
| 8-Jul-23 | Landowner is concerned with striping the topsoil in wet conditions. | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Followed wet soil shut down policy. Landowner compensated on damage release. Discussed reclamation procedures that will occur during the 2024 reclamation process. Landowner is waiting to see if the 2024 reclamation procedures mitigate their concerns. As of November 2024, the Landowner is satisfied with the reclamation of the ROW. | 8-Jul-23      |
| 8-Jul-23 | Landowner is concerned with striping the topsoil in wet conditions. | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Followed wet soil shut down policy. Landowner compensated on damage release. Discussed reclamation procedures that will occur during the 2024 reclamation process. Landowner is waiting to see if the 2024 reclamation procedures mitigate their concerns. As of November 2024, the Landowner is satisfied with the reclamation of the ROW. | 8-Jul-23      |
| 9-Jul-23 | Landowner is concerned with striping the topsoil in wet conditions. | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Followed wet soil shut down policy. Landowner compensated on damage release. Discussed reclamation procedures that will occur during the 2024 reclamation process.  | 8-Jul-23      |

| DATE      | LANDOWNER CONCERN   | RESOLUTION/MITIGATION   | DATE RESOLVED |
|-----------|---|---|---------------|
|           |   | Landowner is waiting to see if the 2024 reclamation procedures mitigate their concerns. As of November 2024, the Landowner is satisfied with the reclamation of the ROW.  |               |
| 9-Jul-23  | Landowner is concerned with striping the topsoil in wet conditions.   | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Followed wet soil shut down policy. Landowner compensated on damage release. Discussed reclamation procedures that will occur during the 2024 reclamation process. Landowner is waiting to see if the 2024 reclamation procedures mitigate their concerns. As of November 2024, the Landowner is satisfied with the reclamation of the ROW. | 8-Jul-23      |
| 9-Jul-23  | Landowner is concerned with striping the topsoil in wet conditions.   | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Followed wet soil shut down policy. Landowner compensated on damage release. Discussed reclamation procedures that will occur during the 2024 reclamation process. Landowner is waiting to see if the 2024 reclamation procedures mitigate their concerns. As of November 2024, the Landowner is satisfied with the reclamation of the ROW. | 8-Jul-23      |
| 9-Jul-23  | Landowner is concerned with striping the topsoil in wet conditions.   | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Followed wet soil shut down policy. Landowner compensated on damage release. Discussed reclamation procedures that will occur during the 2024 reclamation process. Landowner is waiting to see if the 2024 reclamation procedures mitigate their concerns. As of November 2024, the Landowner is satisfied with the reclamation of the ROW. | 8-Jul-23      |
| 13-Jul-23 | Landowner advised that pumping was flooding out field of beans.   | Enbridge Land Agent discussed landowner concern with Enbridge construction and Environment team the day of the complaint and discussed at the next days morning construction meeting. Water to be pumped on right-of-way or alternate approved location.  | 17-Jul-23     |
| 17-Jul-23 | Landowner requested no more pumping of water into standing crops. All water to be pumped into ditches or on right of way. | Enbridge Land Agent discussed landowner concern with Enbridge construction and Environment team the day of the complaint and discussed at the next days morning construction meeting. Water to be pumped on right-of-way or alternate approved location.  | 17-Jul-23     |
| 17-Jul-23 | Landowner advised of the following concerns:<br>- Working in the wet weather<br>- Excess compaction from traffic          | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Discussed reclamation procedures that will occur during the 2024 reclamation process. Landowner is waiting to see if the 2024 reclamation procedures mitigate their concerns. As of November 2024, the Landowner is satisfied with the reclamation of the ROW.  | 18-Jul-23     |
| 17-Jul-23 | Landowner advised of the following concerns:<br>- Working in the wet weather<br>- Excess compaction from traffic          | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Discussed reclamation procedures that will occur during the 2024 reclamation process. Landowner is waiting to see if the 2024 reclamation procedures mitigate their concerns. As of November 2024, the Landowner is satisfied with the reclamation of the ROW.  | 18-Jul-23     |

| DATE      | LANDOWNER CONCERN  | RESOLUTION/MITIGATION  | DATE RESOLVED |
|-----------|--|--|---------------|
| 18-Jul-23 | Landowner is concerned with striping the topsoil in wet conditions.                                    | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Discussed reclamation procedures that will occur during the 2024 reclamation process. Landowner is waiting to see if the 2024 reclamation procedures mitigate their concerns. As of November 2024, the Landowner is satisfied with the reclamation of the ROW. | 18-Jul-23     |
| 1-Aug-23  | Landowner advised of wet conditions during topsoil stripping. Landowner contacted the joint committee. | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Issues to be brought forward in CAPLA joint committee meeting. Discussed reclamation procedures that will occur during the 2024 reclamation process. As of November 2024, the Landowner is satisfied with the reclamation of the ROW.                          | 1-Noc-24      |
| 2-Aug-23  | Landowner inquired as to why the French drains did not get installed when pumping water.               | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. French drains installed.   | 22-Aug-23     |
| 2-Aug-23  | Landowner inquired as to why the French drains did not get installed when pumping water.               | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. French drains installed.   | 22-Aug-23     |
| 12-Aug-23 | Landowner advised that Dozer was back blading through wet areas.                                       | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Dozer work suspended on property.  | 12-Aug-23     |
| 12-Aug-23 | Landowner advised that Dozer was back blading through wet areas.                                       | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Dozer work suspended on property.  | 12-Aug-23     |
| 12-Aug-23 | Landowner advised that Dozer was back blading through wet areas.                                       | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Dozer work suspended on property.  | 12-Aug-23     |
| 12-Aug-23 | Landowner advised that Dozer was back blading through wet areas.                                       | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Dozer work suspended on property.  | 12-Aug-23     |
| 15-Aug-23 | Landowner concerned with heavy equipment causing compaction in wet conditions.                         | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Discussed reclamation procedures that will occur during the 2024 reclamation process. Landowner is waiting to see if the 2024 reclamation procedures mitigate their concerns. As of November 2024, the Landowner is satisfied with the reclamation of the ROW. | 1-Nov-24      |
| 15-Aug-23 | Landowner concerned with heavy equipment causing compaction in wet conditions.                         | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Discussed reclamation procedures that will occur during the 2024 reclamation process. Landowner is waiting to see if the 2024 reclamation procedures mitigate their concerns. As of November 2024, the Landowner is satisfied with the reclamation of the ROW. | 1-Nov-24      |

| DATE      | LANDOWNER CONCERN  | RESOLUTION/MITIGATION  | DATE RESOLVED |
|-----------|--|--|---------------|
| 15-Aug-23 | Landowner concerned with heavy equipment causing compaction in wet conditions.   | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Discussed reclamation procedures that will occur during the 2024 reclamation process. Landowner is waiting to see if the 2024 reclamation procedures mitigate their concerns. As of November 2024, the Landowner is satisfied with the reclamation of the ROW.   | 1-Nov-24      |
| 15-Aug-23 | Landowner advised rocks are spreading off the gravel ramps. Requested all gravel be removed before reclamation.        | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Upon removing ramps in November 2023, all gravel was removed off the ROW.  | Nov-23        |
| 15-Aug-23 | Landowner advised rocks are spreading off the gravel ramps. Requested all gravel be removed before reclamation.        | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Upon removing ramps in November 2023, all gravel was removed off the ROW.  | Nov-23        |
| 15-Aug-23 | Landowner advised rocks are spreading off the gravel ramps. Requested all gravel be removed before reclamation.        | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Upon removing ramps in November 2023, all gravel was removed off the ROW.  | Nov-23        |
| 15-Aug-23 | Landowner advised rocks are spreading off the gravel ramps. Requested all gravel be removed before reclamation.        | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Upon removing ramps in November 2023, all gravel was removed off the ROW.  | Nov-23        |
| 20-Aug-23 | Enbridge Land Agent met with the landowner where he expressed concerns regarding compaction and the long-term effects. | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Commitment made for wet soil shut down under LOU. Discussed reclamation procedures that will occur during the 2024 reclamation process. Landowner is waiting to see if the 2024 reclamation procedures mitigate their concerns. As of November 2024, the Landowner is satisfied with the reclamation of the ROW. | 1-Nov-24      |
| 20-Aug-23 | Enbridge Land Agent met with the landowner where he expressed concerns regarding compaction and the long-term effects. | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Commitment made for wet soil shut down under LOU. Discussed reclamation procedures that will occur during the 2024 reclamation process. Landowner is waiting to see if the 2024 reclamation procedures mitigate their concerns. As of November 2024, the Landowner is satisfied with the reclamation of the ROW. | 1-Nov-24      |
| 20-Aug-23 | Enbridge Land Agent met with Landowner where he expressed concerns regarding compaction and the long-term effects.     | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Commitment made for wet soil shut down under LOU. Discussed reclamation procedures that will occur during the 2024 reclamation process. Landowner is waiting to see if the 2024 reclamation procedures mitigate their concerns. As of November 2024, the Landowner is satisfied with the reclamation of the ROW. | 1-Nov-24      |

| DATE      | LANDOWNER CONCERN  | RESOLUTION/MITIGATION   | DATE RESOLVED |
|-----------|--|---|---------------|
| 25-Aug-23 | Landowner emailed the Enbridge joint committee (Construction/Environment/Land) regarding Enbridge abusing the land.                                    | Enbridge met with landowners to acknowledge and address concerns. Commitment made for wet soil shut down under LOU. Discussed reclamation procedures that will occur during the 2024 reclamation process. Landowner is waiting to see if the 2024 reclamation procedures mitigate their concerns. Topic was discussed at the following Joint Committee meeting. As of November 2024, the Landowner is satisfied with the reclamation of the ROW.  | 1-Nov-24      |
| 26-Aug-23 | Landowner concerned with heavy equipment causing compaction in wet conditions. Landowner requested pumping to stop if flume not installed on access.   | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Flume was installed as requested by landowner. Discussed reclamation procedures that will occur during the 2024 reclamation process. Landowner is waiting to see if the 2024 reclamation procedures mitigate their concerns. As of November 2024, the Landowner is satisfied with the reclamation of the ROW.   | 26-Aug-23     |
| 26-Aug-23 | Landowner concerned with heavy equipment causing compaction in wet conditions. Landowner requested pumping to stop if flume not installed on access.   | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Flume was installed as requested by landowner. Discussed reclamation procedures that will occur during the 2024 reclamation process. Landowner is waiting to see if the 2024 reclamation procedures mitigate their concerns. As of November 2024, the Landowner is satisfied with the reclamation of the ROW.   | 26-Aug-23     |
| 26-Aug-23 | Landowner concerned that the use of heavy equipment in wet conditions will cause compaction. Dozer was used to haul pump in. It was too wet for a UTV. | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Construction team discussed alternative operating methods with contractor and landowner. Discussed reclamation procedures that will occur during the 2024 reclamation process. Landowner is waiting to see if the 2024 reclamation procedures mitigate their concerns. As of November 2024, the Landowner is satisfied with the reclamation of the ROW. | 26-Aug-23     |
| 26-Aug-23 | Landowner is concerned that the use of heavy equipment during wet conditions is causing compaction.  | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Commitment made for wet soil shut down under LOU. Discussed reclamation procedures that will occur during the 2024 reclamation process. Landowner is waiting to see if the 2024 reclamation procedures mitigate their concerns. As of November 2024, the Landowner is satisfied with the reclamation of the ROW.  | 1-Nov-24      |
| 26-Aug-23 | Landowner contacted their neighbours to advise them that work during wet weather is causing compaction.  | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Commitment made for wet soil shut down under LOU. Discussed reclamation procedures that will occur during the 2024 reclamation process. Landowner is waiting to see if the 2024 reclamation procedures mitigate their concerns. As of November 2024, the Landowner is satisfied with the reclamation of the ROW.  | 1-Nov-24      |
| 26-Aug-23 | Landowner concerned with using heavy equipment in wet conditions causing compaction.   | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Enbridge met with landowners to acknowledge and address concerns. Discussed reclamation procedures that will occur during the 2024 reclamation process.   | 26-Aug-23     |

| DATE      | LANDOWNER CONCERN  | RESOLUTION/MITIGATION  | DATE RESOLVED |
|-----------|--|--|---------------|
|           |  | Landowner is waiting to see if the 2024 reclamation procedures mitigate their concerns. As of November 2024, the Landowner is satisfied with the reclamation of the ROW.   |               |
| 26-Aug-23 | Landowner concerned with using heavy equipment in wet conditions causing compaction.   | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Enbridge met with landowners to acknowledge and address concerns. Discussed reclamation procedures that will occur during the 2024 reclamation process. Landowner is waiting to see if the 2024 reclamation procedures mitigate their concerns. As of November 2024, the Landowner is satisfied with the reclamation of the ROW. | 26-Aug-23     |
| 26-Aug-23 | Landowner expressed concerns about activity occurring during wet conditions on sub soil and long-term effects of compaction. | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Landowner compensated for wet soil shut down under LOU. Discussed reclamation procedures that will occur during the 2024 reclamation process. Landowner is waiting to see if the 2024 reclamation procedures mitigate their concerns. As of November 2024, the Landowner is satisfied with the reclamation of the ROW.           | 1-Nov-24      |
| 26-Aug-23 | Landowner expressed concerns about activity occurring during wet conditions on sub soil and long-term effects of compaction. | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Landowner compensated for wet soil shut down under LOU. Discussed reclamation procedures that will occur during the 2024 reclamation process. Landowner is waiting to see if the 2024 reclamation procedures mitigate their concerns. As of November 2024, the Landowner is satisfied with the reclamation of the ROW.           | 1-Nov-24      |
| 26-Aug-23 | Landowner expressed concerns about activity occurring during wet conditions on sub soil and long-term effects of compaction. | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Landowner compensated for wet soil shut down under LOU. Discussed reclamation procedures that will occur during the 2024 reclamation process. Landowner is waiting to see if the 2024 reclamation procedures mitigate their concerns. As of November 2024, the Landowner is satisfied with the reclamation of the ROW.           | 1-Nov-24      |
| 26-Aug-23 | Landowner expressed concerns about activity occurring during wet conditions on sub soil and long-term effects of compaction. | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Landowner compensated for wet soil shut down under LOU. Discussed reclamation procedures that will occur during the 2024 reclamation process. Landowner is waiting to see if the 2024 reclamation procedures mitigate their concerns. As of November 2024, the Landowner is satisfied with the reclamation of the ROW.           | 1-Nov-24      |
| 26-Aug-23 | Landowner is concerned that the use of heavy equipment during wet conditions is causing compaction.                          | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Commitment made for wet soil shut down under LOU. Discussed reclamation procedures that will occur during the 2024 reclamation process. Landowner is waiting to see if the 2024 reclamation procedures mitigate their concerns. As of November 2024, the Landowner is satisfied with the reclamation of the ROW.                 | 1-Nov-24      |
| 28-Aug-23 | Landowner is concerned that the use of heavy equipment during  | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Commitment made for wet soil shut down under LOU. Discussed reclamation  | 1-Nov-24      |

| DATE      | LANDOWNER CONCERN  | RESOLUTION/MITIGATION  | DATE RESOLVED |
|-----------|--|--|---------------|
|           | wet conditions is causing compaction.  | procedures that will occur during the 2024 reclamation process. Landowner is waiting to see if the 2024 reclamation procedures mitigate their concerns. As of November 2024, the Landowner is satisfied with the reclamation of the ROW.   |               |
| 29-Aug-23 | Landowner is concerned that the use of heavy equipment during wet conditions is causing compaction.  | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Commitment made for wet soil shut down under LOU. Discussed reclamation procedures that will occur during the 2024 reclamation process. Landowner is waiting to see if the 2024 reclamation procedures mitigate their concerns. As of November 2024, the Landowner is satisfied with the reclamation of the ROW. | 1-Nov-24      |
| 30-Aug-23 | Landowner is concerned that the use of heavy equipment during wet conditions is causing compaction.  | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Commitment made for wet soil shut down under LOU. Discussed reclamation procedures that will occur during the 2024 reclamation process. Landowner is waiting to see if the 2024 reclamation procedures mitigate their concerns. As of November 2024, the Landowner is satisfied with the reclamation of the ROW. | 1-Nov-24      |
| 31-Aug-23 | Landowner is concerned that the use of heavy equipment during wet conditions is causing compaction.  | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Commitment made for wet soil shut down under LOU. Discussed reclamation procedures that will occur during the 2024 reclamation process. Landowner is waiting to see if the 2024 reclamation procedures mitigate their concerns. As of November 2024, the Landowner is satisfied with the reclamation of the ROW. | 1-Nov-24      |
| 1-Sep-23  | Landowner advised of the following concerns:<br>- Wet areas on ROW<br>- Dump Trucks hauling rock are causing compaction<br>- ROW boundaries caused flooding into hay field | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Discussed reclamation procedures that will occur during the 2024 reclamation process. Landowner is waiting to see if the 2024 reclamation procedures mitigate their concerns. As of November 2024, the Landowner is satisfied with the reclamation of the ROW.   | 1-Nov-24      |
| 1-Sep-23  | Landowner concerned about ruts and compaction on the access back to the HDD bore area.   | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Discussed reclamation procedures that will occur during the 2024 reclamation process. Landowner is waiting to see if the 2024 reclamation procedures mitigate their concerns. As of November 2024, the Landowner is satisfied with the reclamation of the ROW.   | 1-Nov-24      |
| 1-Sep-23  | Landowner advised of the following concerns:<br>- Wet areas on the ROW<br>- Heavy equipment causing compaction<br>- Need mats over the tile mains to prevent damage        | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Mats were placed over tile mains.  | 5-Sep-23      |

| DATE     | LANDOWNER CONCERN  | RESOLUTION/MITIGATION  | DATE RESOLVED |
|----------|--|--|---------------|
| 1-Sep-23 | Landowner expressed concerns about activity occurring during wet conditions on sub soil and long-term effects of compaction. | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Landowner compensated for wet soil shut down under LOU. Discussed reclamation procedures that will occur during the 2024 reclamation process. Landowner is waiting to see if the 2024 reclamation procedures mitigate their concerns. As of November 2024, the Landowner is satisfied with the reclamation of the ROW.   | 1-Nov-24      |
| 1-Sep-23 | Landowner expressed concerns about activity occurring during wet conditions on sub soil and long-term effects of compaction. | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Landowner compensated for wet soil shut down under LOU. Discussed reclamation procedures that will occur during the 2024 reclamation process. Landowner is waiting to see if the 2024 reclamation procedures mitigate their concerns. As of November 2024, the Landowner is satisfied with the reclamation of the ROW.   | 1-Nov-24      |
| 1-Sep-23 | Landowner expressed concerns about activity occurring during wet conditions on sub soil and long-term effects of compaction. | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Landowner compensated for wet soil shut down under LOU. Discussed reclamation procedures that will occur during the 2024 reclamation process. Landowner is waiting to see if the 2024 reclamation procedures mitigate their concerns. As of November 2024, the Landowner is satisfied with the reclamation of the ROW.   | 1-Nov-24      |
| 1-Sep-23 | Landowner expressed concerns about activity occurring during wet conditions on sub soil and long-term effects of compaction. | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Landowner compensated for wet soil shut down under LOU. Discussed reclamation procedures that will occur during the 2024 reclamation process. Landowner is waiting to see if the 2024 reclamation procedures mitigate their concerns. As of November 2024, the Landowner is satisfied with the reclamation of the ROW.   | 1-Nov-24      |
| 1-Sep-23 | Landowner is concerned that the use of heavy equipment during wet conditions is causing compaction.                          | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Commitment made for wet soil shut down under LOU. Discussed reclamation procedures that will occur during the 2024 reclamation process. Landowner is waiting to see if the 2024 reclamation procedures mitigate their concerns. As of November 2024, the Landowner is satisfied with the reclamation of the ROW.   | 1-Nov-24      |
| 2-Sep-23 | Landowner advised of the following concerns:<br>- Water pumping caused field<br>- Wet conditions causing compaction          | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Pumping on property was suspended. Commitment made for wet soil shut down compensation under LOU. Discussed reclamation procedures that will occur during the 2024 reclamation process. Landowner is waiting to see if the 2024 reclamation procedures mitigate their concerns. As of November 2024, the Landowner is satisfied with the reclamation of the ROW. | 1-Nov-24      |
| 2-Sep-23 | Landowner advised of the following concerns:<br>- Pumping of water caused flooding in their neighbours' field.               | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Pumping on property was suspended. Commitment made for wet soil shut down compensation under LOU. Discussed reclamation procedures that will occur during the  | 1-Nov-24      |

| DATE     | LANDOWNER CONCERN   | RESOLUTION/MITIGATION   | DATE RESOLVED |
|----------|---|---|---------------|
|          | <ul style="list-style-type: none"> <li>- Wet conditions causing compaction</li> </ul>   | <p>2024 reclamation process. Landowner is waiting to see if the 2024 reclamation procedures mitigate their concerns. As of November 2024, the Landowner is satisfied with the reclamation of the ROW.</p>   |               |
| 2-Sep-23 | <p>Landowner advised of the following concerns:</p> <ul style="list-style-type: none"> <li>- Wet areas on the ROW</li> <li>- Heavy equipment causing compaction</li> <li>- Need mats over the tile mains to prevent damage</li> </ul> | <p>Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Mats were placed over tile mains.</p>  | 5-Sep-23      |
| 2-Sep-23 | <p>Landowner is concerned that the use of heavy equipment during wet conditions is causing compaction.</p>  | <p>Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Commitment made for wet soil shut down under LOU. Discussed reclamation procedures that will occur during the 2024 reclamation process. Landowner is waiting to see if the 2024 reclamation procedures mitigate their concerns. As of November 2024, the Landowner is satisfied with the reclamation of the ROW.</p> | 1-Nov-24      |
| 3-Sep-23 | <p>Landowner advised of the following concerns:</p> <ul style="list-style-type: none"> <li>- Water Pumping</li> <li>- Compaction</li> <li>- Crews showing disrespect</li> </ul>   | <p>Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Commitment made for wet soil shut down under LOU. Discussed reclamation procedures that will occur during the 2024 reclamation process. Landowner is waiting to see if the 2024 reclamation procedures mitigate their concerns. As of November 2024, the Landowner is satisfied with the reclamation of the ROW.</p> | 1-Nov-24      |
| 3-Sep-23 | <p>Landowner advised of the following concerns:</p> <ul style="list-style-type: none"> <li>- Water Pumping</li> <li>- Compaction</li> <li>- Crews showing disrespect</li> </ul>   | <p>Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Commitment made for wet soil shut down under LOU. Discussed reclamation procedures that will occur during the 2024 reclamation process. Landowner is waiting to see if the 2024 reclamation procedures mitigate their concerns. As of November 2024, the Landowner is satisfied with the reclamation of the ROW.</p> | 1-Nov-24      |
| 3-Sep-23 | <p>Landowner advised of the following concerns:</p> <ul style="list-style-type: none"> <li>- Wet areas on the ROW</li> <li>- Heavy equipment causing compaction</li> <li>- Need mats over the tile mains to prevent damage</li> </ul> | <p>Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Mats were placed over tile mains.</p>  | 5-Sep-23      |
| 3-Sep-23 | <p>Landowner is concerned that the use of heavy equipment during wet conditions is causing compaction.</p>  | <p>Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Commitment made for wet soil shut down under LOU. Discussed reclamation procedures that will occur during the 2024 reclamation process. Landowner is waiting to see if the 2024 reclamation procedures mitigate their concerns. As of November 2024, the Landowner is satisfied with the reclamation of the ROW.</p> | 1-Nov-24      |

| DATE     | LANDOWNER CONCERN   | RESOLUTION/MITIGATION  | DATE RESOLVED |
|----------|---|--|---------------|
| 4-Sep-23 | <p>Landowner advised of the following concerns:</p> <ul style="list-style-type: none"> <li>- Wet areas on the ROW</li> <li>- Heavy equipment causing compaction</li> <li>- Need mats over the tile mains to prevent damage</li> </ul> | <p>Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Mats were placed over tile mains.</p>   | 5-Sep-23      |
| 4-Sep-23 | <p>Land advised of the following concerns:</p> <ul style="list-style-type: none"> <li>- Wet conditions</li> <li>- Heavy equipment causing compaction</li> <li>- Weed Control</li> </ul>   | <p>Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Commitment made for wet soil shut down under LOU. Discussed reclamation procedures that will occur during the 2024 reclamation process. Landowner is waiting to see if the 2024 reclamation procedures mitigate their concerns from heavy equipment compaction in wet weather. Landowner agreed to mitigate weed issue. Compensation was agreed upon for this. As of November 2024, the Landowner is satisfied with the reclamation of the ROW.</p> | 1-Nov-24      |
| 5-Sep-23 | <p>Landowner advised rocks are spreading off the gravel ramps. Requested all gravel be removed.</p>   | <p>Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Upon removing ramps in November 2023, all gravel was removed off the ROW.</p>   | Nov-23        |
| 5-Sep-23 | <p>Landowner expressed concerns about activity occurring during wet conditions on sub soil and long-term effects of compaction.</p>   | <p>Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Landowner compensated for wet soil shut down under LOU. Discussed reclamation procedures that will occur during the 2024 reclamation process. Landowner is waiting to see if the 2024 reclamation procedures mitigate their concerns. As of November 2024, the Landowner is satisfied with the reclamation of the ROW.</p>  | 1-Nov-24      |
| 5-Sep-23 | <p>Landowner expressed concerns about activity occurring during wet conditions on sub soil and long-term effects of compaction.</p>   | <p>Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Landowner compensated for wet soil shut down under LOU. Discussed reclamation procedures that will occur during the 2024 reclamation process. Landowner is waiting to see if the 2024 reclamation procedures mitigate their concerns. As of November 2024, the Landowner is satisfied with the reclamation of the ROW.</p>  | 1-Nov-24      |
| 5-Sep-23 | <p>Landowner expressed concerns about activity occurring during wet conditions on sub soil and long-term effects of compaction.</p>   | <p>Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Landowner compensated for wet soil shut down under LOU. Discussed reclamation procedures that will occur during the 2024 reclamation process. Landowner is waiting to see if the 2024 reclamation procedures mitigate their concerns. As of November 2024, the Landowner is satisfied with the reclamation of the ROW.</p>  | 1-Nov-24      |
| 5-Sep-23 | <p>Landowner expressed concerns about activity occurring during wet conditions on sub soil and long-term effects of compaction.</p>   | <p>Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Landowner compensated for wet soil shut down under LOU. Discussed reclamation procedures that will occur during the 2024 reclamation process. Landowner is waiting</p>  | 1-Nov-24      |

| DATE      | LANDOWNER CONCERN  | RESOLUTION/MITIGATION  | DATE RESOLVED |
|-----------|--|--|---------------|
|           |  | to see if the 2024 reclamation procedures mitigate their concerns. As of November 2024, the Landowner is satisfied with the reclamation of the ROW.  |               |
| 5-Sep-23  | Landowner advised rocks are spreading off the gravel ramps. Requested all gravel be removed.                           | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Upon removing ramps in November 2023, all gravel was removed from the ROW.   | Nov-23        |
| 6-Sep-23  | Landowner asked when tiling would be complete.   | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Final tiling repairs are to be completed prior to topsoil reclamation in 2024.   | 1-Nov-24      |
| 6-Sep-23  | Agent noticed crew was starting to pump in a location clearly identified as a no pump location in the morning meeting. | Agent and EI pulled hose and filter bag out of the no pump location. Agent provided update to landowner.   | 6-Sep-23      |
| 8-Sep-23  | Landowner advised that the ground was too wet for equipment.   | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Work was shut down on the property as per the landowner's request.   | 8-Sep-23      |
| 8-Sep-23  | Landowner advised of the following concerns:<br>- Wet areas on the ROW<br>- Heavy equipment is causing compaction      | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Commitment made for wet soil shut down under LOU. Discussed reclamation procedures that will occur during the 2024 reclamation process. Landowner is waiting to see if the 2024 reclamation procedures mitigate their concerns. As of November 2024, the Landowner is satisfied with the reclamation of the ROW. | 1-Nov-24      |
| 8-Sep-23  | Landowner advised of the following concerns:<br>- Wet areas on the ROW<br>- Heavy equipment is causing compaction      | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Commitment made for wet soil shut down under LOU. Discussed reclamation procedures that will occur during the 2024 reclamation process. Landowner is waiting to see if the 2024 reclamation procedures mitigate their concerns. As of November 2024, the Landowner is satisfied with the reclamation of the ROW. | 1-Nov-24      |
| 12-Sep-23 | Landowner asked if light plant could be aimed away from their house.   | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Light was repositioned.  | 12-Sep-23     |
| 12-Sep-23 | Landowner advised that semi-trucks were using the driveway because of the open cut road crossing.                      | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Commitment was made to stop using driveway.  | 12-Sep-23     |
| 13-Sep-23 | Landowner stated it was far too wet to be working. They had received 6/10 of inch of rain the previous night.          | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Commitment made for wet soil shut down under LOU. Discussed reclamation procedures that will occur during the 2024 reclamation process. Landowner is waiting   | 1-Nov-24      |

| DATE      | LANDOWNER CONCERN  | RESOLUTION/MITIGATION  | DATE RESOLVED |
|-----------|--|--|---------------|
|           |  | to see if the 2024 reclamation procedures mitigate their concerns. As of November 2024, the Landowner is satisfied with the reclamation of the ROW.  |               |
| 13-Sep-23 | Landowner advised rock trucks are causing compaction and rutting.  | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting Commitment made for wet soil shut down under LOU. Discussed reclamation procedures that will occur during the 2024 reclamation process. Landowner is waiting to see if the 2024 reclamation procedures mitigate their concerns. As of November 2024, the Landowner is satisfied with the reclamation of the ROW.  | 1-Nov-24      |
| 13-Sep-23 | Landowner provided pictures of the deep ruts caused by the heavy equipment.  | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Discussed reclamation procedures that will occur during the 2024 reclamation process. Landowner is waiting to see if the 2024 reclamation procedures mitigate their concerns. As of November 2024, the Landowner is satisfied with the reclamation of the ROW.   | 1-Nov-24      |
| 13-Sep-23 | Landowner is concerned that the use of heavy equipment during wet conditions is causing compaction.                        | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Commitment made for wet soil shut down under LOU. Discussed reclamation procedures that will occur during the 2024 reclamation process. Landowner is waiting to see if the 2024 reclamation procedures mitigate their concerns. As of November 2024, the Landowner is satisfied with the reclamation of the ROW. | 1-Nov-24      |
| 13-Sep-23 | Landowner is concerned that the use of heavy equipment during wet conditions is causing compaction.                        | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Commitment made for wet soil shut down under LOU. Discussed reclamation procedures that will occur during the 2024 reclamation process. Landowner is waiting to see if the 2024 reclamation procedures mitigate their concerns. As of November 2024, the Landowner is satisfied with the reclamation of the ROW. | 1-Nov-24      |
| 13-Sep-23 | Landowner is concerned that the use of heavy equipment during wet conditions is causing compaction.                        | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Discussed reclamation procedures that will occur during the 2024 reclamation process. Landowner is waiting to see if the 2024 reclamation procedures mitigate their concerns. As of November 2024, the Landowner is satisfied with the reclamation of the ROW.   | 1-Nov-24      |
| 13-Sep-23 | Landowner advised of the following concerns:<br>- Mud on the roads leaving the bone yard<br>- Excess ruts in the bone yard | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. The contractor used shovels and water trucks to wash/clean the mud off the highways and roads.   | 15-Sep-23     |
| 14-Sep-23 | Landowner advised of the ruts caused by the welding equipment during wet conditions  | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Followed wet soil shut down policy. Discussed reclamation procedures that will occur during the 2024 reclamation process. Landowner is waiting to see if the 2024 reclamation procedures mitigate their concerns. As of November 2024, the Landowner is satisfied with the reclamation of the ROW.               | 1-Nov-24      |

| DATE      | LANDOWNER CONCERN  | RESOLUTION/MITIGATION  | DATE RESOLVED |
|-----------|--|--|---------------|
| 21-Sep-23 | Landowner is concerned construction team is taking too much subsoil while removing gravel from the ramps.  | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Discussed landowner concerns with Enbridge construction team. Alternate strategies used to reduce amount of subsoil taken while removing gravel.   | 22-Sep-23     |
| 22-Sep-23 | Landowner is concerned construction team is taking too much subsoil while removing gravel from the ramps.  | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Discussed landowner concerns with Enbridge construction team. Alternate strategies used to reduce amount of subsoil taken while removing gravel.   | 22-Sep-23     |
| 28-Sep-23 | Landowner advised that it is too wet to work after the recent rain.  | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Commitment made for wet soil shut down under LOU. Discussed reclamation procedures that will occur during the 2024 reclamation process. Landowner is waiting to see if the 2024 reclamation procedures mitigate their concerns. As of November 2024, the Landowner is satisfied with the reclamation of the ROW.   | 1-Nov-24      |
| 28-Sep-23 | Landowner advised that it is too wet to work after the recent rain.  | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Commitment made for wet soil shut down under LOU. Discussed reclamation procedures that will occur during the 2024 reclamation process. Landowner is waiting to see if the 2024 reclamation procedures mitigate their concerns. As of November 2024, the Landowner is satisfied with the reclamation of the ROW.   | 1-Nov-24      |
| 29-Sep-23 | Landowner advised that it is too wet to work after the additional rain they received and is concerned that the use of heavy equipment during wet conditions is causing compaction. Landowner also advised that some of the rocks from stone ramps have migrated to different areas in the field. | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Commitment made for wet soil shut down under LOU. Discussed reclamation procedures that will occur during the 2024 reclamation process. Landowner is waiting to see if the 2024 reclamation procedures mitigate their concerns. Upon removing ramps in November 2023, all gravel was removed off the ROW. As of November 2024, the Landowner is satisfied with the reclamation of the ROW. | 1-Nov-24      |
| 29-Sep-23 | Landowner advised that it is too wet to work after the additional rain they received.  | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Commitment made for wet soil shut down under LOU. Discussed reclamation procedures that will occur during the 2024 reclamation process. Landowner is waiting to see if the 2024 reclamation procedures mitigate their concerns. As of November 2024, the Landowner is satisfied with the reclamation of the ROW.   | 1-Nov-24      |
| 29-Sep-23 | Landowner advised that it is too wet to work after the recent rain.  | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Commitment made for wet soil shut down under LOU. Discussed reclamation procedures that will occur during the 2024 reclamation process. Landowner is waiting   | 1-Nov-24      |

| DATE      | LANDOWNER CONCERN   | RESOLUTION/MITIGATION  | DATE RESOLVED |
|-----------|---|--|---------------|
|           |   | to see if the 2024 reclamation procedures mitigate their concerns. As of November 2024, the Landowner is satisfied with the reclamation of the ROW.  |               |
| 29-Sep-23 | Landowner advised that it is too wet to work after the recent rain and is disappointed with the mud produced by construction. | Enbridge Land Agent discussed landowner concern with Enbridge construction team the day of the complaint and discussed at the next days morning construction meeting. Commitment made for wet soil shut down under LOU. Discussed reclamation procedures that will occur during the 2024 reclamation process. Landowner is waiting to see if the 2024 reclamation procedures mitigate their concerns. As of November 2024, the Landowner is satisfied with the reclamation of the ROW. | 1-Nov-24      |
| 6-Apr-24  | Landowner inquired about getting access across right of way for fertilizer spreading  | Enbridge Land Agent attempted to get landowner access installed by contractor, the landowner then stated he would not apply fertilizer on that part of the field anyway.   | 9-Nov-24      |
| 8-Apr-24  | Landowner inquired about getting access across right of way for fertilizer spreading  | Enbridge Land Agent attempted to get landowner access installed by contractor. The landowner then stated he would not apply fertilizer on that part of the field anyway.   | 9-Apr-24      |
| 21-Apr-24 | Landowner asked Enbridge Land agent about access to land across the right of way  | Contractor installed wooden mats across right of way.  | 10-May-24     |
| 25-Apr-24 | Landowner asked Enbridge Land Agent about t access to land across the right of way  | Contractor installed wooden mats across right of way   | 10-May-24     |
| 26-Apr-24 | Landowner has concerns with right of way holding back water onto private property   | Had site visit, Enbridge Land agent and landowner came to an agreement   | 16-May-24     |
| 2-May-24  | Landowner called Enbridge Land Agent about access needed across right of way  | Contractor installed wooden mats across right of way   | 20-May-24     |
| 10-May-24 | Landowner asked Enbridge Land Agent about access to land across the right of way  | Contractor installed wooden mats across right of way   | 16-May-24     |
| 10-May-24 | Landowner Enbridge Land Agent asked about access to land across the right of way  | Contractor installed wooden mats across right of way   | 20-May-24     |

| DATE      | LANDOWNER CONCERN  | RESOLUTION/MITIGATION   | DATE RESOLVED |
|-----------|--|---|---------------|
| 10-May-24 | Landowner mentioned to Enbridge Land Agent that weed growth getting out of hand  | Spraying completed by VegTek prior to topsoil reclamation. VegTek completed work as requested                                       | 15-July-24    |
| 10-May-24 | Landowner mentioned to Enbridge Land Agent weed growth getting out of hand   | Spraying completed by VegTek prior to topsoil reclamation. VegTek completed work as requested                                       | 15-July-24    |
| 10-May-24 | Landowner mentioned to Enbridge Land Agent to Enbridge Land Agent that that that weed growth getting out of hand                               | Spraying completed by VegTek prior to topsoil reclamation. VegTek completed work as requested                                       | 15-July-24    |
| 10-May-24 | Landowner mentioned weed growth getting out of hand  | Spraying completed by VegTek prior to topsoil reclamation. VegTek completed work as requested                                       | 15-July-24    |
| 10-May-24 | Landowner mentioned weed growth getting out of hand  | Spraying completed by VegTek prior to topsoil reclamation. VegTek completed work as requested                                       | 15-July-24    |
| 18-May-24 | Access installed across right of way   | Contractor installed wooden mats across right of way  | 18-May-24     |
| 24-May-24 | Landowner called Enbridge Land Agent and said that his farm equipment was damaged while using access across right of way installed by Enbridge | Enbridge Land Agent had personal meeting and resolved the issue. Compensation was paid  | 24-May-24     |
| 10-Jun-24 | Landowner called and said they had found discharge hose off right of way   | Enbridge Land Agent had personal meeting and resolved the issue. Contractor removed hose and compensation was paid to the landowner | 12-Jun-24     |
| 11-Jun-24 | Landowner informed Enbridge Land Agent of water being held back onto private land from topsoil piles   | Enbridge Land Agent had personal meeting and documented lost acres. Compensation was paid to the landowner                          | 17-Jul-24     |
| 11-Jun-24 | Landowner informed Enbridge Land Agent of water being held back onto private land from topsoil piles   | Enbridge Land Agent had personal meeting and documented lost acres  | 17-Jul-24     |

| DATE      | LANDOWNER CONCERN   | RESOLUTION/MITIGATION  | DATE RESOLVED |
|-----------|---|--|---------------|
| 11-Jun-24 | Landowner informed Enbridge Land Agent of water being held back onto private land from topsoil piles      | Enbridge Land Agent had personal meeting and documented lost acres                                 | 17-Jul-24     |
| 13-Jun-24 | Landowner asked for access across right of way  | Contractor installed wooden mats across right of way   | 14-Jun-24     |
| 15-Jun-24 | Landowner called Enbridge Land Agent to discuss water off easement drowning out crops                     | Enbridge Land Agent had personal meeting and documented lost acres                                 | 15-Jul-24     |
| 18-Jun-24 | Landowner called Enbridge Land Agent and discussed Weed growth on ROW                                     | Spraying completed by VegTek prior to topsoil reclamation  | 15-Jul-24     |
| 19-Jun-24 | Landowner inquired about weed spraying  | Spraying completed by VegTek prior to topsoil reclamation. VegTek completed work as requested      | 15-Jul- 24    |
| 20-Jun-24 | Landowner called Enbridge Land Agent and discussed Weed growth on ROW                                     | Spraying completed by VegTek prior to topsoil reclamation. VegTek completed work as requested      | 15-Jul- 24    |
| 21-Jun-24 | Landowner called Enbridge Land Agent about weed growth on ROW   | Spraying completed by VegTek prior to topsoil reclamation. VegTek completed work as requested      | 15-Jul- 24    |
| 24-Jun-24 | Landowner complained about cattle not being about to cross from one side of the ROW to the other          | Enbridge Construction manager h local contractor install cattle gates across right of way.         | 24-Jun-24     |
| 1-Jul-24  | Landowner Informed Enbridge Land Agent of water coming from right of way into private land, damaging crop | Stone beds were installed down the drainage tile by the contractor to help drain off surface water | 23-Aug-24     |
| 2-Jul-24  | Landowner informed he could not seed north of right of way and claimed gored land                         | Agent had personal meeting and resolved the issue. Compensation was paid for gored land            | 20-Jul-24     |



| DATE      | LANDOWNER CONCERN  | RESOLUTION/MITIGATION   | DATE RESOLVED |
|-----------|--|---|---------------|
| 3-Jul-24  | Landowner asked about weed spraying program  | Spraying completed by VegTek prior to topsoil reclamation. VegTek completed work as requested | 15-Jul-24     |
| 3-Jul-24  | Landowner called to say weed growth was unacceptable   | Landowner sprayed right of way to his satisfaction and was compensated by Enbridge            | 5-Jul-24      |
| 3-Jul-24  | Landowner called to say weed growth was unacceptable   | Landowner sprayed right of way to his satisfaction and was compensated by Enbridge            | 5-Jul-24      |
| 3-Jul-24  | Landowner called to say weed growth was unacceptable   | Landowner sprayed right of way to his satisfaction and was compensated by Enbridge            | 5-Jul-24      |
| 3-Jul-24  | Landowner called to say weed growth was unacceptable   | Landowner sprayed right of way to his satisfaction and was compensated by Enbridge            | 5-Jul-24      |
| 3-Jul-24  | Landowner called to say weed growth was unacceptable   | Landowner sprayed right of way to his satisfaction and was compensated by Enbridge            | 5-Jul-24      |
| 12-Jul-24 | Landowner called Enbridge Land Agent and said that he had trouble with electric fencer not working | Enbridge Land Agent Installed new solar panel and battery                                     | 12-Jul-24     |
| 15-Jul-24 | Landowner is upset with lack of activity on the right of way                                       | Contractor completed reclamation in September on property                                     | 6-Sep-24      |
| 15-Jul-24 | Landowner is upset with lack of activity on the right of way                                       | Contractor completed reclamation in September on property                                     | 6-Sep-24      |
| 15-Jul-24 | Landowner is upset with lack of activity on the right of way                                       | Contractor completed reclamation in September on property                                     | 6-Sep-24      |
| 15-Jul-24 | Landowner is upset with lack of activity on the right of way                                       | Contractor completed reclamation in September on property                                     | 6-Sep-24      |

| DATE      | LANDOWNER CONCERN  | RESOLUTION/MITIGATION   | DATE RESOLVED |
|-----------|--|---|---------------|
| 15-Jul-24 | Landowner is upset with lack of activity on the right of way   | Contractor completed reclamation in September on property   | 16-Sep-24     |
| 15-Jul-24 | Landowner called Enbridge Land agent about Weeds growing on ROW  | Spraying completed by VegTek prior to topsoil reclamation. VegTek completed work as requested                         | 8-Aug-24      |
| 16-Jul-24 | Landowner claimed Enbridge flooded out field and could not harvest hay crop  | Landowner harvested hay crop where the claim was made that they could not harvest it                                  | 8-Aug-24      |
| 17-Jul-24 | Landowner asked Enbridge Land Agent about tiling, Enbridge offered to pump water off, but Landowner didn't think it was needed | Enbridge Land Agent had contractor lined up to pump but held off upon landowner request                               | 17-Jul-24     |
| 8-Aug-24  | Landowner emailed inquiring about drainage   | Enbridge Land Agent had call with landowner and set up meeting with landowner, agent, and construction superintendent | 8-Aug-24      |
| 17-Aug-24 | Enbridge Land Agent Landowner with construction superintendent-Decision was made to explore for tile with subcontractor        | Contractor was contacted and made arrangements to start work the following day  | 17-Aug-24     |
| 22-Aug-24 | Contractor started dozer work, Landowner felt conditions were not fit and halted work. Contractor crews left site.             | Work was halted, contractor crews left property until all parties felt it fit to resume work                          | 22-Aug-24     |
| 27-Aug-24 | Tenant called Enbridge Land Agent saying there was a lot of misses with weed spraying  | Spraying completed by VegTek prior to topsoil reclamation. VegTek completed work as requested                         | 7-Sept-24     |
| 28-Aug-24 | Concerned about weed regrowth on the right of way and topsoil piles  | Spraying completed by VegTek prior to topsoil reclamation. VegTek completed work as requested                         | 7-Sept 2024   |

| DATE      | LANDOWNER CONCERN  | RESOLUTION/MITIGATION  | DATE RESOLVED |
|-----------|--|--|---------------|
| 30-Aug-24 | Landowner called Enbridge Land Agent concerned about weed regrowth on the right of way and topsoil piles   | Spraying completed by VegTek prior to topsoil reclamation. VegTek completed work as requested                    | 7-Sept 2024   |
| 31-Aug-24 | Landowner called Enbridge Land Agent concerned with soil moisture prior to reclamation work  | Reclamation was halted until both landowner and construction group agreed  | 31-Aug-24     |
| 6-Sep-24  | Landowner informed Enbridge Land Agent that water was laying off right of way in locations never seen before, potential drain tile damage across right of way. | Enbridge Land Agent had personal meeting and documented lost acres , compensation was paid to reflect lost acres | 8-Sep-24      |

# **Appendix A**

## **Project Mapping**



# **Appendix B**

## **Conditions of Approval**

**Leave to Construct Application under  
Section 90 of the OEB Act  
Enbridge Gas Inc.  
EB-2022-0086  
Conditions of Approval**

1. Enbridge Gas Inc. shall construct the facilities and restore the land in accordance with the OEB's Decision and Order in EB-2022-0086 and these Conditions of Approval.
2. (a) Authorization for leave to construct shall terminate 12 months after the decision is issued, unless construction has commenced prior to that date.  
  
(b) Enbridge Gas Inc. shall give the OEB notice in writing:
  - i. of the commencement of construction, at least 10 days prior to the date construction commences
  - ii. of the planned in-service date, at least 10 days prior to the date the facilities go into service
  - iii. of the date on which construction was completed, no later than 10 days following the completion of construction
  - iv. of the in-service date, no later than 10 days after the facilities go into service
3. Enbridge Gas Inc. shall obtain all necessary approvals, permits, licences, certificates, agreements and rights required to construct, operate and maintain the Project.
4. Enbridge Gas Inc. shall implement all the recommendations of the Environmental Report filed in the proceeding, and all the recommendations and directives identified by the Ontario Pipeline Coordinating Committee review.
5. Enbridge Gas Inc. shall advise the OEB of any proposed change to OEB-approved construction or restoration procedures. Except in an emergency, Enbridge Gas Inc. shall not make any such change without prior notice to and written approval of the OEB. In the event of an emergency, the OEB shall be informed immediately after the fact.
6. Concurrent with the final monitoring report referred to in Condition 7(b), Enbridge Gas Inc. shall file a Post Construction Financial Report, which shall provide a variance analysis of project cost, schedule and scope compared to the estimates filed in this proceeding, including the extent to which the project contingency was utilized. Enbridge Gas Inc. shall also file a copy of the Post Construction Financial Report in the proceeding where the actual capital costs of the project are proposed to be included in rate base or any proceeding where Enbridge Gas Inc. proposes to start collecting revenues associated with the Project, whichever is earlier.
7. Both during and after construction, Enbridge Gas Inc. shall monitor the impacts of construction, and shall file with the OEB one electronic (searchable PDF) version of each of the following reports:
  - a. A post construction report, within three months of the in-service date, which shall:
    - i. provide a certification, by a senior executive of the company, of Enbridge Gas's adherence to Condition 1
    - ii. describe any impacts and outstanding concerns identified during construction

- iii. describe the actions taken or planned to be taken to prevent or mitigate any identified impacts of construction
  - iv. include a log of all complaints received by Enbridge Gas Inc., including the date/time the complaint was received, a description of the complaint, any actions taken to address the complaint, the rationale for taking such actions
  - v. provide a certification, by a senior executive of the company, that the company has obtained all other approvals, permits, licenses, and certificates required to construct, operate and maintain the proposed project
- b. A final monitoring report, no later than fifteen months after the in-service date, or, where the deadline falls between December 1 and May 31, the following June 1, which shall:
- vi. provide a certification, by a senior executive of the company, of Enbridge Gas's adherence to Condition 4
  - vii. describe the condition of any rehabilitated land
  - viii. describe the effectiveness of any actions taken to prevent or mitigate any identified impacts of construction
  - ix. include the results of analyses and monitoring programs and any recommendations arising therefrom
  - x. include a log of all complaints received by Enbridge Gas Inc., including the date/time the complaint was received; a description of the complaint; any actions taken to address the complaint; and the rationale for taking such actions
8. Enbridge Gas Inc. shall designate one of its employees as project manager who will be responsible for the fulfillment of these conditions and shall provide the employee's name and contact information to the OEB and to all the appropriate landowners, and shall clearly post the project manager's contact information in a prominent place at the construction site.

# **Appendix C**

## **Change Requests and Approvals**



**Adam Stiers**  
Manager, Regulatory Applications  
Leave to Construct  
Regulatory Affairs

tel 519-436-4558  
[adam.stiers@enbridge.com](mailto:adam.stiers@enbridge.com)  
[EGIRegulatoryProceedings@enbridge.com](mailto:EGIRegulatoryProceedings@enbridge.com)

**Enbridge Gas Inc.**  
50 Kell Drive North  
Chatham, Ontario  
N7M 5M1

## **VIA EMAIL and RESS**

June 8, 2023

Nancy Marconi  
Registrar  
Ontario Energy Board  
2300 Yonge Street, Suite 2700  
Toronto, Ontario, M4P 1E4

Dear Nancy Marconi:

**Re: Enbridge Gas Inc.  
Ontario Energy Board File No.  
EB-2022-0086 – Dawn to Corunna Replacement Project  
Change Request No. 1 - REDACTED**

---

Please find attached Change Request No. 1 for the Dawn to Corunna Replacement Project (the "Project").

Enbridge Gas is filing this Change Request pursuant to the Ontario Energy Board's ("OEB") Condition of Approval No. 5 of the OEB's Decision and Order dated November 3, 2022, approving leave to construct the Project.

As detailed herein, the lands rights described in the Company's pre-filed evidence set out at Exhibit G were based on preliminary (pre-survey) Project designs and plans. The Company has subsequently completed lands survey works, refined Project designs and completed negotiations with affected landowners since that time. Accordingly, the changes requested herein reflect the best available information at this time.

As part of this Change Request, Enbridge Gas is attaching a general Project Area Map (Attachment 1), an Updated Landowner Line List (Attachment 2), and Updated Alignment Drawings of the Preferred Route (Attachment 3).

In accordance with the OEB's *Practice Direction on Confidential Filings*, Enbridge Gas has redacted confidential information within the documents summarized in Table 1. Table 1 also contains details of the specific information and reasons for confidential treatment.

Table 1

| Attachment   | Description of Document | Confidential Information Location | Brief Description    | Basis for Confidentiality  |
|--------------|-------------------------|-----------------------------------|----------------------|--|
| Attachment 2 | Landowner Line List     | Pages 1-5                         | Personal Information | The redactions relate to the names and contact information of property owners. This information should not be disclosed in accordance with the <i>Freedom of Information and Protection of Privacy Act</i> . Pursuant to section 10 of the OEB's <i>Practice Direction on Confidential Filings</i> , such information should not be provided to parties to a proceeding. |

The unredacted confidential attachments will be sent separately via email to the OEB.

If you have any questions, please contact the undersigned.

Sincerely,

Adam Stiers  
 Manager, Regulatory Applications - Leave to Construct

c.c.: Charles Keizer (Torys)  
 Ritchie Murray (OEB staff)  
 Intervenors (EB-2022-0086)



BY E-MAIL

June 14, 2023

Mr. Adam Stiers  
Manager, Regulatory Applications  
Enbridge Gas Inc.  
500 Consumers Road  
Toronto, ON M2J 1P8  
[adam.stiers@enbridge.com](mailto:adam.stiers@enbridge.com)

Dear Mr. Stiers:

**Re: Enbridge Gas Inc.  
Dawn to Corunna Replacement Project  
Ontario Energy Board File Number EB-2022-0086  
Change Request No. 1**

On June 8, 2023, Enbridge Gas Inc. (Enbridge Gas) submitted a letter to the Ontario Energy Board (OEB) requesting approval of changes to the Dawn to Corunna Replacement Project (Change Request No.1) as approved by the OEB in its decision (Decision).<sup>1</sup> The proposed changes involve modifying, adding to, and reducing various easement and temporary land use rights. Based on my review of the information provided in Change Request No.1, I find that the changes proposed by Enbridge Gas are not material. I hereby approve the proposed changes.

The Dawn to Corunna Replacement Project consists of constructing approximately 20 kilometres of 36-inch diameter natural gas pipeline from Enbridge Gas's Dawn Operations Centre in the Township of Dawn-Euphemia to its Corunna Compressor Station in St. Clair Township (Project). The purpose of the Project is to replace the capacity lost by the retirement of seven of eleven compressors at the Corunna Compressor Station. The seven compressors need to be replaced due to reliability issues, obsolescence and safety concerns.

Change Request No. 1 was made pursuant to Condition of Approval No. 5 of the Decision. Condition of Approval No. 5 provides the following:

---

<sup>1</sup> [EB-2022-0086](#), Decision and Order (November 3, 2022)  
2300 Yonge Street, 27<sup>th</sup> floor, P.O. Box 2319, Toronto, ON, M4P 1E4  
2300, rue Yonge, 27<sup>e</sup> étage, C.P. 2319, Toronto (Ontario) M4P 1E4

5. Enbridge Gas Inc. shall advise the OEB of any proposed change to OEB-approved construction or restoration procedures. Except in an emergency, Enbridge Gas Inc. shall not make any such change without prior notice to and written approval of the OEB. In the event of an emergency, the OEB shall be informed immediately after the fact.

The OEB's [Natural Gas Facilities Handbook](#) states that a change request must explain the nature and extent of the proposed change, the rationale for the proposed change, and its impact on the following, as applicable: the need for the project, project costs and economics, environmental impacts, and impacts on (among others) Indigenous peoples and their rights, municipalities and landowners.<sup>2</sup>

In Change Request No. 1, Enbridge Gas stated that the land use requirements proposed in its application to the OEB for approval of the Project were based on preliminary (pre-survey) designs and plans, whereas Change Request No.1 is based on completed land surveys and refined designs and plans. Enbridge Gas stated that the proposed changes are needed to provide additional space to store equipment and to safely construct and install the facilities.<sup>3</sup> Enbridge Gas noted that the changes do not alter the OEB-approved Project route. The changes operate only to add/remove certain parcels of land or otherwise modify the specific dimensions of parcels required from the same list of landowners that were originally consulted. No additional landowners are impacted by the changes. Enbridge Gas stated that, as required, these landowners have been or will be offered the forms of lands rights agreements approved by the OEB and the agreements will be executed prior to commencement of construction on the relevant properties. Enbridge Gas noted that an archaeological assessment will be completed on sites that were not previously assessed before any construction activities commence.

Enbridge Gas stated that the changes will not impact the proposed Project in-service date of November 2023. Enbridge Gas also stated that the additional costs associated with the changes will be allocated to the contingency budgeted for the Project and therefore will have no material impact on the overall Project costs.

As the Manager, Applications - Natural Gas, I have been delegated, under section 6 of the *Ontario Energy Board Act, 1998*, the authority of the OEB to determine whether Enbridge Gas's proposal will result in material changes to the natural gas pipeline in

---


<sup>2</sup> Section 4.6 Change Requests, page 38

<sup>3</sup> Enbridge Gas provided supporting documentation for Change Request No. 1 in the form of an updated general project area map, an updated landowner line list, and updated alignment drawings of the preferred route.

respect of which leave to construct was granted by the OEB in the EB-2022-0086 proceeding. I have been further granted the authority to approve any changes that I have concluded are not material.

Based on my review of the information provided in Change Request No.1, I find that the changes proposed by Enbridge Gas are not material as the changes do not alter the OEB-approved Project route, no additional landowners are impacted by the changes, the forms of lands rights agreements approved by the OEB will be used, archaeological assessments will be completed on sites that were not previously assessed, there is no impact on the proposed Project in-service date, and any additional costs will be allocated to budgeted contingency. I hereby approve the proposed changes.

Yours truly,

Lawrie Gluck  Digitally signed by Lawrie  
Gluck  
Date: 2023.06.14  
15:45:07 -0400

Lawrie Gluck  
Manager, Applications - Natural Gas

cc: [EGIRegulatoryProceedings@enbridge.com](mailto:EGIRegulatoryProceedings@enbridge.com)  
Charles Keizer, [ckeizer@torys.com](mailto:ckeizer@torys.com)  
All the parties in the EB-2022-0086 proceeding

# **Appendix D**

## **Executive Certifications**



**Leave to Construct Application under Section 90 of the OEB Act**  
**Enbridge Gas Inc.**  
**EB-2022-0086**  
**Conditions of Approval**  
**November 3, 2022**

I hereby certify that Enbridge Gas Inc. has implemented all the recommendations of the Environmental Report filed in the proceeding, and all the recommendations and directives identified by the Ontario Pipeline Coordinating Committee review in accordance with the OEB's Decision and Order in **EB-2022-0086** and the Conditions of Approval, as per Condition 7 (b)(i).

**Abdi  
Hussein**

Digitally signed by  
Abdi Hussein  
Date: 2025.05.16  
12:25:14 -05'00'

\_\_\_\_\_

Date

\_\_\_\_\_

Abdi Hussein,

Director, Projects – Major Projects  
Enbridge Gas Inc.

Condition 7 (b)(i).

7. Both during and after construction, Enbridge Gas shall monitor the impacts of construction, and shall file with the OEB an electronic copy (searchable PDF) version of each of the following reports:
  - b) A final monitoring report, no later than fifteen months after the in-service date, or, where the deadline falls between December 1 and May 31, the following June 1, which shall:
    - i. provide a certification, by a senior executive of the company, of Enbridge Gas's adherence to Condition 4

Condition 4


Enbridge Gas Inc. shall implement all the recommendations of the Environmental Report filed in the proceeding (**EB-2022-0086**), and all the recommendations and directives identified by the Ontario Pipeline Coordinating Committee review.

**Appendix E**

**Photograph Inventory**



1. Temporary mats installed spring 2024 to permit landowner to cross easement and access entire farm field



2. Installing French drain to assist with easement dewatering.



3. Completed French drain.



4. Pumping ponded easement to dry soils prior to restoration.



5. Flooded easement following heavy July precipitation. Water flowing from roadside ditch onto easement.




6. Filling and leveling trench subsidence of the subsoil that occurred following backfilling completed the previous year.



7. Application of herbicide to manage weed growth on easement.



8. Easement flooding in August 2024 following 84 mm of precipitation.



9. Subsoil decompaction using a D6 dozer with ripper teeth.



10. Leveling and breaking up soil clods following sub-soil decompaction.



12. Pulling topsoil and casting it across easement to dry prior to spreading



11. Spreading and leveling topsoil



14. Tye Paratill decompressing subsoil through topsoil.



13. Final easement conditions following soil restorations.



15. Drain restoration following removal of temporary culvert crossing.