

Mr. Ritchie Murray  
Acting Registrar  
Ontario Energy Board  
P.O. Box 2319, 27th Floor  
2300 Yonge Street  
Toronto, ON M4P 1E4

July 11, 2025

**EB-2025-0064 Enbridge Gas Inc. Rebasing Application Phase 3**  
**Pollution Probe Technical Conference Estimate**

Dear Mr. Murray:

In accordance with OEB direction, the following is the time estimate for the Technical Conference. Pollution Probe is aware of the estimates for other parties related to Panels 2 through 5 and believes that our questions pertaining to Panels 2 to 5 will be resolved through the questions by other parties. Should additional clarification be required, Pollution Probe plans to address that if it occurs.

For efficiency, Pollution Probe intends to focus on issues from questions specific to Panel 1 on the issues of IRP, Capital Reduction and Marketing Materials. The total time estimate related to Panel 1 is 110 minutes. Please note that adjustments between panels may be required if Enbridge refers any questions to a different panel than originally estimated.

Pollution Probe believes that the IR responses and Enbridge's evidence should be sufficient references if Enbridge plans to project those materials during the Technical Conference. Having the OEB approved Settlement Agreement from Phase 2 available, if required, would also be helpful.

Respectfully submitted on behalf of Pollution Probe.



---

Michael Brophy, P.Eng., M.Eng., MBA  
Michael Brophy Consulting Inc.  
Consultant to Pollution Probe  
Phone: 647-330-1217  
Email: [Michael.brophy@rogers.com](mailto:Michael.brophy@rogers.com)

Cc: Enbridge Regulatory, (via [EGIRegulatoryproceedings@enbridge.com](mailto:EGIRegulatoryproceedings@enbridge.com))  
All Parties (via email)  
Richard Carlson, Pollution Probe (via email)