

June 10, 2026

via RESS

Mr. Ritchie Murray
Acting Registrar
Ontario Energy Board
2300 Yonge Street, P.O. Box 2319
Suite 2700, Toronto, ON M4P 1E4

Dear Mr. Murray:

**Re: Elexicon Energy Inc. OEB File No: EB-2025-0312
2027-2031 Custom Incentive Rate-Setting ("Custom IR") Application – Technical Conference Witness
Panels**

Pursuant to the OEB's Procedural Order No. 1 (the "PO"), a technical conference ("TC") is scheduled to commence June 22, 2026. Elexicon's witness panels and subject areas for this TC will be as follows:

- **Panel 1:** Distribution System Plan ("DSP") Overview and Investment Planning; Capacity Planning; Non-Wires Solutions; System Access (except Metering); System Renewal; System Service; System OM&A Programs (System Planning and Design; System Operations; Sustainment); Custom Scorecard.
- **Panel 2:** Metering, IT and OT Systems, Facilities and Fleet capital; OM&A Overview; Customer Care OM&A Program; Common Corporate OM&A Program; Business Planning; Customer Engagement; Distributor Consolidation; Workforce and Compensation; Shared Services; Other Revenue; Revenue Requirement; PILs; Cost of Capital; Depreciation; Rate Base (except Working Capital Allowance); Specific Service Charges; Deferral and Variance Accounts.
- **Panel 3:** Rate Framework; Load Forecast; Working Capital Allowance; Cost Allocation and Rate Design; Bill Impacts.

A list of names and email addresses for the witnesses appearing at the Technical Conference is provided in Appendix A below. Please note that technical questions related to expert evidence will be addressed by undertakings, and that any interrogatories mapped to Cynthia Chan should be directed to Panel 2.

To aid the parties in directing their questions to the appropriate witness panel, Appendix B contains a mapping of the interrogatory responses to each witness panel. Please note that some interrogatory responses are mapped to multiple panels. Where interrogatory responses overlap in subject areas, please note the following:

- Capital project-related questions and related OM&A expenditures, including programmatic workforce requirements, should be addressed to the respective capital and OM&A program witnesses on Panels 1 and 2 as outlined above.
- Each panel will address reports, audits, analyses, metrics, studies or similar questions related to their subject matter expertise as outlined above.



In addition, to enable Elexicon's personnel to be efficient and effective in projecting of materials on the screen during the TC, Elexicon kindly requests that parties provide references in accordance with the headers of the evidence, and the corresponding page numbers (e.g. "Exhibit 2B, Tab 4, Schedule 3, Appendix A at Page 1" or "Interrogatory 1-SEC-16 at page 2).

Elexicon's primary contact for this application is Erin Stevens, Director, Regulatory Affairs. Please contact Erin by e-mail at estevens@elexiconenergy.com, or by phone at 289-355-9390, if you have any questions.

Sincerely,

Stephen Vetsis
Vice President Regulatory Affairs and Stakeholder Relations
Elexicon Energy Inc.

cc: Charles Keizer, Daliana Coban, Erin Stevens



Appendix A:

Materials person: Sadia Gondal sadia.gondal@utilisconsulting.ca

Panel 1	Stephen Sheehy Usman Khan Saad Salim Latif Munish Multani Sam Sadeghi	ssheehy@elexiconenergy.com ukhan@elexiconenergy.com slatif@elexiconenergy.com mmultani@elexiconenergy.com ssadeghi@elexiconenergy.com
Panel 2	Stephen Vetsis Zubair Islam Brad Walker Lincoln Frost-Hunt Kriston Romano	svetsis@elexiconenergy.com zislam@elexiconenergy.com bwalker@elexiconenergy.com lfrost-hunt@elexiconenergy.com kromano@elexiconenergy.com
Panel 3	Stephen Vetsis Andrew Blair	ablair@poweradvisoryllc.com

Appendix B

Interrogatory	Panel 1	Panel 2	Panel 3
1-CCC-01	X		
1-CCC-02		X	
1-CCC-03	X	X	
1-CCC-04		X	
1-CCC-05		X	
1-CCC-06		X	
1-CCC-07			X
1-CCC-08	X	X	
1-CCC-09	X	X	
1-CCC-10		X	
1-CCMBC-01		X	
1-DRC-01	X	X	
1-DRC-02	X		X
1-DRC-03			X
1-DRC-04		X	
1-DRC-05	X	X	
1-EP-01		X	
1-EP-02		X	
1-EP-03		X	
1-PP-01		X	
1-PP-02	X	X	
1-PP-03	X		
1-PP-04	X		
1-PP-05	X	X	
1-PP-06		X	
1-PP-07		X	
1-PP-08		X	
1-PP-09	X		
1-PP-10	X		
1-PP-11	X		

Interrogatory	Panel 1	Panel 2	Panel 3
1-PP-12		X	
1-PP-13		X	
1-PP-14		X	
1-PP-15	X	X	
1-PP-16	X		
1-PP-17	X	X	
1-PP-18		X	
1-PP-19	X		
1-PP-20		X	
1-PP-21	X		X
1-PWU-01	X		
1-PWU-02	X	X	
1-PWU-03	X		
1-QMA-01		X	
1-QMA-02	X		
1-QMA-03	X		
1-SEC-01		X	
1-SEC-02		X	
1-SEC-03		X	
1-SEC-04		X	
1-SEC-05		X	
1-SEC-06		X	
1-SEC-07		X	
1-SEC-08		X	
1-SEC-09	X	X	
1-SEC-10		X	
1-SEC-11		X	
1-SEC-12		X	X
1-SEC-13		X	
1-SEC-14		X	

Interrogatory	Panel 1	Panel 2	Panel 3
1-SEC-15		X	
1-SEC-16		X	
1-SEC-17		X	
1-SEC-18		X	
1-SEC-19		X	
1-SEC-20		X	
1-SEC-21		X	
1-SEC-22	X		
1-SEC-23			X
1-SEC-24			X
1-SEC-25		X	
1-SEC-26		X	
1-SEC-27		X	
1-Staff-01		X	
1-Staff-02		X	
1-Staff-03		X	
1-Staff-04			X
1-Staff-05	X	X	
1-Staff-06			X
1-Staff-07			X
1-Staff-08			X
1-Staff-09			X
1-Staff-10			X
1-Staff-11			X
1-Staff-12			X
1-Staff-13			X
1-Staff-14			X
1-Staff-15			X
1-Staff-16		X	
1-Staff-17			X

Interrogatory	Panel 1	Panel 2	Panel 3
1-Staff-18			X
1-Staff-19		X	
1-Staff-20			X
1-Staff-21	X		X
1-Staff-22		X	
1-Staff-23		X	
1-Staff-24		X	
1-Staff-25		X	
1-Staff-26		X	
1-Staff-27		X	
1-Staff-28		X	
1-Staff-29		X	
1-Staff-30		X	
1-Staff-31	X		
1-Staff-32		X	
1-Staff-33	X	X	
1-Staff-34	X	X	
1-Staff-35			X
1-VECC-01		X	
1-VECC-02		X	
1-VECC-03		X	
1-VECC-04	X		
1-VECC-05	X	X	
1-VECC-06		X	
1-VECC-07	X		
1-VECC-08		X	
1-VECC-09			X
1-VECC-10			X
2.0-VECC -11	X		
2.0-VECC -12	X		

Interrogatory	Panel 1	Panel 2	Panel 3
2.0-VECC -13	X		
2.0-VECC -14		X	
2.0-VECC -15	X		
2.0-VECC -16	X		
2.0-VECC -17	X		
2.0-VECC -18	X		
2.0-VECC -19	X		
2.0-VECC -20	X		
2.0-VECC -21	X		
2A-CCMBC-2		X	
2A-CCMBC-3		X	
2A-CCMBC-4	X	X	
2A-SEC-28		X	
2A-SEC-29		X	
2A-SEC-30		X	
2A-SEC-31		X	
2A-SEC-32	X	X	
2B-CCMBC-5	X		
2B-CCMBC-6	X		
2B-EP-04	X	X	
2B-EP-05	X		
2B-EP-06	X		
2B-EP-07	X		
2B-EP-08	X		
2B-EP-09	X		
2B-EP-10	X		
2B-EP-11	X		
2B-PWU-04		X	
2B-PWU-05	X		
2B-PWU-06	X		

Interrogatory	Panel 1	Panel 2	Panel 3
2B-SEC-33	X		
2B-SEC-34		X	
2B-SEC-35		X	
2B-SEC-36	X	X	
2B-SEC-37	X		
2B-SEC-38	X		
2B-SEC-39	X	X	
2B-SEC-40	X		
2B-SEC-41	X		
2B-SEC-42	X		
2B-SEC-43	X		X
2B-SEC-44	X		
2B-SEC-45		X	
2B-SEC-46	X		
2B-SEC-47	X		
2B-SEC-48	X		
2B-SEC-49	X		
2B-SEC-50	X		
2B-SEC-51	X		
2B-SEC-52	X		
2B-SEC-53	X		
2B-SEC-54	X		
2B-SEC-55	X		
2B-SEC-56	X		
2B-SEC-57	X		
2B-SEC-58	X		
2B-SEC-59	X		X
2B-SEC-60		X	
2B-SEC-61	X		
2B-SEC-62	X		

Interrogatory	Panel 1	Panel 2	Panel 3
2B-SEC-63	X		
2B-SEC-64	X		
2B-SEC-65	X		
2B-SEC-66	X		
2B-SEC-67		X	
2-CCC-11		X	
2-CCC-12		X	
2-CCC-13		X	
2-CCC-14	X	X	
2-CCC-15	X		
2-CCC-16	X		
2-CCC-17	X		
2-CCC-18	X		
2-CCC-19	X		
2-CCC-20	X		
2-CCC-21	X		
2-CCC-22	X		
2-CCC-23		X	
2-CCC-24	X		
2-CCC-25	X		
2-CCC-26	X		
2-CCC-27	X		
2-CCC-28	X		
2-CCC-29	X		
2-CCC-30	X		
2-CCC-31	X		
2-CCC-32		X	
2-CCC-33		X	
2-CCC-34		X	
2-CCC-35		X	

Interrogatory	Panel 1	Panel 2	Panel 3
2-DRC-6	X		
2-DRC-7	X		
2-DRC-8	X		
2-DRC-9		X	
2-PP-22	X		
2-PP-23	X	X	X
2-PP-24		X	
2-Staff-36	X	X	
2-Staff-37	X		
2-Staff-38	X		
2-Staff-39	X		
2-Staff-40	X		
2-Staff-41	X		
2-Staff-42	X		
2-Staff-43	X		
2-Staff-44	X		
2-Staff-45	X		
2-Staff-46	X		
2-Staff-47	X		
2-Staff-48	X		
2-Staff-49	X		
2-Staff-50	X		
2-Staff-51	X		
2-Staff-52	X		
2-Staff-53		X	
2-Staff-54	X		
2-Staff-55	X		
2-Staff-56	X		
2-Staff-57	X		
2-Staff-58	X		

Interrogatory	Panel 1	Panel 2	Panel 3
2-Staff-59	X		
2-Staff-60	X		
2-Staff-61	X		
2-Staff-62	X		
2-Staff-63	X		
2-Staff-64	X		
2-Staff-65		X	
2-Staff-66		X	
2-Staff-67		X	
2-Staff-68		X	
2-Staff-69		X	
2-Staff-70	X		
2-Staff-71	X		
2-Staff-72	X		
2-Staff-73	X		
2-Staff-74	X	X	
2-Staff-75	X		
2-Staff-76		X	
2-Staff-77	X	X	
2-Staff-78	X	X	
2-Staff-79		X	
2-Staff-80	X		
2-Staff-81		X	
2-Staff-82		X	
2-Staff-83		X	
2-Staff-84		X	
2-Staff-85		X	
2-Staff-86		X	
2-Staff-87		X	
2-Staff-88		X	

Interrogatory	Panel 1	Panel 2	Panel 3
3.0-VECC -22			X
3.0-VECC -25			X
3.0-VECC -26	X		X
3.0-VECC -27			X
3.0-VECC -28			X
3.0-VECC -29			X
3.0-VECC -30			X
3.0-VECC -31			X
3.0-VECC -32			X
3.0-VECC -33			X
3.0-VECC -34			X
3.0-VECC -35	X		X
3.0-VECC -36			X
3.0-VECC -37			X
3.0-VECC -38	X		X
3-BOMA-01	X		X
3-BOMA-02	X		X
3-BOMA-03	X		
3-BOMA-04			X
3-CCMBC-7		X	
3-CCMBC-8			X
3-CCMBC-9			X
3-DRC-10			X
3-SEC-68			X
3-SEC-69			X
3-Staff-89			X
3-Staff-90	X		X
3-Staff-91			X
3-Staff-92			X
3-Staff-93	X		X

Interrogatory	Panel 1	Panel 2	Panel 3
3-Staff-94			X
3-Staff-95			X
3-Staff-96			X
3-Staff-97			X
3-Staff-98			X
3-Staff-99			X
3-VECC -24	X		X
3-VECC-23	X		X
4.0 -VECC -39		X	
4.0 -VECC -40		X	
4.0 -VECC -41	X		
4.0 -VECC -42	X	X	
4.0 -VECC -43		X	
4.0 -VECC -44		X	
4.0 -VECC -45		X	
4.0 -VECC -46		X	
4.0 -VECC -47		X	
4.1-PWU-09 -		X	
4.1-PWU-10		X	
4.1-PWU-11		X	
4.1-PWU-12	X	X	
4.1-PWU-13	X		
4-CCC-36		X	
4-CCC-37		X	
4-CCC-38	X		
4-CCC-39	X		
4-CCC-40		X	
4-CCC-41	X		
4-CCC-42	X		
4-CCC-43	X		

Interrogatory	Panel 1	Panel 2	Panel 3
4-CCC-44	X		
4-CCC-45	X	X	
4-CCC-46		X	
4-CCC-47		X	
4-CCC-48		X	
4-CCC-49		X	
4-CCC-50		X	
4-CCC-51		X	
4-CCC-52		X	
4-CCC-53		X	
4-CCC-54		X	
4-CCC-55		X	
4-CCC-56		X	
4-CCC-57	X	X	
4-CCC-58		X	
4-CCC-59		X	
4-CCC-60		X	
4-CCC-61		X	
4-CCMBC-10		X	
4-CCMBC-11		X	
4-CCMBC-12		X	
4-EP-12		X	
4-EP-13		X	
4-EP-14		X	
4-PWU-07		X	
4-PWU-08		X	
4-PWU-14		X	
4-PWU-15		X	
4-SEC-70		X	
4-SEC-71		X	

Interrogatory	Panel 1	Panel 2	Panel 3
4-SEC-72		X	
4-SEC-73		X	
4-SEC-74		X	
4-SEC-75		X	
4-SEC-76		X	
4-SEC-77		X	
4-SEC-78 -		X	
4-SEC-79		X	
4-SEC-80	X		
4-SEC-81		X	
4-SEC-82		X	
4-SEC-83		X	
4-SEC-84		X	
4-SEC-85		X	
4-SEC-86		X	
4-SEC-87		X	
4-Staff-100		X	
4-Staff-101		X	
4-Staff-102		X	
4-Staff-103		X	
4-Staff-104		X	
4-Staff-105		X	
4-Staff-106		X	
4-Staff-107		X	
4-Staff-108		X	
4-Staff-109		X	
4-Staff-110		X	
4-Staff-111		X	
4-Staff-112		X	
4-Staff-113	X	X	

Interrogatory	Panel 1	Panel 2	Panel 3
4-Staff-114	X		
4-Staff-115	X		
4-Staff-116	X		
4-Staff-117	X		
4-Staff-118	X	X	
4-Staff-119		X	
4-Staff-120		X	
4-Staff-121		X	
4-Staff-122		X	
4-Staff-123		X	
4-Staff-124		X	
4-Staff-125		X	
4-Staff-126		X	
4-Staff-127		X	
4-Staff-128		X	
4-Staff-129		X	
4-Staff-130		X	
4-Staff-131		X	
5.0-VECC-48		X	
5.0-VECC-49		X	
5.0-VECC-50		X	
5.0-VECC-51		X	
5-CCC-62		X	
5-CCC-63		X	
5-Staff-132		X	
5-Staff-133		X	
5-Staff-134		X	
5-Staff-135		X	
5-Staff-136		X	
5-Staff-137		X	

Interrogatory	Panel 1	Panel 2	Panel 3
6.0-VECC-61		X	
6.0-VECC-62		X	
6.0-VECC-63		X	
6.0-VECC-64		X	
6.0-VECC-65		X	
6-CCC-64		X	
6-SEC-88		X	
6-SEC-89		X	
6-SEC-90		X	
6-Staff-138		X	
6-Staff-139		X	
6-Staff-140		X	
6-Staff-141		X	
6-Staff-142		X	
6-Staff-143		X	
6-Staff-144		X	
6-Staff-145		X	
6-Staff-146		X	
6-Staff-147		X	
6-Staff-148		X	
6-Staff-149		X	
6-Staff-150		X	
7.0-VECC-66			X
7.0-VECC-67			X
7.0-VECC-68			X
7.0-VECC-69			X
7.0-VECC-70			X
7.0-VECC-71			X
7.0-VECC-72			X
7.0-VECC-73			X

Interrogatory	Panel 1	Panel 2	Panel 3
7-BOMA-05			X
7-BOMA-06			X
7-SEC-91			X
7-Staff-151			X
7-Staff-152			X
7-Staff-153			X
8.0-VECC-74			X
8.0-VECC-75			X
8.0-VECC-76			X
8.0-VECC-77			X
8.0-VECC-78			X
8.0-VECC-79			X
8.0-VECC-80			X
8-BOMA-07			X
8-SEC-92			X
8-SEC-93			X
8-SEC-94		X	
8-SEC-95			X
8-Staff-154			X
8-Staff-155			X
8-Staff-156			X
8-Staff-157	X		X
8-Staff-158		X	
8-Staff-159			X
9.0 -VECC -81		X	X
9-CCC-65		X	
9-CCC-66		X	
9-CCC-67		X	
9-CCC-68		X	
9-CCC-69		X	

Interrogatory	Panel 1	Panel 2	Panel 3
9-SEC-100		X	
9-SEC-101	X		X
9-SEC-96		X	
9-SEC-97		X	
9-SEC-98		X	
9-SEC-99		X	
9-Staff-160		X	
9-Staff-161	X	X	
9-Staff-162		X	
9-Staff-163		X	
9-Staff-164		X	
9-Staff-165		X	
9-Staff-166		X	
9-Staff-167		X	
9-Staff-168	X	X	
9-Staff-169		X	
9-Staff-170		X	
9-Staff-171		X	
9-Staff-172		X	
9-Staff-173		X	
9-Staff-174	X	X	
9-Staff-175		X	
9-Staff-176	X	X	
9-Staff-177		X	
9-Staff-178		X	
9-Staff-179		X	
9-Staff-180		X	
9-Staff-181		X	
9-Staff-182		X	
9-Staff-183		X	

Interrogatory	Panel 1	Panel 2	Panel 3
9-Staff-184		X	
9-Staff-185		X	
9-Staff-186		X	
9-Staff-187		X	
9-Staff-188		X	
9-Staff-189		X	
9-Staff-190		X	
9-Staff-191		X	
9-Staff-192		X	
9-Staff-193		X	
9-Staff-194		X	
9-Staff-195		X	
9-Staff-196		X	
10-CCC-70		X	
10-CCC-71		X	
10-PP-25	X		
10-PP-26	X		
10-PP-27	X		
10-PP-28	X		
10-PP-29	X		
10-PP-30	X		
10-PP-31	X		
10-SEC-102	X	X	
10-SEC-103		X	
10-Staff-197	X		
10-Staff-198	X		
10-Staff-199	X		
10-Staff-200	X		
10-Staff-201	X		
10-Staff-202	X		
10-Staff-203	X		
10-Staff-204	X		
10-VECC-82	X		
10-VECC-83	X		