September 4, 2026

Ritchie Murray
Registrar
Ontario Energy Board
2300 Yonge Street, P.O. Box 2319
Toronto ON, M4P 1E4

Dear Mr. Murray,

RE: EB-2026-0157 Enbridge Gas Inc. 2027 Rates Application
Interrogatory of Energy Probe

Energy Probe Research Foundation (Energy Probe) has reviewed the EB-2026-0157 Enbridge Gas Inc. Rates Application and has only one interrogatory which is attached.

Submitted on behalf of Energy Probe.

Tom Ladanyi Digitally signed by Tom Ladanyi Date: 2026.09.04 15:11:34 -04'00'

Tom Ladanyi
TL Energy Regulatory Consultants Inc.

Energy Probe Research Foundation 417 Bloor Street West, Suite 202, Toronto, Ontario, M5S 1X6

Phone: (416) 964-9223 E-mail: probe.opinion@gmail.com Internet: https://ep.probeinternational.org/

EB-2026-0157

Enbridge Gas 2027 Rates Application

Interrogatories of Energy Probe

September 6, 2026

Issue 1. Is the base rate adjustment moving $50 million of overhead capital to O&M calculated properly?

1-EP-1
References: Exhibit B, Tab 1, Schedule 1, Page 4; Working Papers, Schedule 8, Page 1, Line 44
Preamble: "Enbridge Gas has incorporated a base rate adjustment that implements the OEB's Phase 1 2024 Rebasing Decision to move $50 million of capitalized overheads to O&M through a base rate adjustment in each year of the IRM term."

Questions:

a) Please explain the reason for the $2.934 million difference between $50 million of capitalized overheads in the text quoted in the preamble and $47.066 million on Line 44 of Working Papers, Schedule 8, Page 1.

b) Does the $2,934 million difference remain in 2027 Rate Base?